

MAHARASHTRA POLLUTION CONTROL BOARD

Tei : 2402 0781 / 2401 0437

Fax : 2402 4068

Visit us at :

Website : <http://mpcb.mah.nic.in>

E-mail : mpcb@vsnl.net



Kalpataru Point,
2nd , 3rd & 4th floor,
Opp. Cineplanet,
Near Sion Circle, Sion (E),
Mumbai - 400 022.

No. BO/MPCB/JD(WPC)/KP-7009-11/Refusal/B-CAL-85

Date : 20/12/2011

To:

M/s. Abhishek Corporation Mills Ltd.,
Gat. No. -148, Tamgaon,
Kolhaver - Hupari Road,
Tal. -Karveer, Dist. - Kolhapur.

Sub: Refusal of Consent under Section 27 of the Water (P & C P) Act, 1974 and Section 21 of the Air (P & C P) Act, 1981.


- Ref: 1] Your application for grant of Consent to Operate (Renewal) received through Sub Regional Office, Kolhapur.
2] This office letter MPCB/Jt. Dir.(WPC)/TB/B-3083, Dt. 02/06/2011.
3] Your reply received to this office dt.04/08/2011.
4] Decision of Consent Appraisal Committee held on 19/10/2011.
5] Show Cause Notice for refusal issued by this office vide NO.MPCB/Jt. Dir.(WPC)/ TB/B-6279, Dated 08/11/2011.
6] SRO, Kolhapur report dated 24/11/2011 received by E-Mail.
7] Decision of Consent Appraisal Committee meeting held on 5/12/2011.

.....
This office is in receipt of your application for grant of Consent under Section 26 of the Water (Prevention and Control of Pollution) Act, 1974; under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 and Hazardous Wastes (Management, Handling & Transboundry Movement) Rules, 2008.

AND WHEREAS the Board vide letter cited at ref. (5) has issued SCN for refusal for non compliance of consent condition. SRO Kolhapur has reported that JVS analysis report are exceeding as per the consented standards.

The application was discussed in Consent Appraisal Committee meeting held on 05.12.2011 and it was decided to refuse the renewal of consent to Operate as the JVS results dated 29.09.2010 & 29.03.2011 are exceeding the consented standards & the reply to Show Cause Notice issued is not satisfactory.

In view of this, your application for grant of renewal of Consent to Operate is hereby refused under Section 27 of the Water (Prevention and Control of Pollution) Act, 1974 and under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 and Hazardous Waste (MH & TM) Rules, 2008.


13.12
(Milind Mhaiskar)
Member Secretary

Copy to:

- 1] Regional Officer, MPCB, Kolhapur - He is directed to issue closure directions to the industry, directing authority to disconnect electricity, water supply and submit compliance report within 07 days.
- 2] Sub-Regional Officer, MPCB, Kolhapur- For information & necessary follow-up action.