

Kolhapur

Sr. No.	Category	No. of Industry
1	Aluminium Smelter	0
2	Basic Drugs & Pharmaceuticals Mfg.	4
3	Chlor Alkali/Caustic Soda	0
4	Cement (200 TPD and above)	1
5	Copper Smelting	0
6	Dyes & Dye Intermediate	2
7	Fermentation (Distillery)	15
8	Fertilizer	0
9	Integrated Iron & Steel	2
10	Leather Processing including Tanneries	0
11	Oil Refinery	0
12	Pesticide Formulation & Mfg.	5
13	Pulp & Paper (30 TPD and above)	0
14	Petrochemical	0
15	Sugar	40
16	Thermal Power Plants	2
17	Zinc Smelting	0
Total		71

1. Aluminium Smelter

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

2. Basic Drugs & Pharmaceuticals Mfg.

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17-Category Type	Pollution Control System		Provision s of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Kandukar Laboratories Pvt.Ltd., Plot no.7-47, Five star MIDC, Kagal, Tal Kagal, Dist Kolhapur	PU	Basic Drugs & Pharma Mfg.	Primary, secondary & Tertiary	Cyclone type dust collection	CHDTSCF Membership obtained	Industry is closed	Industry is closed	Industry is closed		No		Direction issued	LSI	HOD	Temporarily closed	31.01.2011	Temporarily closed
2	Chiplan Fine Chemicals Ltd. E-25 MIDC Lote.02356-272480	PU	Drug Intermediate	---	Scrubber Fabric collector	Membership obtained	---	---	NA	UCLO	---	Closed	Closed	MSI	HOD	OPERATING	30/11/2004	Closed
3	USV Ltd. B-1/0 MIDC Lote.02356-272442	PU	Bulk Drugs	Primary & Secondary and ACF and PGF Evaporator (Member of GETP)	Scrubber & Dust Collector	Membership obtained	OPRS	OPRS	NA	OPRS	Yes	9/8/2012	---	LSI	CAC	OPERATING	31/12/2015	Overall complied
4	M/s Supriya chemicals A-52, MIDC, Lote Tal. Kagal dist. Ratnagiri.	PU	Drug Intermediate	Primary, Secondary,	Scrubber	Membership obtained	OPRS	OPRS	NA	OPRS	NO	21/04/2012	COMPLIED	MSI	HOD	OPERATING	31/12/2015	COMPLIED

4. Cement (200 TPD and above)																		
Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provision s of HW Managem ent	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken agast defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	M/s. Ultra tech cement Ltd. Plot No 1,2,3,4, M.I.D.C. Zodgaon Back Dist Rahgaon	PU	Cement	NA	Dust collector is provided	Send to CHWTSDF	NA	CPRS	ADQ	CPRS	NO	31.10.2012	-	LSI	CAC	Operating	31/12/2016	Cement from ready made Clinker. In operation

5. Copper Smelting

[illegible]

Nil

6. Dyes & Dye Intermediate

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17-Category Type	Pollution Control System		Provision s of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Shree Puskar Petro Products Ltd, Plot-102/103, MIDC, Loni, 02356-272625	PU	Dyes & intermediate	Primary & effluent used in DCP plant. (Member of CETP)	Scrubber	Membership obtained	OPRS	OPRS	NA	OPRS	NO	20/06/2012	Interim Directive MPCB/RO/KC P/1105/12 dt 25/03/2012 Conditional Directive MPCB/LC/PA MSyB-2956 dt 27/06/2012	LSI	HOD	OPERATING	31/12/2014	UPGRADATION WORK OF ETP IS UNDER PROGRESS.
2	Ms Chromatic India Ltd. B-12/2, MIDC Loni, Tal:Khed, Dist:Ratnagiri	PU	Dyes & Dye intermediate	Primary treatment, secondary treatment, PSF, ASF.	Scrubber	Membership obtained	OPRS	OPRS	NA	No	NO	14/06/2012	-----	MSI	HOD	OPERATING	30/04/2015	Latest JVS results are within limit.

7. Fermentation (Distillery)

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	M/s.Renuka Sugar Ltd. (D.B R.K. Panchaganga S.S.K. Ltd.) Gangapur, Ichalkaranji, Dist. Kolhapur.	CP	Distillery	Volume reduction technic followed by Bio Composting	Steam Taken From Sugar unit.		OPRS	OPRS	NA		NO		NI	MSI	CC	Temporariy Closed	31.12.2015	partially complied as per CREP norms.
2	M/s. Shi Delta S.S. K. Ltd., Shirai, Tal- Shirai, Dist.- Kolhapur.	CP	Distillery	Volume reduction technic followed by Bio Composting	Steam Taken From Sugar unit.			OPRS	NA		NO	31.03.2014	NI	LSI	CAC	Operating	31.12.2014	Partially complied as per CREP norms.
3	M/s. Shi Chh. Shree S.S.K. Ltd., Kagdi, Dist.- Kolhapur.	CP	Distillery	Volume reduction technic followed by Bio Composting	Steam Taken From Sugar unit.		OPRS	OPRS	NA		NO	27.03.2014	Proposed Direction	LSI	CAC	Operating	31.05.2014	Partially complied as per CREP norms.
4	M/s. Kumbhi Kasari S.S. K. Ltd., Kudhe, Kolhapur.	CP	Distillery	Volume reduction technic followed by Bio Composting	Steam Taken From Sugar unit.			OPRS	NA		NO	26.03.2014	NI	LSI	CAC	Operating	31.03.2014	Partially complied as per CREP norms.
5	M/s. Daulat S.S.K. Ltd., Hakarni, Tal- Chandgad Dist.- Kolhapur.	CP	Distillery	Volume reduction technic followed by Bio Composting	Steam Taken From Sugar unit.			OPRS	NA		NO	Closed	NI	MSI	CC	Temporariy Closed	31/12/2025	Temporariy Closed
6	M/s. Tatyasaheb Kore Wamra S.S.K. Ltd., Warananagar, Dist.- Kolhapur.	CP	Distillery	Multi effect Evaporator for volume reduction technic followed by Bio Composting	Steam Taken From Sugar unit.		OPRS	OPRS	NA		NO	01.03.2014	Proposed Direction	LSI	CAC	Operating	31.12.2012	Partially complied as per CREP norms.
7	M/s.Appasaheb Malawade SSK Ltd.Harai,Tal- Gadhingaj Dist- Kolhapur	CP	Distillery	Volume reduction technic followed by Bio Composting	Steam Taken From Sugar unit.		OPRS	OPRS	NA		NO	05.03.2014	Show cause notice issued	LSI	CAC	Operating	31.08.2014	Partially complied as per CREP norms.
8	M/s. Bhogawat S.S. K.Ltd., Shahenagar, Parle, Tal- Karveer, Dist.-Kolhapur.	CP	Distillery	Volume reduction technic followed by Bio Composting	Steam Taken From Sugar unit.		OPRS	OPRS	NA		NO	24.03.2014	NI	LSI	CAC	Operating	31.06.2014	Partially complied as per CREP norms.
9	M/s. Kolhapur Sugar Mills, Karasba Bawade, Kolhapur.	PU	Distillery	Bio Digester followed by R.O. and Multi effect Evaporator with dryer.	Dust Collector		OPRS	OPRS	NA		NO	29.04.2014	NI	LSI	CC	Operating	31.12.2013	Partially complied as per CREP norms.

10	M/s. Shetmal Sah. Prakritya Samrtha Ltd. A/p- Herwad, Tal-Shirur, Kolhapur.	PU	Distillery	Multi effect Evaporator for volume reduction technique followed by Bio Composting	Dust Collector		OPRS	OPRS	NA		NO	Closed	Stop mfg. activity since last two years.	LSI	HCO		31.07.2010	Temporary Closed
11	Vasambada SSK Ltd, Distillery unit, Sangli, (9233) 2310511 to 515	CP	Distillery	Reboiler followed by aerobic composting	Steam is taken from Sugar factory	Cat. 20.3: distillation residue composted	OPRS	Steam is taken from Sugar factory	ADQ	OPRNS	No	09.04.2014	1) SRO Sangli has issued non compliance letter vide no. MPCB/SRS/T B/288/14, dtd. 05.03.2014 2) MPCB/SRS/T B/288/14, dtd. 03.03.2014	LSI	CC	Operating	31.05.2015	O & M of the composting system is to be improved.
12	Rajarambapu Patil SSK Ltd., Distillery unit, Rajaram Nagar, Tal: Waiwada, Dist: Sangli (02342) 220561 to 867. San_rpsrk[at]sanchamet[d]o[n]	CP	Distillery	Bio-methanisation followed by aerobic compost	Steam is taken from Sugar factory	Cat. 20.3: distillation residue composted	OPRNS	Steam is taken from Sugar factory	ADQ	OPRNS	No	22.04.2014	1. Non compliance letter issued vide no. MPCB/SRS/T B/195/12, dtd. 07.08.2012. 2) MPCB/SRS/T B/197/13, dtd. 21.06.2013 3) MPCB/SRS/T B/142/14, dtd. 26.01.2014	LSI	CAC	Operating	31.12.2013, applied for renewal up to 31.04.2015	Partially complied with CREP norms. Composting yard is not prepared as per CREP norms. Earthen lagoons provided are not discarded.

13	Vaswarao Nak SSK Ltd., Veshwant nagar, Chikil, Tal: Sikrola, Dist - Sangli.	CP	Distillery	Reverse Osmosis Followed by Aerobic composting	Steam is taken from Sugar factory	Cat. 20.3: distillation residue composted	OPRNS	Steam is taken from Sugar factory	ADQ	OPRNS	No	22.04.2014	1. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/T B/713/12, dtd. 17.03.2012. 2. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/T B/1354/12, dtd. 31.05.2012 3. PD issued vide no. MPCB/RD/KO P/2758/12, dtd. 03.07.2012 4. ID issued vide no. MPCB/RD/KO P/3517/12, dtd. 15.09.2012 5. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/T B/1533/13, dtd. 16.05.2013 6. SRO, Sangli	LSI	CAC	Operating	Applied for renewal up to 31.08.2014	Compliance made as per CAREP norms. O & M of the composting system is to be improved. After repeated follow up RO plant is not in operation.
14	Manganga SSK Ltd., Alpad, Sugar unit, (02143) 220340, 220342-44	CP	Distillery	Bio- methanisation followed by aerobic compost	Steam is taken from Sugar factory	Cat. 20.3: distillation residue composted	OPRNS	Steam is taken from Sugar factory	ADQ	OPRNS	No	15.04.2014	1. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/T B/373/12, dtd. 15.02.2012. 2. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/T B/401/12, dtd. 17.02.2012. 3. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/T B/1037/12, dtd. 20.04.2012 4. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/T B/1037/12, dtd. 20.04.2012	LSI	CC	Operating	Applied for renewal up to 31.08.2014	Compliance made as per CAREP norms. O & M of the composting system is to be improved.

15	Sonhra SSK Ltd. Ajp-Wangl Tal-Kadegach Chit-Sangli	CP	Distillery	Reboiler followed by aerobic composting	Steam is taken from Sugar factory	Cat. 20.3: distillation residue composted	OPRS	Steam is taken from Sugar factory	ADG	OPRS	No	10.04.2014	1. Non Compliance letter issued by SRO Sangli office vide no. MPCB/SRS/T B103212 , date- 20/04/2012 , 2. Non Compliance letter issued by SRO Sangli office vide no. MPCB/SRS/T B26214 , date- 25.02.2014 , 3. Non Compliance letter issued by SRO Sangli office vide no. MPCB/SRS/T B37814 , date- 07.03.2014	LSI	CAC	Operating	31.08.2014	O & M of the composting system is to be improved. 4 Acres Compost yard is not prepared as per CREP norms.
----	---	----	------------	---	---	--	------	---	-----	------	----	------------	---	-----	-----	-----------	------------	--

9. Integrated Iron & Steel

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	M/s. Apple Spong Iron Pvt.Ltd., C-4, Five Star MIDC, Kagal, Halkanangale Indl Area, Dist-Kolhapur		Integrated Iron & steel	Yes	ESP, Wet Scrubber	Salvage to Authorised Reprocessor	Operation	Operation	Salvage to Authorised Reprocessor		No	21/04/2014	No	LSI	CAC	Operation	31.05.2015	Complied with consent conditions
2	M/s. Anshul Steel Ltd., Plot No B-125, Five Star MIDC, Kagal, Halkanangale Indl Area, Dist-Kolhapur		Integrated Iron & steel	NA	ESP, Wet Scrubber	Salvage to Authorised Reprocessor	NA	Operation	Salvage to Authorised Reprocessor		No	04/04/2014	No	LSI	CC	Operation	30.11.2014	Complied with consent conditions

10. Leather Processing including Tanneries

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/CP/SU	17- Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSII(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/ Operating)	Consent Validity Up to	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

11. Oil Refinery

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale I.SI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

Nil

12. Pesticide Formulation & Mfg.

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	IT-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.)/ MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Dow AgroSciences India Pvt Ltd., Plot No.A/1, MIDC Lote, Tal-Khed, Dist-Ratnagiri.	PU	Pesticides	Primary treatment, secondary treatment, PSF, ASF.	Scrubber	Membership obtained	OPRS	OPRS	NA	OPRS	Yes	28/06/2012	Show cause MPCB/RO/KO P/248/12 dt. 25/01/2012 Proposed Direction MPCB/RO/KO P/2762/12 dt. 03.06.2012	LSI	CAC	OPERATING	30/06/2018	UPGRADATION WORK UNDER PROGRESS.
2	M/s. Balar Agro Chem, E-24, MIDC lote, Tal-Khed, Dist-Ratnagiri.	PU	Pesticides	Primary treatment, secondary treatment, PSF, ASF.	Scrubber	Membership obtained	OPRS	OPRS	NA	OPRS	NO	28/06/2012	Proposed direction MPCB/RO/KO P/1327/12 dt. 13.04.2012 Interim Direction MPCB/RO/KO P/2551/12 dt. 16.06.2012	SSI	RO	OPERATING	30/06/2018	Upgradation work under progress
3	Granda chemicals Ltd, Plot No.A-D-1/2, MIDC Lote, Tal-Khed, Dist-Ratnagiri.	PU	Pesticides	Primary treatment, secondary treatment, & for strong stream evaporation & incineration system	Scrubber	Membership obtained	OPRS	OPRS	NA	OPRS	Yes	28/06/2012	Closure direction MPCB/RO/KO P/1107/12 dt. 28.03.2012 Conditional Direction (D/P&L, Div/B-2222 dt.04.04.2012	LSI	CAC	PERATING	31/12/2015	UPGRADATION WORK OF AIR EMISSION and ETP UNDER PROGRESS
4	Ralis India Ltd. D-26, MIDC Lote, Shri Talwar 02356-272617	PU	Pesticide	Detoxification, incineration, Primary Secondary & Reverse osmosis, Member of CETP.	Scrubber, Ionization filter, stack	Membership obtained	OPRS	OPRS	NA	OPRS	Yes	14/05/2012	Show cause- MPCB/RO/KO P/250/12 dt. 25/01/2012 For not meeting JVS Result for one time.	LSI	CC	OPERATING	31/07/2015	Overall JVS results & Air pollutes emission are within prescribed norms
5	AIMCO Pesticides- B-1/9 MIDC Lote Shri. Uday Kumar. 02356-72137, 72464	PU	Pesticide	Primary, Secondary followed by Carbon & Sand Filter. Member of CETP	Scrubber	Membership obtained	OPRS	OPRS	NA	OPRS	NO	14/03/2012	---	MSI	CC	OPERATING	31/07/2018	Industry not in operation regularly

13. Pulp & Paper (30 TPD and above)

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

Nil

14. Petrochemical

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

15. Sugar

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	M/s. Sharda SSK Ltd.Narainda, Tal- Hoshangnagale Dist.Kohapur	CP	Sugar	O & G trap,Settling tank,Equalization tank,Prim. clarifier, supernatant tank,Anaerobic digester,Surface Aeration tank, Clarifier/final holding tank, SDB	Multy cyclon Separator		OPRS	OPRS	ADD		NO	28.03.2014	Non Compliance letter issue	LSI	CAC	Operating	31.10.2015	Partially complied with CREP norms
2	M/s.Jawahar SSK Ltd.A.P. - Yalgud - Hupli Tal- Hoshangnagale Dist- Kohapur	CP	Sugar	Primary Clarifier(180m ³), Equalization tank (900m ³), Anaerobic digester(2225m ³), Digester(170m ³), Sludge separator(150m ³), Pressurization tank(70m ³), surface aeration Tank, a)Pased aeration tank(1035m ³), Secondary clarifier, 0.54m ³ , 5.95m ³ & D.B. 2220 m ³ , Soaking Pond(95m ³), Twisted pump(100m ³), Holding tank 182(7380m ³), holding tank (3642m ³), Chemical Dosing tank(15m ³) sand filter	Ventury wet scrubber		OPPRS	OPRS	ADD		NO	27.02.2014	Interim Directions Issue	LSI	CAC	Operating	30.11.2014	Partially complied with CREP norms
3	M/s.Udaypragat Gokwad SSK Ltd. Bamberwadi, Tal- Sheshwadi Dist- Kohapur,	CP	Sugar	O & G trap, equalization tank, diffused aeration tank, clarifier, pressure sand filter, final holding tank & SDB	Cyclone type dust collector Provided		OPRS	OPRS	ADD		NO	13.01.2014	N/A	LSI	CC	Operating	30.10.2005	Partially complied with CREP norms
4	M/s.Bhagwad SSK Ltd. Sheshnagar, parbe Tal- Ranveer, Dist. -Kohapur	CP	Sugar	O&G trap, equalization tank, U.A.S.B. digester, parallel plate separator, aeration tank, clarifier 2 No, sump well, SDB 3 no	Multy cyclon dust collector Provided		OPRS	OPRS	ADD		NO	24.03.2014	Interim Direction issued	LSI	CAC	Operating	31.07.2014	Partially complied with CREP norms

5	M/s Indira Gandhi Mahila Vikas SSK (A)- Tambale, Tal- Bhudargad, Dist- Kolhapur	CP	Sugar	O&G Trap, equalization tank, diffused aeration tank, clarifier, Treated sump, Sand filter, SDB	Multy cyclon type fly ash ammeter, Wet scrubber	OPRNS	OPRS	ADQ	NO	16.02.12	Nil	LSI	CC	Closed this season	31.07.2014	Partially complied with CREP norms
6	M/s Shri Chhatrapati Rajaram SSK Ltd, Kasbe Bawda Kolhapur.	CP	Sugar	O & G Trap, aeration tank, clarifier, Bio filter, Sand filter, SDB.	Wet Scrubber Provided	OPRNS	OPRS	ADQ	NO	22.10.12	Nil	LSI	CC	Operating	31.07.2014	Partially complied with CREP norms
7	M/s Shri. Tatyasaheb Kore Wante SSK Ltd, Wamanagar, Tal- Panhala Dist- Kolhapur.	CP	Sugar	Screen Chamber, O & G Traps, Equ. Tank - 1, Equ. Tank - 2, Biological Primary Clarifier, Aerolith, Secondary Clarifier, Sump, Sand filter.	ESP Provided	OPRNS	OPRS	ADQ	NO	06.07.12	Proposed decision issued	LSI	CAC	Operating	31.07.2014	Partially complied with CREP norms
8	M/s. Refrux Sugar Ltd (Deshchali Ratnappanna Kumbhar Panchanganga SSK Ltd, Gangangan, chikaran,)	CP	Sugar & Co Gen	Bar Screen O & G trap, Oil Skimmer, Aeration tank, Clarifier, Final holding tank, SDB	ESP Provided	OPRS	OPRS	ADQ	NO	25.09.2014	Interim Direction issued	LSI	CAC	Operating	30.09.2015	Partially complied with CREP norms
9	M/s Shri. Chhatrapati Shahu SSK Ltd, Kagal, Tal- Kagal, Dist- Kolhapur	CP	Sugar	O & G Traps, Equalization tank, aeration tank- 1700m3 Clarifier, SDB-2 No. treated Sump, Wet.	ESP Provided	OPRS	OPRS	ADQ	NO	10.08.2014	Nil	LSI	CAC	Operating	31.07.2014	Complied with CREP norms
10	M/s. Kamala Kanan SSK, Kudrie, Tal- Harkhanaga Dist- Kolhapur.	CP	Sugar	Grit chamber, O & G trap, Equalization tank, Aeration clarifier, sand filter SDB, storage tank.	ESP	OPRNS	OPRS	ADQ	NO	24.03.2014	Nil	LSI	CAC	Operating	31.07.2014	Complied with CREP norms
11	M/s Appasaheb Mahawade SSK Ltd Hark Tal- Gadking, Dist- Kolhapur	CP	Sugar	O & G trap, Grit Chamber, O&G trap, Aeration tank 2 (1231 m3), clarifier primary 58m3, secondary 198m3, SDB.	Fly ash ammeter	OPRS	OPRS	ADQ	NO	05.03.2014	Show Cause	LSI	CC	Operating	31.12.2013	Partially complied with CREP norms
12	M/s. Dattat SSK At. Harkhan, Tal- Chandgad, Dist- Kolhapur.	CP	Sugar	O & G trap, equalization tank, aeration tank, clarifier, SDB's	Multy cyclon type dust collector	OPRS	OPRS	ADQ	NO	Closed	Show cause Notice NO. MPC/BGRD/604/129/11 Dtd-06.04.11 Not in operation since last one year	LSI	CC	Temporarily Closed		Closed
13	M/s. Ayaz Sherkan SSK Ltd, Garase, Tal- Ayaz, Dist- Kolhapur.	CP	Sugar	O & G Trap, Receiving tank, Diffused Aeration tank (d float Plate type clarifier, SDB, final holding tank (Kascha).	Multy cyclon type dust collector	OPRS	OPRS	ADQ	NO	18.02.2014	Nil	LSI	CC	Operating	31.12.2013	Partially complied with CREP norms
14	M/s. Sadashivrao Mandlik SSK Ltd, Manidwada, Tal- Kagal, Dist- Kolhapur	CP	Sugar & Co Gen	Receiving chamber, Primary treatment, O & G trap, equalization tank, Sludge aeration tank, clarifier, treated sump & SDB.	Multy cyclon type fly ash ammeter	OPRS	OPRS	ADQ	NO	21.03.2014	Show Cause notice issue	LSI	CAC	Operating	31.07.2014	Partially complied with CREP norms

15	M/s. Dushganga Vedsanga SSK Ltd. Bids, Tal- Kagal, Dist- Kolhapur	CP	Sugar & Co Gen	O & G trap, equalization tank, reaction tank, Aeration tank, Secondary Clarifier, Sand Filter, Treated effluent SDB's	ESP Provided		OPRS	OPRS	ADQ		NO	24/03/2014	Proposed direction issued	LSI	CAC	Operating	31.07.2014	Partially complied with CREP norms
16	M/s. Datta SSK Ltd, Shiroli, Tal- Hadkanangale, Dist- Kolhapur	CP	Sugar	O & G trap, Equalization tank, aeration tank, Secondary clarifier, SDB	NA		OPRS	OPRS	ADQ		NO	31.03.2014	Nil	LSI	CAC	Operating	31.10.2014	complied with CREP norms
17	M/s. Gurdatta Sugar Ltd Talwad, Shiroli, Tal- Hadkanangale, Dist- Kolhapur	PU	Sugar	O & G trap, equalization tank, Facultative tank, Aeration tank, secondary clarifier, SDB final holding	ESP & wet scrubber		OPRS	OPRS	ADQ		NO	31.03.2014	Non Compliance letter issued	LSI	CAC	Operating	31.07.2014	Partially complied with CREP norms
18	M/s. O.Y. Path SSK Ltd Asanaj, Tal- Gaganbawade, Dist- Kolhapur	CP	Sugar	Grit chamber, O & G trap, Equalization tank, reaction tank, Primary clarifier, aeration tank, secondary clarifier, Treated water tank, SDB's	Multi cyclone type dust collector		OPRS	OPRS	ADQ		NO	10.10.12	Nil	LSI	CC	Operating	31.07.2014	Partially complied with CREP norms
19	M/s. Datta SSK Ltd Asanaj, Tal- Panhala, Dist- Kolhapur	CP	Sugar	O & G trap, Equalization tank, Primary clarifier, aeration tank, secondary clarifier, SDB's	ESP Provided		OPRS	OPRS	ADQ		NO	10/08/2014	Closure Direction issued	LSI	CAC	Operating	31.07.2014	Partially complied with CREP norms
20	M/s. Eco Cane Sugar Energy Ltd. (Nakwade Sugar Mill Ltd. JVP- Madange Tal- Changanas, Dist- Kolhapur	PU	Sugar	Grit Chamber, O & G trap, Equalization tank, 117m ³ cyclone dry storage tank, Aeration tank 2, No. clarifier, 2, Treated Effluent storage tank, SDB's 3	Multi cyclone dust Collectors		OPRS	OPRS	ADQ		NO	21.02.2014	Nil	LSI	CC	Operating	31.07.2015	Partially complied with CREP norms
21	M/s. Hemaus Technologies Ltd AP- Raygation, Tal- Changanas, Dist- Kolhapur	PU	Sugar & Co Gen	V Notch Chamber, Screen Chamber, O & G reactor trap, Equalization tank, Surge tank, Buffer tank, UASB Aeration tank, Secondary clarifier, SDB's	ESP Provided		OPRS	OPRS	ADQ		NO	15.03.2014	Nil	LSI	CAC	Operating	31.07.2014	Partially complied with CREP norms
22	Mahadix Sugar and Agro Products Ltd, AP- Faris, Tal Radhnagari, Dist- Kolhapur	PU	Sugar	Primary, secondary & Tertiary	Ventury Scrubber	As land use on farmland	Industry is not in Operation	Industry is not in Operation	Industry is not in Operation		No	29.01.2014	NA	LSI	CAC	Closed this season	C to E	Consent to Establish

23	Vasandada SSK Ltd. Sugar unit, Sangli. (0233) 2310511 to 515	CP	Sugar	Primary & Secondary (Activated Sludge Process)	Wet scrubber, Mist cyclone & Fly ash arrester	Cat 5.2: oil burnt in boiler, 34.4: ETP sludge composted	OPRNS	OPRNS	ADQ	OPRNS	No	9/4/2014	1. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TO/215/12, dt. 25.01.2012 2. PO issued vide no. MPCB/RO/KOP/040/20 12, dt. 04.02.2012 3. ID issued vide no. MPCB/RO/KOP/121/201 2, dt. 09.04.2012. 4. 2.0 Nos. of JVS results of Air are reported to the industry which are not meeting with consented norms. 5. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TO/147/12 dt. 28.1.2014. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TO/108/12 dt. 07.2.2014. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TO/09/12, dt. 06.03.2014	LSI	CO	Operating	31.12.2013 applied for renewal	Air pollution control equipment needs to be upgraded. Treated effluent disposal system should be improved & upgraded.
24	Rajarambapu Puri SSK Ltd., Sugar unit, Rajaram Nagar, Tal. Walva, Dist. Sangli (02342) 230851 to 857 San_otpak[at]sanchamst[co]in	CP	Sugar	Primary & secondary (Activated Sludge Process)	Multicyclone fly ash arrester & Wet scrubber provided	Cat 5.2: oil burnt in boiler, 34.4: ETP sludge composted	OPRNS	OPRNS	ADQ	OPRNS	No	22/4/2014	1. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TO/452/12, dt. 24.02.2012. 2. 3.0 nos JVS results reported to the industry which are not meeting with consented norms 3. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TO/142/12, dt. 28.1.2014	LSI	CAC	Operating	31.12.2013 applied for renewal up to 31/7/2015	Needs improvement in C & M of ETP. Air pollution control equipment needs to be upgraded. Treated effluent disposal system should be improved & upgraded.
25	Vaswanto Nalk SSK Ltd., Sugar, Yeshwant nagar, Chikl, Tal. Shirala 023450272136, 231002/3	CP	Sugar	Primary & secondary (Activated Sludge Process)	Multicyclone fly ash arrester	Cat 5.2: oil burnt in boiler, 34.4: ETP sludge composted	OPRNS	OPRNS	ADQ	OPRNS	No	21.4.2014	1. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TO/585/12, dt. 03.03.2012 2. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TO/714/12, dt. 12.03.2012 3. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TO/143/12, dt. 28.1.2014. HQ has issued SRO vide BOC/ACC/CELL/RO/KO P/SCN/10-747 010.18.2.2014	LSI	CAC	Operating	31.12.2013 applied for renewal up to 31/7/2014	Needs improvement in C & M of ETP alongwith upgradation Not complied as per CREP norms. Treated effluent disposal system should be improved & upgraded.

26	Manganga SSK Ltd., Alpod, Sugar unit (02343) 220340, 220342-44	CP	Sugar	Primary & secondary (Activated Sludge Process)	Multicyclone by ash analyzer	Cat 5.2: oil burnt in boiler, 34.4: ETP sludge composted	OPRNS	OPRNS	ADC	OPRNS	No	15.4.2014	1. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TB/077/12, dtd. 15.02.2012. 2. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TB/558/11 2, dtd. 03.02.2012 3. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TB/1030/1 2, dtd. 20.04.2012 2.2.0: No of Water JWS results are reported to the industry which are not meeting with consented norms	CAC			31.12.2013 applied for renewal up to 31/02/2017	Needs improvement in O & M of ETP, Air pollution control equipment needs to be upgraded Treated effluent disposal system should be improved & upgraded
27	Sonhla SSK Ltd. A/p- Wang, Tal-Kadgaon, Dist- Sangli	CP	Sugar	Primary & secondary (Activated Sludge Process)	ESP	Cat 5.2: oil burnt in boiler, 34.4: ETP sludge composted	OPRNS	OPRNS	ADC	OPRNS	No	10.4.2014	1. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TB/1033/1 2, dtd. 20.04.2012 2.P.D. issued by RO vide no.MP/WR/RO/KOP/423 1/12 dtd.7/12/12 3. Air & Water JWS results are reported to the industry which are not meeting with consented norms. 3.SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TB/16/13, dtd. 04.1.2014. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TB/877/13, dtd. 7.3.1013 & vide no 1373 dtd. 16.4.2013. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TB/251/14, dtd. 20.2.2014	LSI	CAC	Operating	31.7.2014	Needs improvement in O & M of ETP, Treated effluent disposal system should be improved & upgraded
28	Shri Mahankali SSK Ltd., Rajarampuri nager, Tal- Kandhe mahankali, 02341- 222064/65/66/67/68	CP	Sugar	Primary & secondary (Activated Sludge Process)	Multicyclone by ash analyzer modified into wet scrubber	Cat 5.2: oil burnt in boiler, 34.4: ETP sludge composted	OPRNS	OPRNS	ADC	OPRNS	No	15.4.2014	1. Non Compliance letter issued by SRO Sangli office vide no. MPCB/SRS/TB/116/12 date- 19.01.2012. 2. Non Compliance letter issued by SRO Sangli office vide no. MPCB/SRS/TB/1035/1 2 : date- 20.04.2012. 3. Air & water JWS results are reported to the industry which are not meeting with consented norms. 4. Non Compliance letter issued by SRO Sangli office vide no. MPCB/SRS/TB/27/10/1 3 : date- 3.10.13 5.MPCB/SRS/TB/253/1 4 : date- 20.2.2014	LSI	CC	Operating	31.7.2014	4. Treated effluent disposal system should be improved & upgraded.

29	Hulasma Kisan Ahar SSK Ltd, Walswa (02342) 267538 267540/41, ssn_hulasma[at]kanchanred[dot]in	CP	Sugar	Primary & secondary (Activated Sludge Process)	Multicyclone by ash incinerator modified into wet scrubber	Cat 5.2: oil burnin boiler, 34.4 ETP sludge composted	OPRNS	OPRNS	ADQ	OPRNS	No	21.4.2014	2.0 Nos. of Air & 1.0 No. of water JVS results are reported to the industry which are not meeting with consented norms. 3.SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TE/0524/13, dtd. 21.12.2013 4.SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TE/0145/14, dtd. 28.1.2014 5.SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TE/0291/14, dtd. 5.3.2014	LSI	CC	Operating	31.12.2013 applied for renewal up to 31.7.2016	Needs improvement in O & M of ETP. Treated effluent disposal system should be improved & upgraded.
30	Rajarambapu pati SSK Ltd, Unkhil, Wategaon, Tal Walswa (02343) (02342) 237242	CP	Sugar	Primary & secondary (Activated Sludge Process)	Wet Scrubber provided	Cat 5.2: oil burnin boiler, 34.4 ETP sludge composted	OPRNS	OPRNS	ADQ	OPRNS	No	22.4.2014	1. SRO, Sangli has issued the non compliance vide no. MPCB/SRS/TE/1058/12, dtd. 27.04.2012. 2. JVS Air & Water results are reported to the industry which are not meeting with consented norms 3. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TE/0528/13, dtd. 31.12.2013 4. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TE/1411/14, dtd. 28.1.2014 5. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TE/0951/14, dtd. 5.3.2014	LSI	CAC	Operating	31.7.2014	O & M of pollution control system seems to be satisfactory. Treated effluent disposal system should be improved & upgraded.
31	Tesgaon Taulka SSK Ltd, Turchi, Tal Tesgaon, (02346) 239571 to 75	CP	Sugar	Primary & secondary (Activated Sludge Process)	Multicyclone by ash incinerator modified into wet scrubber	Cat 5.2: oil burnin boiler, 34.4 ETP sludge composted	OPRNS	OPRNS	ADQ	OPRNS	No	13/03/2012	1. SRO Sangli has issued the non compliance letter vide no. MPCB/SRS/TE/1501/12, dtd. 24.01.2012. 2. SRO Sangli has issued the non compliance letter vide no. MPCB/SRS/TE/0658/12, dtd. 16.03.2012 3. 2.0 Nos. of Air & Water JVS results are reported to the industry which are not meeting with consented norms	LSI	CC	Closed for crushing season 2013-14	Applied for renewal up to 31.12.2013 however the consent was refused vide no. MPCB/SRS/TE/0658/12, dtd. 16.03.2012	Needs upgradation of ETP & APC. Improvement in O & M of ETP as well as APC equipments. Treated effluent disposal system should be improved & upgraded.
32	Yestwant SSK Ltd, Nagewadi, Tal Khanapur, (02347) 250361 to 65	CP	Sugar	Anaerobic digestion followed by ASP (Secondary Treatment)	Multicyclone by ash incinerator	Cat 5.2: oil burnin boiler, 34.4 ETP sludge composted	OPRNS	OPRNS	ADQ	OPRNS	No	11.4.2014	Not in operation since last two years. 2. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRS/TE/0258/14, dtd. 26.2.2014	LSI	CC	Operating	31.7.2014	Not in operation since last two years

33	Sarvodaya SSK Ltd./Rajarambapu Patti SSK Ltd. Unit-4/Aravakandwad, Tal. Warud Dist. Sangli	CP	Sugar	Primary & secondary (Activated Sludge Process)	Multicyclone fly ash analyzer modified into wet scrubber	Cat.5.2: oil burnt in boiler, 34.4: ETP sludge composted	OPRNS	OPRS	ADQ	OPRNS	No	21.4.2014	1. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRSTB/47/12, dtd. 12.01.2012. 2. SCN issued vide No. MPCB/RD/KOP/742 dtd. 02.03.2012. 3. Air & Water JVS result are reported to the industry which are not meeting with consented norms. 4. non compliance letter vide no. MPCB/SRST/10/528/13, dtd. 31.12.13 non compliance letter vide no. MPCB/SRSTB/146/14, dtd. 25.1.2014 non compliance letter vide no. MPCB/SRSTB/200/14, dtd. 5.3.2014	LSI	CC	Operating	31.7.2014	Needs improvement in O & M of ETP. Treated effluent disposal system should be improved & upgraded.
34	M/s. Mahananda SSK Ltd. (Sugar Unit) Aje. Aje Tal. Nimg, Dist. Sangli	CP	Sugar	Primary & secondary (Activated Sludge Process)	Wet Scrubber provided	Cat.5.2: oil burnt in boiler, 34.4: ETP sludge composted	OPRNS	OPRS	ADQ	OPRNS	No	7.4.2014	SRO, Sangli has issued the non compliance letter vide no. MPCB/SRSTB/58/12, dtd. 03.03.2012. 2. Non compliance letter vide no. MPCB/SRSTB/332/13, dtd. 13.12.13.	LSI	CAC	Operating	30.11.2014	Needs improvement in O & M of ETP. Treated effluent disposal system should be improved & upgraded.
35	M/s. Cane Agro Energy (P) Ltd. (Sugar Unit) Aje. Rayegadgaon, Tal. Kadgaon, Dist. Sangli	FU	Sugar	Primary & secondary (Activated Sludge Process)	Multicyclone fly ash analyzer	Cat.5.2: oil burnt in boiler, 34.4: ETP sludge composted	OPRNS	OPRS	ADQ	OPRNS	No	10.4.2014	1. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRSTB/1033/13, dtd. 20.04.2012. 2. P.D. issued vide No. MPCB/RD/KOP/423 dtd. 07.12.12. 3. Air & Water JVS results are reported to the industry which are not meeting with consented norms. 4. SRO, Sangli has issued the non compliance letter vide no. MPCB/SRST/10/558/14, dtd. 25.2.2014	LSI	CC	Operating	31.12.2013 applied for renewal up to 31.7.2015.	Needs improvement in O & M of ETP. Treated effluent disposal system should be improved & upgraded.
36	Khand SSK Ltd./Aravakandwad, Tal. Kadgaon Dist. Sangli	CP	Sugar	Primary & secondary (Activated Sludge Process)	Multicyclone fly ash analyzer modified into wet scrubber & additional one wet scrubber is provided.	Cat.5.2: oil burnt in boiler, 34.4: ETP sludge composted	OPRNS	OPRS	ADQ	OPRNS	No	10.4.2014	1. No Air JVS result is reported to the industry which is not meeting with consented norms.	LSI	CAC	Operating	31.7.2014	
37	Rajarambapu Patti SSK Ltd. Unit-4/Raja Vajir Singh Dahale SSK Ltd., T. Gopalnagar, Tal. Jath (02346) 249244	CP	Sugar	Primary & secondary (Activated Sludge Process)	Multicyclone fly ash analyzer	Cat.5.2: oil burnt in boiler, 34.4: ETP sludge composted	OPRNS	OPRNS	ADQ	OPRNS	No	9.4.2014	Industry closed since 2008	LSI	CC	Operating	31.7.2014	Needs improvement in O & M of ETP. Treated effluent disposal system should be improved & upgraded.

35	Niradon SSK Ltd., Karunpal, Tal. Shiada (82345) 236269	GP	Sugar	Primary & secondary (Activated Sludge Process)	Multipurpose by ash spreader	Cat.5.2: oil burnt in boiler, 34.4: ETP sludge composted	OPRMS	ULCO	ADQ	ULCO	No	-	-	-	-	-	-	Industry closed since 2008
39	M/s Sadguna Smt Shri S.K. Ltd. Sr. No 231/232 At Rajewad Post, Apsak Tal Apsak Dist. Sangli	FU	Sugar	Primary & secondary (Activated Sludge Process)	ESP	Cat.5.2: oil burnt in boiler, 34.4: ETP sludge composted	OPRMS	OPRS	ADQ	OPRS	No	14.3.2014	1. SRO, Sangli has issued the non compliance letter vide no. MPCBSRS/18/270/14, dt. 26.2.2014 2. P.O. issued vide no. MPCBSR/OKOP/505 /13 dt. 4/4/2013 3. I.D. issued vide no. MPCBSR/OKOP/182 /13 dt. 28/6/2013 4. Air & Water JWS results are reported to the industry which are not meeting with consented norms. 4. SRO, Sangli has issued the non compliance letter vide no. MPCBSRS/10/265/14 dt. 26.2.2014	LSI	CAC	Operating	31.7.2014	Needs improvement in O & M of ETP. Treated effluent disposal system should be improved & upgraded
40	M/s Udgan Sugar & Power Ltd. Sr. No. 585/587/588 At. Baran Tal. Khanapur Dist. Sangli	FU	Sugar	Primary & secondary (Activated Sludge Process)	ESP	Cat.5.2: oil burnt in boiler, 34.4: ETP sludge composted	OPRMS	OPRS	ADQ	OPRS	No	11.4.2014	1. SRO, Sangli has issued the non compliance letter vide no. MPCBSRS/18/575/13 dt. 07/3/2013 2. Air & Water JWS results are reported to the industry which are not meeting with consented norms.	LSI	CAC	Operating	31.7.2014	Needs improvement in O & M of ETP. Treated effluent disposal system should be improved & upgraded

16. Thermal Power Plants

Sr.No.	Name of Industry with Complete Address	Sector whether CUP/UC/RSU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(≤10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	M/s. Pimpri Industries Ltd., Ranjan-Godas, Tal. & Dist. Rahangit	P.U.	Thermal Power Plant	Neutralization cum settling tank provided for DM Plant reject & auxiliary cooling effluent. The condensate cooling sea water is discharged after cooling in cooling tower so that its temperature shall not vary more than 5° from the ambient sea water temperature.	ESP provided	Send to CHART SOP	OPRS	OPRS	ADD	OPRS	NO	31.10.2012		LSI	CAC	Operating	31/07/2014	In Operation
2	M/s. USW Energy Ltd., At: Randiwade, pl. Jagad, Tal & Dist. Rahangit.	P.U.	Thermal Power	Neutralization cum settling tank provided for DM Plant reject. The condensate cooling sea water is discharged after cooling in cooling tower so that its temperature shall not vary more than 5° from the ambient sea water temperature.	ESP provided	Send to CHART SOP	OPRS	OPRS	ADD	OPRS	NO	25.10.2012		LSI	CAC	Operating	31/03/2014	In Operation

