

Nagpur

Sr. No.	Category	No. of Industry
1	Aluminium Smelter	0
2	Basic Drugs & Pharmaceuticals Mfg.	1
3	Chlor Alkali/Caustic Soda	0
4	Cement (200 TPD and above)	0
5	Copper Smelting	0
6	Dyes & Dye Intermediate	0
7	Fermentation (Distillery)	1
8	Fertilizer	1
9	Integrated Iron & Steel	3
10	Leather Processing including Tanneries	0
11	Oil Refinery	0
12	Pesticide Formulation & Mfg.	0
13	Pulp & Paper (30 TPD and above)	0
14	Petrochemical	0
15	Sugar	4
16	Thermal Power Plants	10
17	Zinc Smelting	0
Total		20

1. Aluminium Smelter

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/ P/SU	17- Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

2. Basic Drugs & Pharmaceuticals Mfg.

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PUC PSU	17-Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	M/s. Clarion Drug Pvt. Ltd, V/A- Dethada, Tq- Tumkur, Dist- Bangalore	PU	Pharmaceuticals	Equalization Cum Neutralization Tank- Aeration Tank- Settling tank- SDB- Solar Evaporation pond.	Stack attached to hot water generator & thermic fluid heater having height 12 mtrs. Each & wet scrubber provided as APC	Joined to CHATSDF Butlon Nagar	OPRS	OPRS	ADQ	OPRS	No	4/15/2014	Imposed B.G. of Rs.5000/- towards consent violation no.13 of consent dt: 16/02/13 2. No. MPC/NRC /Director/58/3 650/2010, Dt: 05/03/2010 2. No. MPC/NRC/Director/1054656/2010, Dt: 25/10/2010	MSI	HOD	In operation	2/23/2015	Cl is Rs. 6.11 Cr. Industry is partially complying

3. Chlor Alkali/ Caustic Soda

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/C PSU	17- Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

4. Cement (200 TPD and above)																		
Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C PSU	17-Category Type	Pollution Control System		Provision s of HW Managem ent	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

N41

6. Dyes & Dye Intermediate

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/C PSU	17- Category Type	Pollution Control System		Provision s of BW Managem ent	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Cr.) / MSI(5 to 10 Cr.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

7. Fermentation (Distillery)

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	I7-Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Pur's power & Sugar Ltd. Village Bela Grampanchayat Kursapur Nagpur Chandrapur Road Tq. Unned Dist Nagpur	PU	Fermentation (Distillery)	Biogas plant, Lagoon, Composting	NA	NA	OPRS	OPRS	NA	OPRS	No	11/4/2014	Directed to submit BG of Rs. 5 Lacs against O & M of Pollution equipments and fix 5 Lacs for installation of HDS Scrubber	LSI	CAC	Operating	31/3/2015	CI of the unit 195.4 Cr

8. Fertilizer

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C PSU	17- Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	M/s BEC Fertilizer, Gunjakheda, Tal. Deol, Dist. Wardha	PU	Fertilizer	Collection bin, settling & neutralization tank	Scrubber is provided as per	To C-WTSCF	OPRS	OPRS	ADQ	CPRS	NO		D.G obtained against consent condition	LSI	HOD	Inspection	31/03/2016	Unit is engaged in manufacturing of Single super phosphate

9. Integrated Iron & Steel

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/C P/SU	17-Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Topwroth Uja and Metals Ltd. S.No. 67, 68/1, 62/2, 69, 70, 71/1 & 72/2, VE, Hebi, Tq. Unned, Dist. Nagpur. Formerly as Virangana Steel Industries Ltd.	PU	Iron & Steel (Sponge Iron & SMS)	Neutralization & Settling tank	ESP provided to Kila. Bag filters provided to cooler discharge house, Product separation house, Raw material stock house, iron ore circuit.	N.A.	OPRS	OPRNS	N.A.	OPRNS	No	28/09/12	BG of Rs. 10 lacs forfeited on 03/08/2012	LSI	CAC	Operating	31/05/2014 Applied for renewal of consent.	278 Cr
2	M/s Sanfag Iron & Steel Co. Ltd., Vill. Ekani, Dist- Bhandara	PU	Iron & Steel	1) Inlet chamber - Flash Water-flocculation-clarifier pH correction Tank - SDB - main ETP 2) Common ETP for centralized pickling section and corrugation plant - neutralization tank (2 nos) Gravity sand Filter (3 nos). Filtrate collection Tank, Clarifier (1 no)	ESP to DRP, CPP and to Sinter plant, Bag filters primary dust collection system to SMS with Chimney of height 48m. Wet scrubber for DRP, stack to annealing furnace, roasting furnace, VD plant boiler, mini boiler, cone crusher, RMHS- II. Secondary air pollution control system provided to SMS section	Joined to ChWTSOP Bhandara Nagpur	OPRS	OPRS	ADQ	OPRS	No	4/4/2014	1) BG of Rs. 7.5 Lacs, 5 Lacs, 25 Lacs, 25 Lacs forfeited on 22/05/2012, 25/05/2012, 12/05/2012 & 14/05/2013 resp. Imposed BG of Rs. 55 lacs towards consent. dtd. 7/8/2013	LSI	CAC	In operation	5/31/2014	Cl & Rs. 1266.85 Cr.
3	M/s. Mahalekshi TMT Pvt. Ltd., Plot No. C-2, C-4, B-114, MIDC Dist/ Wardha	PU	Inte. Iron ore & Steel	For domestic effluent septic tank & Sank pit is provided	For air pollution control of Ventury scrubber, cyclone separator, Bag filter provided, secondary air pollution control system provided.	-	Provided, but iron ore beneficiation plant is not in operation so ETP is not in operation	OPRS	N.A.	OPRS	No	28/03/2014	BG of Rs. 2.0 Lacs & Rs. 5.0 Lacs obtained towards	LSI	CAC	Operating	30/04/2014 & Applied for renewal	304.38 Cr

10. Leather Processing including Tanneries

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale (LSI)>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HQD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

11. Oil Refinery

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/CP/SU	17-Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.)/ MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

13. Pulp & Paper (30 TPD and above)

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14001 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

Nil

14. Petrochemical

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PUC/PSU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

15. Sugar

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C PSU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Puri Power and Sugar Ltd., Vill. Bhai, Tal. Umred, Dist. Nagpur.	PU	Sugar	Oil separator, Collection tank, Aeration tank, Clarifier, SDB.	ESP to boiler	ADG	OPRS	OPRS	ADG	OPRMS	No	13/02/2012	BG of Rs. 1.0 lacs notified on 31/03/2012. 5,00,000 towards Operation & Maintenance of ETP & Air Pollution Control devices so as to achieve the consented standards & 2,00,000 towards providing necessary arrangements to cover the effluent collection system and to avoid the ingress of bagasse and other materials.	LSI	CAC	Operating	31/07/2015	C in Rs. 184.4 Cr.
2	Mahatma Sugar and Power Ltd., Chitrak Nagar, Vill. Jambh, Tal. Senu, Dist. Warananagar	PU	Sugar	Oil & Grease Trap, Equalization tank, Aeration tank, Settling tank & SDB.	Cyclone type of dust collector	N.A.	OPRS	OPRS	N.A.	OPRMS	No	21/02/2012	5,00,000 towards Operation & Maintenance of ETP & Air Pollution Control devices so as to achieve the consented standards & 2,00,000 towards providing necessary arrangements to cover the effluent collection system and to avoid the ingress of bagasse and other materials.	LSI	CAC	Operating	30/07/2014	C in Rs. 84.44 Cr.
3	M/s. Mahatma growers Pvt. Ltd. Lakhnour near Kankola, Tal. Lakhnour, District Bhindara	PU	Sugar	Oil & Grease Trap, Equalization Tank, Primary clarifier, Aeration tank, secondary clarifier, clear water tank, pressure sand filter, sludge drying beds, treated effluent collection pond, tank, Filters & Sludge Drying Beds.	Mechanical dust collector, water scrubber, chimney of height 30 mts. provided to Boiler.	Liquid / Spent oil is used as fuel to Boiler.	Primary secondary and tertiary type ETP provided and in operation.	Mechanical dust collector, water scrubber, chimney of height 30 mts. provided to Boiler.	Liquid / Spent oil is used as fuel to Boiler.	Partially complied	No	4/17/2014	Wide consent condition no. 12 they are directed to submit bank guarantee of Rs. 25,00,000/- BG of Rs. 2 Lacs notified on 17/03/2013	LSI	CC	Industry not in operation from 15/02/2014.	25/12/2014	C in Rs. 37.4 Cr.

4	M/s. Wanganga Sugar & Power Ltd. Deveda, Saloli Road, Tumkur, Dist:Chandana	PU	Sugar	For Ind Effluent - Oil & Grease Chamber (2nos)- Screen Chamber(2nos)- Gril Chamber(2 nos)- Aeration Tank(2 nos)- Clarifier Sump WWT- Sludge drying beds 2 nos	Chimney of height 30 meters attach to boiler with wet scrubber	Used / Spent oil is used as fuel to Boiler.	CPRS	CPRS	Used / Spent oil is used as fuel to Boiler.	Partially complied	No	4/25/2014	vide consent condition no. 12 they are directed to submit bank guarantee of Rs 20-50000/-	LSR	CC	In operation	7/31/2014	CI of the Unit is 46.71 Cr. Industry was closed for last many years. Industry Resumed from Nov 2011.
---	--	----	-------	--	--	---	------	------	---	-----------------------	----	-----------	---	-----	----	--------------	-----------	--

16. Thermal Power Plants

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PLU/C PSU	17- Category Type	Pollution Control System		Provisions of IIW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSU(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Abnagar MPDC Nagar Energy Pvt. Ltd, Khalyi (K) To. Hingra, Dist. Nagpur	PU	Thermal Power Plant (246 MW)	Primary and Tertiary	ESP provided to Bales.	N.A.	OPRS	OPRS	N.A.	OPRS	No	20/2/2012	Directions issued and Permitted BG of Rs.10,00,000/- & Rs. 50,000/- on 21/6/2012 & Rs. 1,00,000/- on 01/05/2012	LSI	CAC	Not operating from last 6 months	31/12/2015	Rs.21 Cr.
2	M/s. Adani Power Maharashtra Private Ltd., Plot No. A-01, Tiroda Growth Centre MPDC, Tiroda, Dist. Gondia	PU	Thermal Power	Proposed for DM effluent neutralizing pit, oil separation tank to oil storage area, settling tank for bottom ash slurry followed by clear water tank an overflow to the guard pond. Ash disposal to ash-dike	ESP Proposed with chimney of height 275 Mts., Diameter - 7.40 m	Joined to CHWTSDF, Baidnagar.	Primary/secondary ETP provided for washing effluent from extraction pit provided for DM plant reject Slurry a treatment plant installed and is ready to use.	ESP of 10 fields and 95 chimney of height 275 meters. Over extraction system Bag House provided to Coal handling system, rain gully installed at Coal stock yard free plantation done on open area in premises	Joined CHWTSDF, Baidnagar.	Unit no. I, II and III are in operation. Unit no. II and II not commissioned.	No	4/25/2014	Directions and Show cause issued to the industry by Regional Officer MPDC, Nagpur. Bank Guarantee of Rs. 45 Lacs taken.	LSI	CAC	Units I, II and III are in operation. Unit no. II and IV not commissioned.	31/03/2014	CLRs Rs. 16000000/- Or
3	Bales Power Ltd., C.P. 10th Ward, S. No. 429/430, 431, W-1, Hingwari, To. Ramtek, Dist. Nagpur	PU	Thermal Power	Neutralization and settling tank	ESP is provided & Stack of height 415 mts.	N.A.	OPRS	OPRS	N.A.	OPRS	No	2/4/2014	Forfeited the Bank Guarantee of Rs. 1,00,000/- on 01/10/2011 and Show Cause issued on 26/05/2011 & BG of Rs. 5.0 Lakhs obtained	Redd SI	CC	During trial not in operation	25/02/2014	Forfeited the Bank Guarantee of Rs. 1,00,000/- on 01/10/2011, and Show Cause issued on 26/05/2011 & BG of Rs. 5.0 Lakhs obtained. Capital Investment of unit is Rs. 41.88 Crores
4	M/s. Kharapneda Thermal Power Station, Kharapneda, Dist. Nagpur. (500 MW)	SU	Coal based Thermal Power	Oil & Grease trap - collection tank - settling tanks	For Unit No. I, II, III & IV - Oil nos. ESP is provided & AFCD system to unit no. 1, 2 & 3 water sprinklers at CHP area	Provided Closed shed for Storage of Hazardous Waste & have obtained Membership of CHWTSDF, Baidnagar	OPRS	OPRS	ADD	OPRS	Yes	10/04/2014	Forfeited the Bank Guarantee of Rs. 5,00,000/- on 23/05/2012. Direction issued vide no. 3665/2012 dated 20/09/2012. SCN issued on 05.01.2013, based on 32 A of the Water (Pollution) Act, 1974 and on 31A of the Air (Pollution) Act, 1981 no. 845 dated 04/04/2014. (Applied for removal of consent to Operate submitted to head office)	LSI	CAC	In Operation	01/04/2014	Forfeited the Bank Guarantee of Rs. 5,00,000/- on 23/05/2012. Direction issued vide no. 3665/2012 dated 20/09/2012. SCN issued on 05.01.2013, based on 32 A of the Water (Pollution) Act, 1974 and on 31A of the Air (Pollution) Act, 1981 no. 845 dated 04/04/2014. (Applied for removal of consent to Operate submitted to head office)
5	M/s. Kharapneda Thermal Power Station, Kharapneda, Dist. Nagpur. (500 MW)	SU	Coal based Thermal Power	Oil & Grease trap - collection tank - settling tanks. RO Plant. STP provided	Unit No. I ESP is provided water sprinklers at CHP area. CAA/QMS provided	Provided Closed shed for Storage of Hazardous Waste & have obtained Membership of CHWTSDF, Baidnagar	OPRS	OPRS	ADD	OPRS	Yes	Valid up to 31/05/2014	Show Cause Notice issued vide no. MPCE/CHWTSDF/18-19-2014 dated 20/11/2014. Capital Investment of unit is Rs. 3374 Crores	LSI	CAC	In Operation	Valid up to 31/05/2014	Show Cause Notice issued vide no. MPCE/CHWTSDF/18-19-2014 dated 20/11/2014. Capital Investment of unit is Rs. 3374 Crores

5	M/s. Koradi Thermal Power Station At Koradi, Dist. Nagpur (570 MW)	SU	Thermal Power	Unit 6 presently in collection tank & settling tanks.	Unit No. 1 (U1) & U2 not in operation since January 2011 & unit No. V & VI - Bag house followed by ESP provided. AFGC system provided to unit no. VI alongwith ESP.	Provided Consent sheet for Storage of Hazardous Waste & have obtained Membership of CHARTERED (Buland) Nagpur	OPRNS	OPRNS	ADD	OPRNS	Yes	33/04/2014	In CMC meeting dtd. 25/07/2013, it was decided to forfeit BG of Rs. 5 Lacks and submit lap up BG of Rs. 10 Lacks. Letter regarding same was issued by this office on 25/07/2013 and reminder letter was also issued on 15/12/2013. But TPS authority neither extended BG of Rs. 5 Lacks nor submitted lap up BG of Rs. 10 Lacks. Direction issued vide no. 649 on July 31 & of the Order (P&CP, Act. 1974 and sub 31A of the Act (P&CP, Act. 1981 dated 04/04/2014	LSI	CAC	In Operation	[BG] [CAC] BG of Rs. 5 Lacks - 6666. 11/04/2013; CAC-101 dtd 23/12/2013; 2020 MW; Valid till 30.06.2013 (applied for renewal of consent to Operate submitted to head of NCT)	In CMC meeting dtd. 25/07/2013, it was decided to forfeit BG of Rs. 5 Lacks and submit lap up BG of Rs. 10 Lacks. Letter regarding same was issued by this office on 25/07/2013 and reminder letter was also issued on 15/12/2013. But TPS authority neither extended BG of Rs. 5 Lacks nor submitted lap up BG of Rs. 10 Lacks. Capital Investment of unit is Rs. 767.55 Crores
7	M/s. Koradi Thermal Power Station, At Koradi, Dist. Nagpur (660 X3 MW)	SU	Thermal Power	Proposed Unit	Proposed Unit No. 1 (U1) - not in operation	N.A.	N.A.	N.A.	N.A.	N.A.	No	COB	---	LSI	CAC	Not in Operation	[COB] [CAC] BG of Rs. 5 Lacks - 1855/2013; 0-01 dtd 23/01/2010; 2460 MW	Capital Investment of unit is Rs. 1180 Crores
8	NTPC Mouda, Dist. Nagpur	PJ	Thermal Power Plant (1000 MW)	Primary Treatment	ESP to Boiler and dust collection system bag house to different source of emission.	N.A.	OPRNS	OPRNS	N.A.	OPRNS	No	14/3/2014	Consent condition against BG of Rs. 15 Lacks obtained	LSI	CAC	Operating	31/06/2014	6100.93 Cr
9	Nest Energy Project Ltd., Phase I & II, V.R. Sec., Dist. Nagpur	PJ	Thermal Power Plant (540 MW)	Primary Treatment	ESP to Boiler and dust collection system bag house to different source of emission	N.A.	OPRNS	OPRNS	N.A.	OPRNS	No			LSI	CAC	The unit is not in operation @ date	31/08/2014	1432.95 Cr
10	Vishnava Industries Power Unit, Plot No. 3-3, MIDC Gulburi, Dist. Nagpur	PJ	Thermal Power Plant (900 MW)	Primary Treatment	ESP to Boiler and dust collection system bag house to different source of emission	N.A.	OPRNS	OPRNS	N.A.	OPRNS	No	22/4/2013	Consent condition against BG of Rs. 40 Lacks issued	LSI	CAC	Operating	31/08/2014	3869.82 Cr

17. Zinc Smelting

Sr.No.	Name of Industry with Complete Address	Sector whether CU/TU/C PSU	17-Category Type	Pollution Control Systems		Provisions of IIW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/H OD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		