

Sr. No.	Category	No. of Industry
1	Aluminium Smelter	0
2	Basic Drugs & Pharmaceuticals Mfg.	2
3	Chlor Alkali/Caustic Soda	0
4	Cement (200 TPD and above)	0
5	Copper Smelting	0
6	Dyes & Dye Intermediate	0
7	Fermentation (Distillery)	16
8	Fertilizer	3
9	Integrated Iron & Steel	0
10	Leather Processing including Tanneries	0
11	Oil Refinery	0
12	Pesticide Formulation & Mfg.	1
13	Pulp & Paper (30 TPD and above)	0
14	Petrochemical	0
15	Sugar	32
16	Thermal Power Plants	3
17	Zinc Smelting	0
Total		57

1. Aluminium Smelter

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

Nil

2. Basic Drugs & Pharmaceuticals Mfg.

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Megafine Pharma, Lichemapur, Tal. Dindori, Dist. Nashik	PU	Pharmaceutical & Bulk drugs	ETP- Forced Multivapond on System Provided	Scrubber provided	Yes	OPRS	Scrubber in operation	Membership Obtained and HW is disposed through CHWTSDF		Yes	22.10.2012	No	LSI	CC	in Operation	31/12/2017	CREP norms are complied
2	Sun Pharmaceutical Industries Ltd, Plot No. A-7/8, MIDC Ahmednagar	PU	Bulk Drug	O & G, equalization, Primary Clarifier, aeration, Secondary Clarifier, Sand Filter, Carbon Filter, Baskel Filter, SDB, Filter Press, MEE	Fly ash arrester followed by wet scrubber	Membership of CHWTSDF obtain	OPRS	OPRS	ADQ	OPRS	Yes	31/10/2012	Interim Direction- MPCB/RONKUT BID- 278/3653/2010 dated- 13/08/2010.	LSI	CAC	in Operation	31/12/2014	

4. Cement (200 TPD and above)

4. Cement (200 TPD and above)																		
Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17-Category Type	Pollution Control System		Provision s of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

NII

5. Copper Smelting

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/CP/PU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

6. Dyes & Dye Intermediate

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17-Category Type	Pollution Control System		Provision s of HW Managem ent	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

7. Fermentation (Distillery)

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17-Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	M/s SSK Ltd., At post Sonel, Tal. Newasa, Dist. Ahmednagar Ph: 02427 - 231303 to 04, Fax: 02427 - 231307	CP	Distillery	Bio-methanisation, followed by Bio-composting	Multy Cyclone By ash arrestor	Hazardous Waste not generated	OPRS	OPRS	NA	OPRS	No	1/16/2012	1. Proposed direction issued - MPCB/B-377 dtd - 18/01/2007 by Head Office. 2. BG - 3 License obtained from distillery which is valid up to 31/12/2012 on per consent condition granted vide letter No. MPCB/PCI - B/EIC-MK-1744-CO/CC-150 dtd - 14/10/2009. 3. SCN issued vide letter no. 425/9529 dtd - 24/05/2012	LSI	CAC	In Operation	31/12/2013 Applied for renewal	---
2	Dr. B.B. Tanpure SSK Ltd., At post Rahat, Tal Rahat, Dist. Ahmednagar Ph: 02425 251447 to 51, Fax: 02425 251436	CP	Civilery	Bio-methanisation, followed by Bio-composting	Multy Cyclone By ash arrestor	Hazardous Waste not generated	OPRS	OPRS	NA	OPRS	No	2/15/2012	1. Proposed direction issued vide letter no. MPCB/B-374 dtd 18/01/2007 by Head Office. 2. Direction issued vide letter no MPCB/TA/B-1053/2007 dtd 23/02/2007.	LSI	CAC	In Operation	31/12/2007 Applied for renewal	---

3	Shigonda SSK Ltd., At: Shigonda, Tal. Shigonda, Dist. Ahmednagar. Ph: 02467 - 222339, 252222, 252242, fax: 252339	CP	Distillery	Bio- methanisation, followed by Bio- composting	NO APC provided	Hazardous Waste not generated	OPRS	OPRS	NA	OPRS	No	31/7/2012	1. BG - 1 Lock obtained from distillery which is valid up to 31/12/2012. 2. Proposed direction issued vide letter No.MPCBTB- 302 dtd 18/01/200 7 by Head Office. 3. Direction issued vide letter No. MPCBTB- 1044/2007 dtd 23/02/200 7 by Head Office. 4. SCN issued vide letter no. 411/2073 dtd - 18/03/2012	LSI	CAC	In Operation	31/12/2009 Applied for renewal	ECS not provided to boiler
4	Chyaveshwar SSK Ltd., At post: Bhende, Tal Newasa, Dist: Ahmednagar Ph: 02427 255525, 255526, 255527, Fax: 02427-255528	CP	Distillery	Bio- methanisation, followed by Bio- composting	Fly ash arrestor	Hazardous Waste not generated	OPRS	OPRS	NA	OPRS	No	31/6/2012	1. Proposed direction issued vide letter no. MPCBTB-380 dtd 18/01/2007 by Head Office. 2. Direction issued vide letter no. MPCBTB- 1047/2007 dtd 23/02/2007 by Head Office.	LSI	CAC	In Operation	31/03/2014	---
5	Kopergaon SSK Ltd., At: Kulpawadi, Tal.Kopergaon, Dist. Ahmednagar. Ph: 2423-261210 to 18 Fax: 02423 261219	CP	Distillery	Bio- methanisation, followed by Bio- composting. Work of installation of RO, MEE, followed by Incubation/Gasf ier is in progress	Multy cyclone	Hazardous Waste not generated	OPRS	OPRS	NA	OPRS	No	1/5/2012	1 BG - 1 Lock obtained from distillery which is valid up to 31/12/2012. 2 Direction issued vide letter No. MPCBTB- 1046/2007 dtd 23/02/2007	LSI	CAC	In Operation	31/07/2014	---

6	Dr. Pad. V.V. Patel SSK Ltd., At post Pravaranagar, Dist. Ahmednagar Ph: 02422 252301 to 04 Fax: 253397	CP	Distillery	Bio- methanisation, followed by Bio- composting	No APC provided for gas fired boiler	Hazardous Waste not generated	OPRS	OPRS	NA	OPRS	No	4/8/2012	Interim direction vide No. MPCB/RONK/ TBD-14774 dtd. 30.12.2009. BG - 2 Lack obtained from distillery which is valid up to 31/12/2012.	LSI	CAC	In Operation	31/12/2014	—
7	Ashok SSK Ltd., Ashoknagar, Dist. Ahmednagar Ph: 02422 246491/246492, Fax: 02422 246493	CP	Distillery	Reboiler followed by Bio- composting	Fly ash arrestor	Hazardous Waste not generated	OPRS	OPRS	NA	OPRS	No	4/7/2012	1. Direction issued vide letter no. MPCB/TB-B- 1054/2007, dated- 23/02/2007. 2. Proposed direction - MPCB/B-331 dated- 13/01/2007.	LSI	CAC	In Operation	31/07/2012 Applied for renewal	—
8	Shri Ganesh SSK Ltd., Ganeshnagar, Dist. Ahmednagar Ph: 02423 241251, 62.63	CP	Distillery	Bio- methanisation, followed by Bio- composting	No APC provided	Hazardous Waste not generated	OPRS	NECS	NA	NECS	No	4/7/2012	1. Direction issued vide letter no. MPCB/TB-B- 1051/2007, dated- 23/02/2007. 2. Proposed direction - MPCB/B-379 dated- 15/01/2007.	LSI	CAC	Closed	31/12/2011	—
9	Sah. Mah. Bhusaheb Thorat S. S. K. Ltd. (formerly known as Sangamner (Bhag) SSK Ltd.) At: Chulwad, Tal Sangamner, Dist. Ahmednagar Ph. 02425 225370, 225457, 225495, Fax 02425 225425	CP	Distillery	Reboiler followed by Bio- composting	Fly ash arrestor	Hazardous Waste not generated	OPRS	OPRS	NA	OPRS	No	8/23/2012	1 Proposed Direction issued vide letter no. MPCB/D-325 dtd: 8/01/2007 by Head Office. 2. Direction issued vide letter No. MPCB/TB-B- 1052/2007 dtd 23/02/2007 by Head Office. 3. SCN issued - MPCB/RONK/ SCN- 366/273/2012 dtd - 13/01/2012	LSI	CAC	In Operation	30/06/2010 Applied for renewal	Reboiler is not properly working

10	Sanjivani SSK Ltd., At: Sahajjanandnaga Tal: Kopergaon Dist- Ahmednagar	CP	Distillery	Bio- methanisation, followed by Bio- composting	No separate Boiler for distillery	Hazardous Waste not generated	OPRS	NA	NA	OPRS	No	4/16/2012	1. Proposed direction issued vide letter no. MPCB/B- 396 dtd 18/01/2007 by Head Office. 2. Direction issued vide letter No. MPCB/TB/B- 1055/2007 dtd.23/02/200 7 by Head Office.3.BG - 1 Lakh obtained from distillery which is valid up to 31/12/2012.	LSI	CAC	In Operation	31/12/2015	---
11	Kopergaon SSK Ltd., At : Kolpewadi, Tal Kopergaon, Dist: Ahmednagar, Ph: 2423 261210 to 16 Fax: 02423 261219	CP	Distillery	Bio- methanisation, followed by Bio- composting	Fly ash amercor	Hazardous Waste not generated	OPRS	OPRS	NA	OPRS	No	4/16/2012	1 BG - 1 Lakh obtained from distillery which is valid up to 31/12/2012. 2. Direction issued vide letter No. MPCB/TB/B- 1046/2007 dtd 23/02/2007	LSI	CAC	In Operation	30/07/2014	---
12	Trikalnagar Distillery Ltd. At:- Trikalnagar, Tal- Shirampur, Dist- Ahmednagar (Molasses Base)	PJ	Distillery	Bio- methanisation followed by RO, multiple effect evaporators, followed by incinerator	ESP & Fly ash amercor	Hazardous Waste not generated	OPRS	OPRS	NA	OPRS	No	4/16/2012	1. Directors issued vide letter no. MPCB/TB/B- 2362/2007, 15/05/2007. 2. Proposed direction issued vide letter no. MPCB/RO/NO PD- 425/185/201 1, dated- 31/03/2011.	LSI	CAC	In Operation	30/08/2014	---

13	Gudvani Biochemistry Ltd; A/p, Sakharwad, Tal-Kopergaon, Dist-Ahmednagar.	PU	Distillery	Bio-methanation, RO followed by Bio composting	ESP provided	Hazardous Waste not generated	OPRS	OPRS	NA	OPRS	No	2/29/2012	C.P.C.B. issued Closure Direction vide letter NO.B-3/PCII/2K-2K01/7522 dtd.16/02/2011. Further issued modified closure vide letter No.B-3/PCII/2K-2K01 dtd.25/04/2011 & directed industry to submit the Bank guarantee of Rs.20 lakhs. Accordingly industry has submitted Bank guarantee of Rs.20 lakhs to CPCB.	LSI	CAC	Not in Operation since last one year	31/03/2014	—
14	Jehan Distilleries Ltd, A/p- Chital, Tal-Rohata, Dist- Ahmednagar, Formerly Known as Chital Distilleries.	PU	Distillery	Bio-methanisation, RO followed by Dryer	Wet scrubber	Hazardous Waste not generated	OPRS	OPRS	NA	OPRS	No	4/7/2012	1. Conditional Direction - WPMegal/LW/y B-4421, dated-16/11/2024. 2. RO Naskh forfeit the bank guarantee of Rs. 1 Lacs on dated-14/05/2012.	LSI	CAC	In Operation	31/12/2018	—
15	M/S. Medhakar SSK Ltd. (Distillery Unit), A/P, Jyaram Nagar, Nhand Marg, Jalapur, Tal. Yawel, Dist. Jalgaon.	CP	Distillery	5 days storage tank, 30 days storage tank. Auto spraying by self propelled composting machine, surface compost yard (4.85 Acres) with side gutters & leachate collection pit.	Dust collector & chimney attach to Boiler	Spirit was used for composting after Biomechanization	OPRS	OPRS	ADQ	OPRS	No	29/03/2012	1. Bank Guarantee of Rs. 10.00 lakhs is submitted to CPCB against the compliance of CREP norms valid up to 31/03/2013. 2. Bank Guarantee of Rs. 2.00 lakhs is submitted to MPCB against the compliance of CREP norms valid up to 31/10/2012.	LSI	CC	In Operation	31/03/2014	—

15	Ms. Shree Selpada Tapi Purbar SSK Ltd. (Certery Unit), S. No. 164 to 167, 161, 162, Dongargaon & Larkheda, Plot No. 29 to 32, Punahotamnagar, Tal. Shahada, Dist. Nandurbar.	CP	Certery	5 days HDPE lined storage tank, 100 gonor, Lamunda Clarifier, 30 days HDPE lined storagebasen, Bogas. Composting (20 Acres Land).	Mechanical Dust collector attached to the stack of 35 meters height.	NA	QPRS	QPRS	—	QPRS	No	05.10.2012	1) B.G. of Rs.75,000/- valid up to 31/07/2014, B. C of Rs.25,000/- valid upto 31/10/2016, B.G. of Rs.1,00,000/- valid upto 31/10/2016 has been taken towards compliance of CREP norms.	MSI	HOD	Operation	31/03/2016	
----	---	----	---------	--	---	----	------	------	---	------	----	------------	---	-----	-----	-----------	------------	--

8. Fertilizer

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C PSU	17- Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	M/s R.M. Phosphate & Chemical Pvt. Ltd., T-1/3, Phase-I, Nandana MIDC Industrial Estate, Tal. Sindkhed, Dist. Chhule.	PU	Fertilizer(SSP mfg.)	N.A.	souther provided	Obtained Membership	N.A.	OPRS	ADQ	OPRS	No	28/04/2014	---	LSI	HOD	Operating	led for renew	---
2	M/s Datta Agro Services Pvt. Ltd., Gut No. 139, Near Omkarnathwar temple, Village-Dhokan, Tal. Raver, Dist. Jalgaon	PU	Fertilizer(SSP mfg.)	N.A.	Cyclone type dust collector drier and cooler section, ventury type scrubber system & pulse jet dust collector system to SSP production unit.	Sludge/ Residue containing Auresin-0.5 MT/Annun used in the product as filler material	N.A.	OPRS	ADQ	OPRS	No	3/4/2014	---	LSI	HOD	Operating	upto 31/03/2014	I.D. issued on 27/03/2014 for installation of additional scrubber & dust collector
3	M/s Basant Agro Tech(I) Ltd., Gut No. 314, Village Khachoi, Tal. Erandol, Dist. Jalgaon-425 109.	PU	Fertilizer(SSP mfg.)	N.A.	6 Nos. of acid proof lining tanks for storage of effluent generated during scrubbing	provided 3 Nos. of ventury scrubbers in series (SSP Plant), provided 2 Nos. cyclone type dust collection system to SSP granulation plant	OPRS	OPRS	ADQ	OPRS	No	22/01/2014	---	LSI	HOD	Operating	31/03/2018	---

9. Integrated Iron & Steel

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/C P/SU	17- Category Type	Pollution Control System		Provision s of HW Manage ment	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken aginst defaulting industry	Scale LSI(>10 Crs.)/ MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

11. Oil Refinery

Sr.No.	Name of Industry with Completes Address	Sector whether CU/PU/CP/SU	17-Category Type	Pollution Control System		Provision s of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/ Operating)	Consent Validity Up to	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Mangement Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

12. Pesticide Formulation & Mfg.

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PLU/C P/SU	IT-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Spectrum Ethens Ltd. Gut No. 387, Resegans Wagae Nashik peth Road, Tal. andoi, Dist. Nashik	PU	Pesticides	Multiple Effect Evaporator, Bio-Aerators, Poly Electrolyte treatment system	Scrubbing System is Provided to control process emission	Yes	Etp is in operation	Scrubbing system is in operation	Membership Obtained and HW is disposed through CHWTSDF	Satisfactory	IMS is in Progress	27.9.2012	Proposed direction issued by this office vide letter No. MPCB/RO/NK/ TB/PC- 450/2012/463 S dt. 1.11.2011. Interim direction issued by this office vide letter No. MPCB/RO/NK/ TB/ID- 479/2012/582 dated 04.02.2012	LSI	CC	In Operation	30/04/2013 Application for renewal is submitted to Head Office	CRP norms are fully complied

13. Pulp & Paper (30 TPD and above)

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(\$ to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

NIL

14. Petrochemical

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PL/C P/SU	17- Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/ HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		

15. Sugar

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C P/SU	U-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	The Ravalepur Sugar Farm Ltd./Ravalepur, Tal. Malegaon, Dist. Nashik	PU	Sugar	Bar Screen Chamber, oil Skimmer, Primary Clarifier, Equalization Tank, Anaerobic Lagoon, Aeration Tank, Secondary Clarifier, Treated Water Collection Tank	Mechanical Dust Collector Provided	NA		MDS is in operation	HW generation is in the form of used oil & is used as fuel along with bagasse.	Satisfactory	No	23/12/2010	Bank Guarantee Rs. 3.00 Lakhs submitted by the industry. Letter issued for renewal of Bank Guarantee.	LSI	CC	In Operation	31/07/2014	CREP norms are partly complied (only dust collector & fly ash master provided to boiler as APC system)
2	Dwarikadish Sakhar Karkhan Ltd. Al. Sheware, Tal. Sorana, Dist. Nashik	PU	Sugar	DSG Trap, Primary Clarifier, 8 ft Ind stage Aeration tank, Secondary Clarifier, Treated water tank	Mechanically Dust Collector Provided	NA		MDS is in operation	HW generation is in the form of used oil & is used as fuel along with bagasse.	Satisfactory	No	23/12/2010	Consent is valid upto 31.12.2012	LSI	CC	In Operation	31/07/2014	CREP norms are partly complied
3	Vasantdasda Parda SSK Ltd/Sugari, at. Vidhewadi, Tal. Deola, Dist. Nashik	CP	Sugar	DSG Trap, Primary Clarifier, Collection tank, Anaerobic Lagoon, Aeration tank, Secondary Clarifier, Treated Water tank	Mechanically Dust Collector Provided	NA		MDS is in operation	HW generation is in the form of used oil & is used as fuel along with bagasse.	Satisfactory	Nil	4/3/2011	SCN issued vide no. - SCN-0767, dtc 28/01/2010. Consent granted by the Board on 19/02/2012 which is valid upto 31/12/2012 and directed to submit the B.G. of Rs. 5.0 Lakhs & 2.0 Lakhs against compliance of consent conditions accordingly. Bank guarantee of Rs. 5.00 Lakhs submitted by the industry on 06/02/2012 which is valid upto 28/07/2013 and previous B.G. for compliance of CREP Rs. 2.00 Lakhs has been extended upto 30/04/2013.	LSI	CAC	During this season industry not in operation due to labour strike	31/07/2013	CREP norms are partly complied
4	Nahed SSK Ltd. (Sugar), Atp. Pimpale, Tal. Nipad, Dist. Nashik	CP	Sugar	Bar Screen Chamber, oil Skimmer, anaerobic lagoon, Secondary Clarifier, 15 day Storage tank is provided	Ventury Type Wet Scrubber provided	NA		wet scrubber is in operation	HW generation is in the form of used oil & is used as fuel along with bagasse.	Satisfactory	Nil	01/12/2010	Bank Guarantee Rs. 2.00 Lakhs submitted by the industry. Which is expired therefore letter issued for renewal of Bank Guarantee.	LSI	HOD	During this season industry not in operation due to labour strike	31/12/2010 Applied for renewal submitted to Head Office	CREP norms are partly complied (only one boiler is without APC system)
5	Kadwa SSK Ltd. (Sugar), at. Moterewadi, Rajaram Nagar, Tal. Ondur, Dist. Nashik	CP	Sugar	DSG Trap, Anaerobic Lagoon, Aeration tank, Secondary Clarifier, treated water tank	Wet scrubber Provided	NA		ETP is in operation	HW generation in the form of used oil is used as fuel along with bagasse.	Satisfactory	Nil	01/12/2010	No	LSI	CC	In Operation	31/07/2017	CREP norms are partly complied.

5	KKNagh SSK Ltd. I Sugar's Alp, Kharasheh Nagar, Tal. N. Phad, Dist. Nashik.	CP	Sugar	Bar Screen Chamber, O & G Trap, Equalization tank, Aeration tank, Secondary Clarifier, Anaerobic Digester	Mechanically Dust Collector Provided	NA	Wet Scrubber Fly ash Aerosol provided	MS is in operation	HW generation is in the form of used oil & is used as fuel along with bagasse.	Uncontaminated Yes	NA	31/12/2010	SCN issued vide no - SCN-52487, on - 15/02/2010.	MSI	HCO	In Operation	31/07/2014	CRP norms are partly complied
7	Armstrong Energy Pvt. Ltd., A/p - Chabadi, Tal - Molegaon, Dist - Nashik.	PU	Sugar	Bar Screen Chamber, oil Skimmer, anaerobic lagoon, Aeration tank- Secondary Clarifier- 15 day Storage tank is provided. With Sand filter system	Stack Provided	NA	MS is in operation	Only stack is provided	HW generation is in the form of used oil & is used as fuel along with bagasse.	Uncontaminated Yes	No		Industry has recently started and application is submitted to head office.	LSI	CC	In Operation	31/07/2015	CRP norms are not complied
8	Nashik SSK Ltd, At Palke, Tal. & Dist. Nashik	CP	Sugar	O & G Trap, Aeration tank (2 Nos) Settling tank	APC System is not provided	NA	Fly ash aerosol	Only stack is provided	HW generation is in the form of used oil & is used as fuel along with bagasse.	Uncontaminated Yes	No	22/12/2010	SCN issued vide no - SCN-52487, on - 15/02/2010.	MSI	HCO	Unit is Closed	31/12/2010 Applied for renewal	CRP norms are not complied
9	M/s SSK Ltd., At post Sarna, Tal. Newasa, Dist. Ahmednagar Ph: 02427 - 231303 to 04, Fax: 02427 - 231307	CP	Sugar	O & G, equalization, aeration, Clarifier, coal media filter	ESP	Used oil mix with bagasse and burn in boiler	OPRS	OPRS	ADO	OPRS	No	4/23/2012	Warning Notice issued by RO, Nashik regarding CRP Compliance & consent Condition vide letter No. MPCBRON/TB4374 dt: 25/10/2007 SCN issued vide letter No. MPCBRON/SCN- 2234735 dt: 20/11/2010 Proposed Direction- MPCBRON/GFD- 470500 dt: 31/01/2012 Intim Direction- MPCBRON/GFD- 5015277 dt: 30/03/2012 (G of Rs. 12 Lakhs Submitted against the compliance of interim direction which is valid upto 31/03/2013 Closure Direction- MPCBRON/GFD- 5415318 dt: 15/06/2012 Conditional Condition- BO/P&L DMS-3053 dated-27/05/2012	LSI	CAC	In Operation	31/07/2014	Industry has upgraded the old ETP for the treatment of effluent

10	Dr. B.B. Tanpure SSK Ltd., At post Rahur, Tal Rahur, Dist. Ahmednagar Ph: 02426 251447 to 51, Fax: 02426 251436	CP	Sugar	O & G, equilisation, reaction, Clarifier	Fly ash reactor	Used oil mix with bagasse and burn in boiler	OPRMS	OPRMS	ADG	OPRMS	No	21/5/2012	Warning Notice issued by R.O. Nashik regarding CREP Compliance & consent Condition vide letter No. MPCBRON/NTB/4374 dt. 25/10/2007 SCN issued vide letter No. MPCBRON/KSCN- 2244737 dt. 20/11/2010 Proposed Direction- MPCBRON/KPD- 5060079 dt. 09/04/2012. Interim Direction- MPCBRON/KD- 5436883 dt. 28/06/2012 B.G. of Rs. 10.0 Lakhs not Submitted against the compliance of interim direction Bank guarantee of Rs 5.0 Submitted against the compliance of CREP which was valid up to 30/05/2012 letter issued to industry	LSI	CAC	In Operation	31/07/2014	ETP & ECS system needs to upgrade
11	Shrigonda SSK Ltd., At Shrigonda, Tal. Shrigonda, Dist. Ahmednagar Ph: 02467 - 222135, 252222, 252242, fax: 252319	CP	Sugar	O & G, equilisation, reaction, Clarifier	Fly ash reactor	Used oil mix with bagasse and burn in boiler	OPRMS	OPRMS	ADG	UCLB	No	31/7/2012	Warning Notice issued by R.O. Nashik regarding CREP Compliance & consent Condition vide letter No. MPCBRON/NTB/4374 dt. 25/10/2007 SCN issued vide letter No. MPCBRON/KSCN- 2154728 dt. 20/11/2010 Proposed Direction- MPCBRON/KPD-674, 17402011. Interim direction- MPCBRON/KD-433 11790 dt. 03/06/2011 Closure Direction- MPCBRON/KKC D- 56810304 dt. 18/06/2012 Bank guarantee of Rs 5.0 Submitted against the compliance of CREP which is valid up to 31/12/2012. However, the office has issued letter to Bank regarding forfeiture of B.G. of Rs. 2.0 in the out of 5.0 Lakhs due to non compliance of consent condition after getting approval from Head office. Closure direction issued vide letter No - MPCBRON/KD- 55431304/0812.Dtd.	LSI	CAC	In Operation	31/07/2014	Closure order issued to industry U/S 31A of Water (Pollution) Act, 1974 & 31A of AmP&CP Act, 1981.

12	Dnyaneshwar SSK Ltd., At post: Bhende, Tal: Nashik, Dist: Ahmednagar Ph: 02427 255525, 255527, Fax: 02427-255528	CP	Sugar	O & G, equilisation, aeration, Clarifier, dual media filter	Ventury type wet scrubber	Used oil mix with bagasse and burn in boiler	OPRS	OPRS	ADQ	OPRS	No	31/6/2012	Warning Notice issued by R.O. Nashik regarding CREP Compliance & consent Condition vide letter No. MPCBRON/TB4374 dttd 25/10/2007 SCN issued vide letter No. MPCBRON/KSCN- 2204733 dttd 20/11/2010	LSI	CAC	In Operation	31/07/2014	
13	Dr. Pad. V.V. Patil SSK Ltd., post: Pravara Nagar, Dist: Ahmednagar Ph: 02422 252501 to 04 Fax: 253997	CP	Sugar	O & G, equilisation, aeration, Clarifier, dual media filter	Fly ash aerasor	Used oil mix with bagasse and burn in boiler	OPRS	OPRS	ADQ	OPRS	No	4/5/2012	Warning Notice issued by R.O. Nashik regarding CREP Compliance & consent Condition vide letter No. MPCBRON/TB4374 dttd 25/10/2007 SCN issued vide letter No. MPCBRON/KSCN- 2204741 dttd 20/11/2010 Interim Direction- MPCBRON/KID- 4774, 30/12/2009. Bank guarantee of Rs 2.0 Lakhs Submitted against the compliance of CREP which is valid up to 31/12/2012	LSI	CAC	In Operation	31/07/2014	Work of the installation of new ETP is completed & industry proceeding to install high pressure boiler with ESP as EGS for Co- generation plant & which will be used for sugar
14	Sah. Mah. Ghanshabhai S. S. K. Ltd. (formerly known as Sangamner (Shree) SSK Ltd.) At: Chikalewad, Tal: Sangamner, Dist: Ahmednagar Ph: 02425 225370, 225457, 225498, Fax: 02425 225425	CP	Sugar	O & G, equilisation, aeration, Clarifier	Ventury type wet scrubber	Used oil mix with bagasse and burn in boiler	OPRS	OPRS	ADQ	OPRS	No	31/6/2012	Warning Notice issued by R.O. Nashik regarding CREP Compliance & consent Condition vide letter No. MPCBRON/TB4374 dttd 25/10/2007 SCN issued vide letter No. MPCBRON/KSCN- 2214734 dttd 20/11/2010 BG of Rs. 2.0 Lakhs submitted against the compliance of CREP which is valid up to 31/05/2013	LSI	CAC	In Operation	31/06/2013 Applied for renewal	ETP needs to upgrade
15	Pamer Taluka SSK Ltd., Tal: Pamer, Dist: Ahmednagar	CP	Sugar	O & G, equilisation, aeration, Clarifier	Fly ash aerasor	Used oil mix with bagasse and burn in boiler	OPRS	OPRS	ADQ	OPRS	No	31/6/2012	Warning Notice issued by R.O. Nashik regarding CREP Compliance & consent Condition vide letter No. MPCBRON/TB4374 dttd 25/10/2007 SCN issued vide letter No. MPCBRON/KSCN- 2194732 dttd 20/11/2010 Proposed Direction- MPCBRON/KPD- 480625 dttd 08/02/2012 Interim Direction- MPCBRON/KID- 4955039 dttd 29/03/2012 BG of Rs 10.0 not yet Submitted against the compliance of interim direction	LSI	CC	Closed	31/12/2012	ETP & EGS system needs to upgrade

16	Shri. Ambika Sugar Pvt Ltd (Formerly known as Jagamba SSK Ltd.) Ambikanagar Tal-Karaj, Dist-Ahmednagar. Ph: 02469-255401/02, Fax: 02469-255400	PU	Sugar	O & G, equilisation, aeration, Clarifier	Fly ash arrester	Used oil mix with bagasse and burn in boiler	OPRS	OPRNS	ADQ	OPRNS	No	—	LSI	CAC	In Operation	31/07/2014	Jagamba SSK Ltd. is taken over by Shri. Ambika sugar Pvt. Ltd. in 2011.	
17	Sanjivani SSK Ltd., At Sahasrandsnaga Tal. Kopergaon Dist. Ahmednagar	CP	Sugar	O & G, equilisation, aeration, Clarifier	Ventury type wet scrubber	Used oil mix with bagasse and burn in boiler	OPRNS	OPRS	ADQ	OPRNS	No	4/15/2012	Warning Notice issued by RO. Nashik regarding CREP Compliance & consent Condition vide letter No. MPCB/RO/NT/94374 dttd 25/10/2007 SCN issued vide letter No MPCB/RO/NT/SCN- 4325618 dttd 10/12/2008 SCN issued vide letter No MPCB/RO/NT/SCN- 2204735 dttd 20/11/2010 Interim Condition- MPCB/RO/NT/D- 611, 25/02/2009 BS of Rs. 2.0 Lakhs submitted against the compliance of CREP which is valid up to 28/03/2013.	LSI	CAC	In Operation	31/07/2014	ETP needs to upgrade.
18	Agast SSK Ltd. Agastnagar, Tal- Akola, Dist: Ahmednagar.	CP	Sugar	O & G, equilisation, aeration, Clarifier	Fly ash arrester	Used oil mix with bagasse and burn in boiler	OPRS	OPRS	ADQ	OPRS	No	3/16/2012	Warning Notice issued by RO. Nashik regarding CREP Compliance & consent Condition vide letter No. MPCB/RO/NT/94374 dttd 25/10/2007 BS of Rs. 2.0 Lakhs submitted against the compliance of CREP which is valid up to 31/07/2012 letter issued to industry	LSI	CC	In Operation	31/07/2014	---
19	Vijayeshwar SSK Ltd. Achnanagar, Tal. Pathard, Dist. Ahmednagar Ph: 02426-245042, 245066, 245142, Fax: 02426-245264	CP	Sugar	O & G, equilisation, aeration, Clarifier	Fly ash arrester	Used oil mix with bagasse and burn in boiler	OPRNS	OPRNS	ADQ	OPRNS	No	12/10/2011	Warning Notice issued by RO. Nashik regarding CREP Compliance & consent Condition vide letter No. MPCB/RO/NT/94374 dttd 25/10/2007 SCN issued vide letter No MPCB/RO/NT/SCN- 2254738 dttd 20/11/2010 SCN issued vide letter No MPCB/RO/NT/SCN- 4276611 dttd 24/05/2012	LSI	CAC	In Operation	31/07/2014	ETP & ECS system needs to upgrade

20	Kopergan SSK Ltd., At Kopewadi, Tal. Kopergan, Dist. Ahmednagar, Ph: 2423-261210 to 16 Fax: 02423-261219	CP	Sugar	O & G, equalisation, unassisted pan, areator, Clarifier	Ventury type wet scrubber	Used oil mix with bagasse and burn in boiler	OPRS	OPRS	ADQ	OPRS	No	4/15/2012	Warning Notice issued by RO, Nashik regarding CIEP Compliance & consent Condition vide letter No. MPCBRONK/SCN-2274740 dtd 25/10/2007. SCN issued vide letter No. MPCBRONK/SCN-2274740 dtd 20/11/2010. BG of Rs. 2.0 Lakhs submitted against the compliance of CRSP which is valid up to 30/11/2012.	LSI	CAC	In Operation	31/07/2014	ETP needs to upgrade
21	Kulkarni S. K. Ltd., Pimpachgaon Pda, Tal. Shrigonda, Dist. Ahmednagar	CP	Sugar	O & G, equalisation, areator, Clarifier	Fly ash areator	Used oil mix with bagasse and burn in boiler	OPRS	OPRS	ADQ	OPRS	No	3/23/2012	Letter issued from RO, Nashik regarding CREP Compliance & Consent Condition vide letter No. MPCBRONK/SCN-2204739 dtd 25/10/2007. Proposed Direction- MPCBRONK/DPD-1185, 31/03/2008. SCN issued vide letter No. MPCBRONK/SCN-2204739 dtd 20/11/2010.	LSI	CAC	In Operation	31/07/2014	---
22	Sakuma Sugar & Allied industries Ltd., Chandanin, Tal. Shrigonda, Dist. Ahmednagar	PU	Sugar	O & G, equalisation, areator, Clarifier	Ventury type wet scrubber	Used oil mix with bagasse and burn in boiler	OPRS	OPRS	ADQ	OPRS	No	3/26/2012	Letter issued from RO, Nashik regarding CREP Compliance & consent Condition vide letter No. MPCBRONK/SCN-2174739 dtd 25/10/2007. SCN issued vide letter No. MPCBRONK/SCN-4256610 dtd 24/05/2012.	LSI	CC	Closed	31/12/2010	---
23	Sakuma Sugar & Allied industries Ltd., Hirdgaon, Tal. Shrigonda, Dist. Ahmednagar	PU	Sugar	O & G, equalisation, areator, Clarifier	ESP	Used oil mix with bagasse and burn in boiler	OPRS	OPRS	ADQ	OPRS	No	3/17/2012	Proposed Direction- MPCBRONK/DPD-4412289 dtd 14/07/2011. Interim Direction- MPCBRONK/DPD-4555531 dtd 25/12/2011. BG of Rs. 5 Lakhs Submitted against the compliance of interim direction which is valid up to 30/04/2013.	LSI	CAC	Closed	30/11/2012 Applied for renewal	---
24	Prasad Sugar & Allied products, Wambod, Tal. Rahur, Dist. Ahmednagar	PU	Sugar	O & G, equalisation, UASB, areator, Clarifier	Fly ash areator	Used oil mix with bagasse and burn in boiler	OPRS	OPRS	ADQ	OPRS	No	3/16/2012	SCN issued vide letter No. MPCBRONK/SCN-0405 dtd 05/01/2010.	LSI	CC	In Operation	31/07/2015	---
25	Gangamai Sugar & Allied industries Ltd. Nalkhachigaoan, Tal. Shrigonda, Dist. Ahmednagar	PU	Sugar	O & G, equalisation, areator, Clarifier	Ventury type wet scrubber	Used oil mix with bagasse and burn in boiler	OPRS	OPRS	ADQ	OPRS	No	5/28/2012	---	LSI	CAC	In Operation	31/07/2014	---
26	Jai Shri Ram Sugar and Agro Products Ltd., Sr. No. 275-279, Nalgonda, Tal. Jamshed, Dist. Ahmednagar	PU	Sugar	O & G, equalisation, areator, Clarifier	Fly ash areator	Used oil mix with bagasse and burn in boiler	OPRS	OPRS	ADQ	OPRS	No	---	---	LSI	CC	In Operation	31/07/2014	New industry not started commercial production at last season

27	M/S. Machhukar SSK Ltd. (Sugar Unit), A/P. Jyoti Nagar, Nandi Marg, Patpur, Tal. Yawal, Dist. Jalgaon.	CP	Sugar	Oil & Grease Trap, Equalization Tank, Primary Clarifier, Aeration Tank, Secondary Clarifier, Aerator, Sludge Drying Beds	2 Nos. of Fly ash arrester with wet scrubber Sugar Dust collector is provided.	Used oil is reused in the Boiler. ETP Sludge is used as manure.	OPRS	OPRS	ADQ	OPRS	No	28/03/2012		LSI	CC	In Operation	31/12/2012 Applied for renewal.	Crushing was stopped on 28.02.2012.
28	M/s. Chopda Sahakar Sahkar Karkhana Ltd., At. Chahard, Tal. Choda, Dist. Jalgaon	CP	Sugar	Neutralization Tank, Oil & Grease Trap, Aeration, Clarifier, Sludge Drying Beds	Chimney attached to boiler height-40 Meters Mechanical Dust collector, & Flash Arrester is provided.	Used oil is reused in the Boiler. ETP Sludge is used as manure.	OPRS	OPRS	ADQ	OPRS	No	28/03/2012	Proposed for action u/s 31A of water (P&CP) Act 1974, U/s 31A of Air (P&CP) Act 1986 has sent to R.O. Nandk. vide letter no. 2113 dated 16/12/2011	LSI	CC	In Operation	31/12/2012 Applied for renewal.	Crushing was stopped on 28.02.2012
29	M/s. Shree Saripada Taps Parasur SSK Ltd. (Sugar Unit), S. No. 164 to 167, 161, 162, Dangapur & Lunkhada, Plot No. 28 to 32, Punichota nagar, Tal Shahada, Dist. Nandurbar	CP	Sugar	Bar Screen, O&G Trap, Neutralization Tank, Un-aerated began, Aeration Tank, Clarifier, Sludge Drying Beds	Fly ash arresters alongwith 2 nos. of stacks for 4 nos. of Boilers and dust collectors alongwith 2 nos. of stacks for 3 nos. of Boilers	Used oil is burned in Boiler.	OPRS	OPRS	ADQ	OPRS	No	15.02.2012	Warning Notice has issued for Non- Compliance of consent of conditions.	LSI	MS	In Operation	31/05/2015	Crushing was stopped on 29.02.2012
30	M/s. Adwasi Sahakar Sahkar Karkhana Navapur - Nandurbar Vichag, Ltd. Dokre, Tal. Navapur, Dist. Nandurbar.	CP	Sugar	Oil & Grease Trap, Lime Mixing Tank, Collection Curn Equalization Tank, Flocculation Tank, Primary Clarifier, Aeration Tank No. 1, Intermediate Clarifier, Aeration Tank No. 2, Aeration Tank No. 3, Final Clarifier, Sludge Drying Bed & Treated water storage tank.	Muriydone fly ash arrester attached to the Boiler along with stack of 85 meters height.	Used oil is burned in Boiler.	OPRS	OPRS	ADQ	OPRS	No	22.02.2012	Warning Notice has been issued for Non- Compliance of consent of conditions on dtd. 31/12/2011.	LSI	MS	Operation	30/11/2009 Applied for renewal	Crushing was stopped on 29.02.2012
31	M/s. Astoria Agro & Allied Industries Pvt. Ltd. (Formerly known as Pushpadamshwar SSK Ltd.) Mohenchanager, Samshepur, Tal & Dist Nandurbar.	CP	Sugar	Bar Screen, O&G Trap, Equalization, Primary Clarifier, Aeration Tank, secondary Clarifier, Secondary Aeration Tank, Secondary Clarifier & Sludge Drying Beds.	Muriydone Dust collector attached to the stack of 50 mtr. height.	Used oil is burned in Boiler.	OPRS	OPRS	ADQ	OPRS	No	23.02.2012	1. Proposed direction vide letter no. B-376 dtd 15/01/2007 2. Interim direction vide letter no. MPCB/CH/860- 1841/2007 dtd 23/02/2007.	LSI	MS	In Operation	31/07/2015	Crushing was stopped on 16.02.2012.

32	Ashok SSK Ltd., Ashoknagar, Dist: Ahmednagar Ph: 02422 245491/246492, Fax: 02422 245493	CP	Sugar	O & S, equilization, aeration, Clarifier, dual media filter	Ply ash treatment: work of installation of ESP is at last stage	Used oil mix with bagasse and burn in boiler	OPRS	OPRS	ADQ	OPRS	No	4/7/2012	Warning Notice issued by R.O. Nashik regarding CREP Compliance & consent. Consent vide letter No MPCAR/OUTB/374 ddt 25/10/2007. Direction issued by Head Office vide letter no. BOM/PAE/B-2059 ddt 10/05/2011 EG of Rs. 2.0 Lacs submitted against the compliance of CREP which is valid up to 31/05/2013.	LSI	CWC	In Operation	30/07/2014	Industry has upgrade ETP & installation of high pressure boiler with ESP as ECS for Co- generation plant is at last stage, which will used for sugar
----	---	----	-------	--	---	--	------	------	-----	------	----	----------	---	-----	-----	--------------	------------	--

16. Thermal Power Plants

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/C/PSU	IT-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/HOD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	Maharashtra State Power generation Co. Ltd. (NTPS), Post, Skidhwa, Tal. & Dist. Nashik	SU	Power Plant	Collection tank, Neutralization tank, Settling tank	ESP Provided to all five unit		ETP is in operation	ESP is in operation	CHWTSDF membership is obtained			29/10/2012	SCN issued by the Board vide letter No. WPCB/RO/KSCN-561 dated 23.02.2010. Proposed direction issued vide no. WPCB/PA/5/18-2/POB-1325/2011 dt. 07.05.2011. In this regard personal hearing was conducted on 15.08.2011 at head office. The Board has directed this office to inform the Bank Guarantee as the industry has not complied the direction issued by the Board from time to time vide Board office letter no. WPCB/PA/5/18-2/POB-1840 dt. 29.03.2011. In the said direction NTPS has also directed to submit new fresh S. G. of Rs. 1.00 Crores valid for two years for ensuring the compliance of the direction. Industry has not submitted the Bank guarantee Rs. 1.00 Crores and as per the reply the submission process is in final stage. (Copy submitted). NTPS authority submitted time bound action plan (Copy enclosed). Presently Unit No - 1 & 2 of 125 MW (stage - I) each are not in operation. (decommissioned) since from 30 June 2011. SCN issued by the Board vide letter No. WPCB/RO/KSCN-561 dated 23.04.2012. Reply submitted on 05.05.2012.	LSI	CAC	In operation	21/12/2013 applied for renewal	CRP norms are Party complied
2	M/s. Maharashtra State Power Generation Co. Ltd. At Deepnagar, Tal. Bhurseni, Dist. Jalgaon. (Unit 2 & 3)	SU	Power	ETP-Screen Chamber, Collection Tank, Settling Tank, Lamella Separator, Sludge Drying Beds, Jet Chamber, Raw Water Pump for Settling, Sump for Pumping, Distribution Chamber, Circular Settler, Sludge Pump, Oil Water Sump, Manhole Sump, STP-Raw Sewage Sump, Screen Chamber, Grit Chamber, Aeration Tank, Secondary Clarifier, Sludge Sump, Pump House, Sludge Drying Beds, Final Effluent Chamber	1. Electrostatic Precipitators provided to Solers. 2. Dust collection system and automatic water sprinkler system provided at Coal Handling plant. 3. Dust collection and removal systems of sufficient capacity provided to coal crusher.	CHWTSDF 5.1- Used/Spent Oil 30.40 Kt/Year	OPRNS	OPRNS	AGG	OPRNS	No	25/10/2012	Rs 5.0 Lacks BG notified vide letter no. WPCB/RO/KSCN-25/2012 dt. 26/04/2012 & Rs 7.0 Lacks BG. Inferred vide letter no. WPCB/RO/KSCN-10333/2012 dt. 22/06/2012.	LSI	CAC	In operation	31/03/2014	The industry is mfg Electricity Generation (52.5 MW x 1 Unit & 210 MW x 2 Unit). Industry has provided ETP/STP for treatment of waste water. Industry has also provided APC arrangements. Industry has provided partially CRP guidelines.

3	Ms. Maharashtra State Power Generation Co. Ltd., A. C. Deshpande, Tal. Bhussaval, Dist. Jalgaon, Unit 4 & 5	SU	Power	ETP-Egulation Tank, Clarifier, Waste Collection Tank, Clarifier, Water Change tank, Alum Dosing Tank, Polymer Dosing tank, Polymer Dosing Pump, TPI Feed Pump, Tiled Plate Interceptor, Centrifuge feed tank, TPI feed tank, STP-Raw Sewage Pump, Screen Chamber, Oil Chamber, Aeration Tank, Secondary Clarifier, Sludge Pump, Pump House, Sludge Drying Bed, Final Effluent Chamber	Electrostatic Precipitators, Dust collection system and automatic water sprinker system is provided	S.1-Used/Spent Oil-38 KUM. Sale to CPCB/SPCB authorized processor	OPRS	OPRS	AOQ	OPRS	No	26/08/2012	Process application of Unit 5 for consent to operate was submitted to H.O through R.O, having vide this office letter no 1552 dt 07/08/2012 by mentioning that application may be consider for grant of consent to operate subject to obtain the operational B.O of Ra.25 Lada.	LS	CAC	In operation	31/08/2014	Unit 4 is in operation only on the production but in this industry has not taken any commercial production and Unit 5 still state board office has not issued consent to operate
---	---	----	-------	---	---	---	------	------	-----	------	----	------------	---	----	-----	--------------	------------	--

12

Sr.No.	Name of Industry with Complete Address	Sector whether CU/PU/CPSU	17-Category Type	Pollution Control System		Provisions of HW Management	Pollution Control Status			Overall Status	ISO 14000 certification (Yes/No)	Last date of inspection	Action Taken against defaulting industry	Scale LSI(>10 Crs.) / MSI(5 to 10 Crs.)	Consent Granting Authority (CAC/CC/II OD)	Operating Status (Closed/ Operating)	Consent Validity Upto	Remarks
				ETP Unit	Emission Control System (ECS)		ETP Status	ECU Status	Hazardous Waste Management Provision									
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
Nil																		