

MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 1st Consent Appraisal Committee Meeting (Part-II) of 2025-2026 held on 17.04.2025 at Maharashtra Pollution Control Board, Conference Hall, 4th Floor, Kalpataru Point, Sion (E), Mumbai 400022

Following members of the Consent Appraisal Committee were present:

- | | |
|---|-----------------|
| 1. Shri. Siddhesh Ramdas Kadam
Chairman, MPCB | Chairman |
| 2. Dr. Avinash Dhakne,
Member Secretary, M.P.C. Board. | Member |
| 3. Shri P. K. Mirashe,
Technical Advisor, MIDC. | Member |
| 4. Dr. Nitin Goyal,
Principal Scientist and Head, CSIR –NEERI. | Member |
| 5. Shri Shankar L. Waghmare,
I/c Joint Director (WPC), M.P.C. Board, Mumbai. | Member Convener |
| 6. Additional Chief Secretary, Home (Transport) Dept., Mumbai - leave of absence was granted. | |

Following Officer of MPCB were present for the meeting:

- | | |
|---|-----------------|
| 1. Shri V.M. Motghare
Joint Director (APC), M.P.C. Board, Mumbai. | Invitee Member |
| 2. Dr. V.R. Thakur,
Principal Scientific Office, M.P.C. Board, Mumbai. | Invitee Member |
| 4. Shri. Sujit Dholam,
Regional Officer (Head Quarter), M.P.C. Board, Mumbai. | Invitee Member |
| 5. Shri. Nandkumar Gurav (Rtd. AS(T))
Technical Advisor, CTPR, M.P.C.Board, Mumbai | Invitee Members |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 1 (Part-II)] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
Booklet no 1 (Part II)					
1	MPCB- CONSENT- 0000189528	Hindustan National Glass And Industries Ltd., F-1, Malegaon MIDC Sinnar Sinnar	NOT APPROVED Renewal of consent	-----	<p>Committee noted that the application for renewal of consent to operate was earlier discussed in 14th CAC meeting held on 07.01.2025. Fire incident had occurred in Jan, 2024. Directions were issued by Board on 05.01.2024 for not to start the industry till they obtain permission from DISH, Boiler and MPCB. Industry is closed till date. It was decided to issue SCN for refusal as to why your consent shall not be refused as the industry is closed.</p> <p>Committee also noted that SCN for refusal was issued on 21.02.2025. However, Industry has not submitted any reply till date.</p> <p>After due deliberation, it was decided to grant final refusal for renewal of consent and PP has failed to reply to show cause notice.</p>
2	MPCB- CONSENT- 0000191612	Shri Gurudatt Sugars Ltd., Gat No 61/A, Akiwat Takaliwadi Road, Takaliwadi-416108 Shirol	APPROVED Consent to Establish for Expansion	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that, the industry has applied for Consent to Establish for expansion for Grain Base Distillery of 250 KLPD. (New unit in existing Sugar & Distillery premises)</p> <p>Committee noted that, Industry has obtained Renewal of Consent to Operate for 225 KLPD molasses-based distillery project vide dt: 03/12/2024 valid up to: 31/08/2025</p> <p>Committee also noted that, the case was discussed in the 1st CAC meeting dtd. 02/04/2024 and after due deliberation, it was decided to call for technical presentation regarding existing unit and accordingly, the presentation was held on 11/09/2024 before Hon'ble Chairman in presence of HOD's of M.P. C. Board.</p> <p>Committee further noted that industry has submitted additional information / clarification wr.t. regarding applicability of Amendment in</p>

					<p>Environmental clearance for carrying out production capacity for molasses or grain-based distillery 400 KLPD at one time and products details to be manufactured at given one time as under:</p> <ol style="list-style-type: none"> Industry has obtained Environmental clearance for Ethanol mfg. for 400 KLPD capacity based on either "C" Molasses or in the same plant 400 KLPD on "Grain based. They have distillation capacity at present for 225 KLPD based on "B Molasses or Cane Juice Syrup. The same plant can produce Ethanol up to 250 KLPD based on Grain base. With existing plant and machinery, they can produce "B Molasses to the tune of 225 KLPD and or they can produce grain-based material to the tune of 250 KLPD at one time only. <p>After due deliberations, it was decided to grant Consent to Establish for proposed Grain Base Distillery of 250 KLPD (in existing Sugar & Distillery premises) by imposing the following conditions:</p> <ol style="list-style-type: none"> Industry shall submit Bank Guarantee of Rs. 25 Lakhs towards compliance of consent and Environmental clearance conditions. Industry shall comply with conditions stipulated Environmental clearance w.r.t. production mfg. and production capacity for both products - Distillery (C Molasses Based) or Distillery (Grain Based) - At any given time, maximum capacity shall not exceed 400 KLPD.
3	MPCB- CONSENT- 0000192793	Asian Paints Limited, Khandala MIDC, Phase-1	APPROVED Consent to Establish (Expansion)	Commissioni ng of unit or 5 years, whichever is earlier.	<p>Committee noted that Industry has applied for grant of Consent to Establish for Expansion for Plastic Pyrolysis Oil in the existing paint manufacturing plant with proposed C.I. of Rs. 0.98 Crs.</p> <p>Committee also noted that the case was discussed in 5th CAC meeting, it was decided to issue show cause notice to said unit as PP has not submitted details of the manufacturing process, Scrubber details, consent compliance of conditions 14, 16 & 17, BG forfeiture details, ZLD details.</p> <p>Committee further noted that the show cause notice was issued on 01.08.2024 and PP submitted the reply with submitted details of the</p>

					<p>manufacturing process, Scrubber details, consent compliance of the condition regarding Environment Clearance compliance, Form-V and VOC monitoring and submitted ZLD details.</p> <p>After due deliberation, it was decided to grant Consent to Establish for Expansion for Plastic Pyrolysis Oil in the existing paint manufacturing plant, by imposing standard conditions and bank guarantee.</p>
4	MPCB- CONSENT- 0000198231	Godrej Skyline Developers Pvt. Ltd10/1A/3 11/1A/11/2A (P), 11/3/11/4(P) 11/4/2 11/1B S.N. 10/1A/3 11/1A/11/2A (P), 11/3/11/4(P) 11/4/2 11/1B Mamurdi Pune Haveli	APPROVED Consent to 1 st Operate (Part-I)	31.03.2027	<p>Committee noted that Project Proponent has applied for Consent to Operate (Part-I) for Residential township Construction project on Total Plot Area of 1,02,690.76 SqMtrs & completed Part-I total construction BUA of 85576.09 SqMtrr out of Total Construction BUA of 3,26,767.21 SqMtrs as per EC granted dated 08.02.2024.</p> <p>PP has obtained Revalidation of Consent to Establish dtd 11.07.2023 valid till COU or 5 Yrs for construction project having Total Plot Area of 1,02,690.76 SqMtrs for Total Construction BUA of 3,26,767.21 SqMtrs with CI of Rs 801.34 Cr.</p> <p>PP has obtained amendment in EC dtd 08.02.2024 for construction project on total plot area of 1,02,690.76 SqMtrs for Total Construction BUA of 3,26,767.21 SqMtrs with CI of Rs 801.34 Cr.</p> <p>PP has provided STP of 465 CMD capacity and provided OWC.</p> <p>After due deliberation, it was decided to grant Consent to Operate (Part-I) for Residential township Construction project on Total Plot Area of 1,02,690.76 SqMtrs & completed Part-I total construction BUA of 85576.09 SqMtre out of Total Construction BUA of 3,26,767.21 SqMtrs as per EC dated 08.02.2024 by imposing standard conditions and bank guarantee.</p>

95	MPCB- CONSENT- 0000206728	PERALS SUGAR RICHARDIA PRIVATE LIMITED Sd/- 017 Butibori Industrial Area Nagpur R Hingna	APPROVED Consent to Renewal of Establish	31.08.2025 ing of unit or 5 years whichever is earlier.	Committee noted that Industry has applied for consent to establish for first time setting up 30 KLPD molasses-based distillery. The application was earlier discussed in 12th CAC meeting dated 13.12.2024 and it was decided to extend personal hearing for not installing and connecting OCEMS. Committee also noted that Industry has submitted CA certificate for proposed expansion for CI = Rs 1785 crs. Industry obtained TOR on 31.12.2024. Committee also noted that Industry has proposed providing STP of 50 CMD. Also proposed to provide primary, secondary & tertiary ETP. Allowed by AIESD & MEE that SRO has Limited discharges of effluent 11000 L/day stating that they have the process to treat of seven days storage tank for storage of spent wash. Industry has provided MEE followed by incineration boiler with ESP. The civil and mechanical work is completed. Committee also noted that Industry has proposed to install boiler of 50 TPH with ESP. Industry is going to use Rice Husk, Biomass briquettes, woodchips, Pellets, Bagasse & 10 % Coal as fuel. Also going to provide DG of 2250 KVA * 3 nos with stack and acoustic enclosure. After due deliberation, it was decided to grant consent to establish for first time for setting up 30 KLPD Molasses Distillery and Malt Spirit Distillery.
6	MPCB- CONSENT- 0000207920	Neelikon Food Dyes & Chemicals Pvt. Ltd. (Unit 2) Plot No. 17, Plot No.	NOT APPROVED Renewal of Consent to Operate with	-----	Committee noted that Industry has applied for grant of Industry has application for plant along with 6MW Cogeneration Power Plant with Food colorant. Notes leak Defect & steps to be taken by dazoxing, coupling, cleaning, drying and carbonization process. PP has made separate application for increase in C.I. of Rs. 16.68 Crs vide UAN No. 207318.
96	MPCB- CONSENT- 0000234481	BPCL Petrolium Co. Baha Dist- Raigad, Baha - Uran LPG Pipeline), Mahul Village, Chembur - 400074	APPROVED increase in Renewal of consent to operate	17.02.2030	Committee noted that PP has applied for Renewal of consent to operate for LPG transportation through pipeline 3500 MT/Day valid for valid for pumping of LPG - 3500 MT/D through pipeline from BPCL/PPCL Mumbai Refinery to Uran LP Gas plant and storing in 3 x 900 MT Mounded storage vessels and pumping to the existing LPG facilities. Committee also noted that the case was discussed in 11th CAC Meeting of 2024-25 (Booklet No. 11) dtd 26.11.2024. It was decided to issue show cause notice for both applications on above-mentioned noncompliances and call PP for personal hearing, show cause was issued towards non-compliances and PP was called for Personal Hearing on 27.01.2025. Committee also noted that previous consent was granted with validity upto 17.05.2025. PP has applied for Trade effluent = Nil. Domestic

					<p>Committee further noted that BG of Rs. 25.0 per CMD is not applicable for this consent. The effluent shall be submitted within 10 days. (b) PP shall submit the MEE feasibility report within 10 days. PP has failed to submit both reports, we may consider refusal of both the consents as PP has failed to comply with the directions during Personal Hearing.</p> <p>After due deliberation, it was decided to grant Renewal of consent to operate under RFD category as Transportation of Petroleum Product pipeline can be considered as part of "isolated storage" of hazardous chemicals under the MSIHC Rules, 1989 by imposing BG of Rs. 25.0 lakh for compliance of consent condition and compliance of CRZ for refusal of consent for non-submission of MEE feasibility report and action plan for colour removal.</p>
97	MPCB- CONSENT- 0000237919	Britannia Bel Foods Private Limited Near Britannia Industries Ltd	APPROVED Renewal of Consent to Operate	30.04.2030	<p>Committee noted that the industry has applied for Renewal of Consent to Operate for mfg. of Cheddar and Processed Cheese -27600 Ton/year to MPC Board. Industry has obtained 1st Consent to Operate (part) vide dt: 07/09/2023 for mfg of Cheddar and Processed Cheese -27600 Ton/year Valid up to: 30/04/2025</p> <p>After due deliberation, it was decided to issue show cause notice within 7 days of issuance of SCIN, then final refusal should be issued.</p>
7	MPCB- CONSENT- 0000208096	Village Dhok Sanghvi G+2 S. No. 407, 411, 412, 413, 414, 415, 421 Application for Consent to Operate for Bldg No. 7, 8 & 9 for Residential and Commercial project at S. No. 407, 411, 412, 413, 414, 415, 421 at village Navghar, Mira Road, Tal & Dist Thane, Maharashtra. Thane	APPROVED Consent to 1 st Operate	30.04.2027	<p>Committee further noted that on basis of minutes PP submitted reply stating that they have constructed G+1 Floor on site and handed over to tenants to provide occupancy to tenants and PP is ready to pay penal charges.</p> <p>The committee noted that industry has submitted consent fees of Rs. 1382000.00 to MPC Board for obtaining Renewal of Consent to Operate. After due deliberation, it was decided to grant consent to Operate Bldg no 7,8, &9 for residential and commercial project for total plot area 47,990 Sq.mtr Construction area 17,871.52 Sq Mtr out of total plot area 47,990 Sq.mtr</p> <p>During visit ETP found in operation. ETP was discussed in 17th CAC meeting JVS results: decided to issue show cause notice for refusal of consent</p> <p>a) ETP Outlet dt: 19/03/2025 results awaited b) STP Outlet dt: 19/03/2025 BOD – 9.4 mg/l and COD - 40.2 mg/l</p> <p>After due deliberations, it was decided to grant Plain Renewal of Consent to Operate for mfg. of Cheddar and Processed Cheese -27600 Ton/year, by imposing following conditions:</p>

100	MPCB- CONSENT- 0000238050	Harman Finochem LimitedPlot No. E -7, E-8 &E-9 Plot No. E -7, E-8 &E-9, MIDC-Chikalthana, Chhatrapati Sambhaji Nagar-431006 Chhatrapati Sambhaji Nagar	APPROVED Renewal of Consent	30.04.2028	Committee noted that Industry has applied for grant of plain Renewal BUA consent to operate (Part-B) of Part-B (Post valid) Idt no. 10223 valid till 31.07.2024 for completed Part BUA of 67,276.49 SqMtrs with CI of Rs 62,941 Cr. It was also noted that Industry has obtained Consent to establish (Exp) from the Board on 07/05/2022 for mfg. of API Drugs and Pharmaceuticals. The Part-B UoP for Part-B of BUA of 197,776.98 SqM/05/2020 for total BUA of 25,00,000 SqMtr as per date which is valid upto 30/04/2025. Obtained Consent to Operate (Exp) from the Board on 02/08/2023 for dtd 18/06/2022 Drug integrated township construction project 30/04/2025. Obtained 5,81,344 sq.mtr BUA and granted by Section Officer D25,00,000 SqMtr Nov 2021/NOV/RD27189781/2021 dtd 23/07/2021. The capital investment is Rs 276.5 Cro. It is provided BUA of Consent fees up to Rs 37681. Additional consent fees for Part-B 2023/2024 is Reversed. Osmosis (2 stage RO) of 70 KL capacity, MEE of 100 KL capacity along with Stripper & ATFD. Provided STP of 40 KL capacity Sewage generated at 9.33 CMD/Sr Treat Capacity. Provided ST Effluent 90 KLDed for garden 700 & Toilet Flushing Sub 405 KLBank Gu 750 KLD. Provided 60 MGkh towards previous consent conditions which is valid up to 31/01/2027. After due deliberation, it was decided to grant Renewal of Consent to Operate (Part-B) with additional BUA to grant Integrated Renewal of Consent to Operate for making API Drugs read the immediate BUA proposed stipulated conditions total Bank Guarantee BUA 87269.13 sq.mtrs (67276.49+19992.64) out of total BUA 25,00,000 SqMtrs as per EC dated 18.06.2023 issued after signing standard additional conditions are Bank Guarantee.
101	MPCB- CONSENT- 0000238285	Bharat Bijlee Ltd., Plot No. 02, MIDC, Thane Belapur Road, Airoli, Navi	APPROVED Renewal of consent to operate	30.04.2027	Committee noted that PP has applied for Renewal of consent to Operate for the lab issued after verification of STP provides 50,000 Nos/Nos/Bank Guarantee existing Res 302 Nos/Corrosion Operator (Part-3000 Nos/Y, permanent magnets motors – 27000 Nos/Y, servo motors – 5000 Nos/Y).
11	MPCB- CONSENT- 0000222107	Gandast Bio Products Pvt. Ltd. Plot No. K - 1 Khadke-Kinhi	NOT APPROVED	-----	Committee noted that Industry applied for grant of consent to establish & operate for manufacturing of SSP and NPK in liquid form. Committee also noted that previous consent was granted vide dated 31.08.2022 which is valid up to 30.04.2025. Applied for 1st operate for expansion with amalgamation in existing consent vide UAN No.

		MIDC, Bhusawal Bhusawal	Consent to Establish & Operate		<p>203136 as same has already started production of the products mentioned in this application as per Field Officers report. Committee further noted that PP has provided paint booths with air filtration as an APCs & electrically operated drying oven. PP has provided Thermopack, 1, 2 & 3 with stack by using PNG. Provided 14 nos. of paint booth with filtration units and stacks. BG of Rs. 25.0 Lakh is valid upto 31.08.2025</p> <p>After due deliberation, it was decided to grant renewal of consent to operate with previous application UAN No.203136 as same has</p>
12	MPCB- CONSENT- 0000227324	CUMMINS BUSINESS PARK CONDOMINIUMS urvey No.21 Village Balewadi Pune City	APPROVED Renewal of Consent to Operate (Part-I)	31.01.2027	<p>Committee noted that Project Proponent has applied for Renewal of Consent to Operate (Part) with change in name for Tower A, B & C, Multifunctional Hall and Retail Commercial activity construction project. Consent shall be issued for 02.99 SqMtrs details of APGS and BUA of 1,08,175.13 SqMtrs out of Total Construction BUA of 1,35,947.99 SqMtrs as per EC dated 05.01.2017</p> <p>PP has obtained Renewal of Consent to Operate dtd 13.07.2023 valid</p>
102	MPCB- CONSENT- 0000238342	Lubrizol India Private Limited, Plot No. C-9/3 TTC Industrial Area, Navi Mumbai, Dist. Thane, Maharashtra Navi Mumbai	APPROVED Consent to Establish (Expansion)	Commissioni ng of unit or 5 years, whichever is earlier.	<p>On 01.01.2025 for that construction project applied for granted of 67,992.63 SqMtrs (Expansion Capacity of 1,02,175.13 SqMtrs) blending total 72,140 Construction Blending 75,947.99 SqMtrs 5527 MTEC dated 05.01.2017 (blending Rs. 962.24 Cr).</p> <p>PP has obtained Environmentally clearance EC dated 14.2.2012 & from the Board on 09/01/2025 for replacement dated 05.01.2013 for Boiler (10 TPA) and 12 TPA) 67,992.63 SqMtrs. Boiler total BUA of 1,35,947.99 SqMtrs from the Board on 05/10/2021 for inclusion of by products which is valid up to 31/01/2025.</p> <p>Capital Investment CI decreased from Rs 969.4456 Cr to Rs 958.60 Cr. Consent for paint 23,74,360. In addition has provided ETPs and required PPEs and ZLD STP. Suo MVO bank guarantee.</p>
					<p>After due deliberation, it was decided to grant of Consent to Establish ((Expansion for capacity utilisation) formulation blending – 72140</p>

					OT/A Related noted that PP has applied with A change in name from (Mend B) and 1922 M/A by imposing standing Business Bank Guarantee. PP has submitted NOC and Deed of Declaration
103	MPCB- CONSENT- 0000238031	Indian Oil Adani Ventures Limited, NH 4B, Dronagiri node, Navghar, Navi Mumbai	APPROVED Renewal of consent to operate	30.06.2026	After due deliberation, it was decided to grant Renewal of Consent to Operate for a wide change in name for Tower A, B & C, Multifunctional Hall and Retail Commercial activity construction project on Total Plot Area of 67,092.33 Sq.Mtrs for Construction BG of 1,03,175.13 Sq.Mtrs out of 25.06.2024 for storage of Class A, B and C products which is valid up to 13.00.2025. Subject to loan raised by ORs of 22.87694466 CPM and justifying stand the conditions as bank upgraded to the pollution control equipments like ETP, STP, Rail Shed, Extension and Committee noted that PP applied for renewal of consent to operate for Electricity Generation – 500 MW (Coal based Thermal Power Plant Unit 6 250 MW & Unit No. 7 250 MW). Committee also noted that Trade effluent = 3 CMD. Domestic effluent = 4.1 CMD. Industry has provided ETP 200 CMD capacity and STP 100 CMD capacity. Treated Effluent is obtained consistently and 29/04/2024 sew. which was valid upto 31/12/2024 and Obtain Environmental Clearance vide dt. 01/09/2006. Committee also noted that Industry has provided 3 nos of DG set of 650 KVA with acoustic enclosure and industry has submitted BG of Rs 10 lakh valid upto 31.10.2025 but submission report is not submitted for treatment of trade and domestic effluent. PP has provided ESP to boilers. After due deliberation, it was decided to grant renewal of consent for storage of Class A, B and C products subject to receipt of fees as per After due deliberation, it was decided to grant renewal of consent to operate by imposing following conditions: 1. PP shall submit/extend existing total BG's as per power plants B.G. regime
13	MPCB- CONSENT- 0000225965	Maharashtra State Power Generation Corporation Ltd., Parli Thermal Power Station (Unit VI & VII)378, 379, 397, 400, 401, 402, 417 & 418 Dadahari Wadgaon Parli Vajinath	APPROVED Renewal of Consent	31.12.2025	Committee noted that the industry has applied for 1 st Consent to Operate for Expansion for mfg Ice-cream amalgamation with Renewal ³ of Consent to Operate for Milk Processing and dairy Products to MPC Board. PP shall maintain records of disposal of ash as per MPCR & CC notifications and submit monthly report to SRO office.
104	MPCB- CONSENT- 0000235021	The Panchmahal District Co-op Milk Producers Union Ltd., Plot no. 6, G-20, 21, 22, 23, & 24 Part	APPROVED 1 st Consent to Operate for Expansion for additional product amalgamation	31.03.2026	Committee also noted that, Industry has obtained Renewal of Consent to Operate vide dt: 30/07/2022 valid up to: 31/03/2025 for

14	MPCB- CONSENT- 0000226933	MIDC Talaja, Panvel includes Indira Dock (30 Berths) Pirpau (3 Berths,) JD (4 Berths), Dry Dock, VD14 & VD15 M Harbour Wall1, PD, Sasson Dock- Fish Jetties, Ferry Warf & Fish Jetty - Bhaucha Dhakka Revenue Survey Number of ID & Ballard Pier CS 1187 Eastern Front of Mumbai Coast Mumbai City	with Renewal of Consent to Operate Renewal of Consent	-----	<p>(Milk Processing and dairy Products and Industrial has obtained Consent for expansion vide dt: 08/03/2026. Berths) Pirpau (3 Berths,) JD (4 Berths), Dry Dock, VD14 & VD15 M Harbour Wall1, PD, Sasson Dock- Fish Jetties, Ferry Warf & Fish Jetty - Bhaucha Dhakka Revenue Survey Number of ID & Ballard Pier CS 1187 Eastern Front of Mumbai Coast Mumbai City. Committee further noted that domestic effluent generation as per Committee further noted that industry has submitted Bank Guarantee of Rs. 25 lacs towards O & M of PCs and compliance of consents condition which was valid upto 27/01/2027 and submitted Bank Guarantee of Rs. 25 Lakhs towards compliance of C to E Conditions expansion vide dt: 18/03/2025 valid up to: 15/03/2026. After due deliberations, it was decided to grant 1st Consent to Operate for Expansion for mfg additional product - Ice-cream amalgamation with Renewal of Consent to Operate for Milk Processing and dairy</p>
15	MPCB- CONSENT- 0000226194	Sir HURKISONDAS NURROTUMDAS HOSPITAL AND RESEARCH CENTRE, Padmashri	NOT APPROVED Renewal of Combined Consent to operate & BMW	-----	<p>Products by imposing following terms and conditions: 1. Industry shall submit Bank Guarantee of Rs. 25 lakhs to MPCB Board. 2. The additional treated effluent shall be 100% reuse in the process. The applicant's previous CGA was granted 360 beds with validity upto 31.01.2025. Plot area 6827.74 M2 with Built-up area 5871.23 M2. Now applied for enhanced BUA from 5871.23 M2 to 6827.74 M2.</p>
105	MPCB- CONSENT- 0000235630	Sir Chhannappa Chowkies Raja Bantur Plot Roy Road, MIDC Talaja - 400044 Plot No. 02, MIDC Talaja Panvel	APPROVED Authorization Consent to 1 st operate for expansion and amalgamation	31.01.2027	<p>6827.74 M2. Now applied for enhanced BUA from 5871.23 M2 to 6827.74 M2. Industry has applied for Consent to operate for expansion (PART C) as BUA is increased from 2000 Sq.M. to 6827.74 M2. Applied for E.CMD, DE at 2000 CMD. Committee further noted that HCE has provided STP with a capacity of 6600 M³/M. which is inadequate. Hospital has provided ETP of 35 CMD for treatment of trade effluent. HCE has provided an online monitoring</p>

			n with existing consent.		System for STP outlet but same is not connected to MPCR & GPCR sewer. Original BG submission details not submitted. After due deliberation, it was decided to call HCE/PP authority for personal hearing for entire project details, EC details, Architect certificate, sanction plan and OC as BUA is increased above 20,000 Sq. M. adequacy of the STP & ETP and Original bank guarantee submission details. Committee also noted that Industry has provided ETP comprising of primary & tertiary treatment followed by RO. Ro permeate is disposed off to CETP. RO reject goes to MVR.
16	MPCB- CONSENT- 0000227231	Verma Medicine Research Trust Global Hospital Superspeciality & Transplant Centre Unit of CDKD I Pvt35,Dr E Borges Road Hospital Avenue, global hospitals opp to shirodkar high school Parel Mumbai	NOT APPROVED Renewal of combined consent to operate and BMW Authorization	-----	<p>Committee noted that HCE has applied for Renewal of combined consent to operate and BMW Authorization with for 214 beds hospital on total Plot Area 33246.18 Sq. M. and Total BUA 23279.20 Sq. M. provided fume exhaust for Hot Mill. Industry is using LSHS / PNG to Coating Furnace and Melting Furnace. Industry has provided 274 beds on total Plot Area 33246.18 Sq. M. and Total BUA 23279.20 Sq. M. HCE has applied for 8 CMD. D/E 106 CMDT provided ETP & Treated effluent disposed of into STP inlet. HCE has changed their name from M/s. Verma Medicine Research Trust, Global Hospitals Super. Specialty and Transplant Center for Digestive and kidney Diseases India Pvt. Ltd to M/s Verma Medicine Research Trust, Gleneagles Hospitals super specialty And Transplant Centre for Digestive and kidney Diseases India Pvt Ltd. Without justification. Committee further noted following non-compliances:</p> <ol style="list-style-type: none"> 1. HCE is operating 245 beds without obtaining CCA for increased beds and obtained BMW TDF from bank submitted Bank Guarantee of Rs. 25 Lacs for both the consents. 2. HCE has not submitted justification for increased Plot area and decreased BUA. 3. HCE has not submitted details of disposal of effluent with land for expansion (PART) for coated coils = 100 MT/M and amalgamation with existing consent to operate for a period upto 31.01.2027. 4. HCE has not submitted original BG acknowledgement details.

106	MPCB- CONSENT- 0000235412	Kallappaanna Awade Jawahar S.S.S.K. Ltd., Operator of Shriram S.S.K. Ltd., Phaltan (Distillery) Gt No 9/1A, 9/2 At- Ramnagar Phaltan Phaltan	APPROVED Consent to Establish for expansion	Commissioning of the unit or 5 years whichever is earlier	<p>Committee noted that the industry has applied for Consent to Establish for proposed expansion within same industry premises for mfg. of: Ethanol-30 KL/D. (by using Raw material Rectified Spirt). U. F. CLE has not applied in COA format and has not submitted details of the commencement in increased beds period to calculate penal charges.</p> <p>Committee also noted that, Industry has existing Renewal of Consent to Operate for mfg of 30 KL/D Molasses based Distillery (for mfg. of. After due deliberations it was decided to not consider the case and issue Show Cause Notice for refusal of COA/2023 vide dt. 26/12/2022 valid upto 03/08/2023.</p> <p>If HCE/PP fails to submit a satisfactory reply of Show Cause Notice for refusal of COA within 7 days from issuance of SCN the case will be refused without giving any further opportunity.</p>
17	MPCB- CONSENT- 0000225843	Maharashtra State Power Generation Company Limited, Parli Thermal Power Station (Unit-VIII)399, 400, 409 to 428 and 435 Wadgaon (Dadahari) Parli Vajnath	APPROVED Renewal of Consent to Operate	31.12.2025	<p>Committee also noted that PP has obtained consent to operate vide The committee noted that, as Reported by SRO office - During visit, it has been observed that so far industry has not started any construction activity towards expansion work.</p> <p>Committee further noted that PP has provided ETP and STP for treatment of trade and domestic effluents. PP has not applied for expansion project existing Boiler and Pollution Control details will be</p> <p>After due deliberations, it was decided to grant Consent to Establish, for expansion within same industry premises for mfg. of: Ethanol-30 KL/D (by using Raw material Rectified Spirt), by imposing following conditions:</p> <p>1. Industry shall submit Bank Guarantee of Rs. 25 Lakhs to MPC Board.</p> <p>1. PP shall submit/extend existing total BG's as per power plants B.G. regime.</p>
107	MPCB- CONSENT- 0000233841	Shraddha Energy and Infraprojects Pvt. Ltd., (Formerly know as Maa Bageshwari	APPROVED Consent to Establish for Expansion	Commissioning of the unit or 5 years whichever is earlier	<p>Committee noted that industry has applied for consent to establish for expansion of 5500 TCD (5000) unit & Cogen 30 MW.</p> <p>3. PP shall maintain records of disposal of ash as per MoEF&CC) notifications and submit monthly report to SRO office.</p> <p>Committee also noted that Board has granted consent to operate on 24.11.2024 for 4500 TCD sugar unit & Cogen 12 MW which is valid upto 31.07.2025.</p>

18	MPCB- CONSENT- 0000226247	Shri. Anurag (a) Bhatia, 13, 71, 135, 136, 137, 161, 163 and 164, 1st Floor, Warfield Technology Centre (DTC) Plot No. E/1/C, Chakan MIDC Khed	APPROVED Renewal of Consent to Operate	31.01.2026	<p>Committee noted that PP has applied for renewal of consent to operate for Research and Development and Associated Testing Activities and Thermal Propagation Test SP. After proposed to provide and 10 vehicle Baggages fired boiler with stack and ESP.</p> <p>Committee also noted that PP has applied for renewal of consent to operate vide dt. 31/03/2024 which was valid upto 31/01/2026. Industry has submitted BG of Rs 50 lakh which is valid upto 31.01.2026. Committee further noted that PP has provided ETP and STP for treatment of trade and domestic effluent. JVS analysis result of STP expansion for 2500 TCD sugar unit & Gogen 30 MW with the condition of Environment Clearance, standard conditions and bank guarantee. After due deliberation, it was decided to grant renewal of consent to</p>
108	MPCB- CONSENT- 0000236529	Britannia Industries Ltd 504 (Part), 514 (Part), 515, 516/1, 516/2, 517 (Part), 518, 519, 522, 523, 525-526 At Post Chok Sanghvi, Pirangut Pirangut Mulshi	APPROVED 1 st Consent to Operate expansion (Part) for products with amalgamation Existing Renewal of Consent to Operate	30.04.2027	<p>Committee noted that Industry has applied for 1st Consent to Operate expansion (Part) for products - Fruit Juice and condensate milk - 25000 MT/A amalgamation with 1st Consent to operate for expansion, for additional production quantity amalgamation with existing consent to operate on 12.10.2024, valid upto 30/04/2027</p>
19	MPCB- CONSENT- 0000228363	PP has applied for renewal of consent to operate for Steel Machining	APPROVED	-----	<p>Committee noted that, Industry has obtained consent to establish vide dt. 12.10.2024 for Fruit Juice and condensate milk, R & D unit. and, Industry has obtained 1st Consent to Operate vide dt. 12/10/2024 for Fuel Rail, suspension plates, Hoses, Steel Lokring, Aluminium mfg, Cheddar and Processed Cheese, Flavored Sweet and Condensed Milk, Yogurt and Greek Yogurt and Whey and Dairy whitener etc and Ghee and Butter products valid up to: 30/04/2027, Refusal of consent on following non-compliances:</p> <p>Committee further noted that industry has Provided Common (Britannia Bel Foods Private Limited & M/s Britannia Industries Ltdy (Biscuit unit) Primary, secondary & tertiary ETP having capacity 1050. CMD. During visit ETP found in operation and 3. Industry has Provided Boiler (10 TPA x 5) for 02 boiler using Bioquette as fuel, provided bag filters and dust collector with stack ht. 50 mtrs. For 01 boiler using LDO as fuel stack ht. 50 mtrs.</p> <p>2. The manufacturing process shows decreasing, cleaning and phosphating activity, however details of APGS and pre-treatment not submitted.</p> <p>3. As per the earlier consent B.G. of Rs. 5.0 lakhs forfeited status The committee further noted that industry has submitted Bank Guarantee of Rs. 25 Lakhs vide dt. 04/11/2024 which is valid up to:</p>

					<p>30/09/2027 reported that they have provided consent to operate and collect for Bank Guarantee of Rs. 25 Lakhs vide dt: 04/11/2024 which is valid up to: 26/10/2027 as per Consent to Establish for expansion.</p> <p>After due deliberations, it was decided to grant 1st Consent to Operate expansion (Part) for products - Fruit Juice and condensate milk -r 25000 MT/A amalgamation with 1st Consent to operate for expansion, for additional production quantity amalgamation with existing consent to operate by imposing following terms and conditions:</p>
20	MPCB- CONSENT- 0000228636	Synergy Green Industries Ltd, C-18, Five Star MIDC Kagal – 416216	APPROVED Consent to Establish for	Commissioning of the Unit or 5 years whichever is earlier	<p>Committee noted that PP has applied for consent to establish for expansion for additional quantity of CI, SG and Steel Castings = 31200 MT/A.</p> <p>1. Industry shall submit Bank Guarantee of Rs. 25 Lakhs to MPCB Board.</p>
109	MPCB- CONSENT- 0000238579	ORIENTAL YEAST INDIA PVT LTD PLOT NO. A-4 KHANDALA MIDC PHASE I KHANDALA	Expansion APPROVED Renewal of Consent to Operate	earlier	<p>Committee noted that industry has applied for plain Renewal of Consent to Operate for the manufacturing mfg. of: Yeast (Y30-Yeast, Crumble Yeast, Dry Yeast & Distiller's Yeast- 36000 MT/A, and Co-1 Gen Power- 4.67 MW.</p> <p>Process effluent and Domestic effluent will be 0.8 CMD. Existing STP of 26 CMD provided and treated effluent used for gardening. Committee noted that Industry has obtained previous Amendment in Renewal of Consent vide dt: 17/02/2024 having upto dt: 30/04/2025 capacity (2nos), 15 MT, 4 MT provided with FES followed by cassette type filter with common stack. PP has proposed to provide cassette. Committee further noted that, Industry has provided ETP of 3000 CMD capacity. ETP comprises of Primary, Secondary and Tertiary treatment followed by advance treatment like RO and MEE. and Stack of 65 mtr. height each is provided to Common (Boiler 30 TPH & 12 TPH) along with ESP (Electrostatic Precipitator) as an APC's. Stack of expansion for additional quantity of CI, SG and Steel Castings = 31200 MT/A. height each is provided to DG Sets of capacity- 2000 KVA (8 nos) by imposing following condition:</p> <p>1. PP shall not take effective steps towards expansion till to obtain Environmental Clearance as per EIA Notification, 2006 and Committee noted that, industry has submitted Bank Guarantee of RS. 25 Lakhs vide dt: 26/08/2022 which is valid up to: 31/12/2025 consent to establish expansion and Environmental Clearance.</p> <p>Committee also noted that RO Pune office has issued interim Consent shall be issued after receipt of requisite fees and BG interest, directions vide dt: 21/02/2025 w.r.t. disposal and transportation - disposal path of MEE Concentrate (Slope/Molasses sludge) to be use</p>

21	MPCB- CONSENT- 0000229265	District Hospital Parbhani Subhash Road Parbhani	NOT APPROVED Renewal of Combined Consent to operate & BMW Authorization	-----	raw material for bio composting / for organic fertilizers and as raw material for animal feed /cattle feed to other end user industry.otal plot area of 37362 Sq. Mtr & total BUA of 20332 Sq.mtr. After due deliberations, it was decided to keep the case in abeyance and Committee to be re-called after 30 days. The case was not submitted. Applied for DE-30 CMD. Effluent is discharged into the local body without treatment.
110	MPCB- CONSENT- 0000238978	Grant Government Medical College and Sir J.J. Group of Hospitals, Sr. No. E4591-94, Mumbai	NOT APPROVED Renewal of Combined Consent to operate & BMW Authorization	-----	Committee noted that HCE has applied for Renewal of Combined Consent to operate & BMW Authorization compliance: 32 beds hospital on total plot area of 193898.81 Sq.Mtr & total BUA of 162700.47 Sq.mtr. 1. HCE has not submitted details of the sanctioned layout, Built up area and Plot area with construction details with Architect vide dated 11.12.2013 & valid up to 31.10.2014 with 1352 beds. 2. Previous CGA Application vide UAN No. 213303 is refused by the Board of C&A dated 09/02/2025 as per the lapse period upto 21.08.2024. 3. HCE has not submitted details for Super speciality building North provision of general STP and its treatment of CBMWTDF membership, BG of Rs. 5.25 Lakh & ETP and STP and discharging effluent. 4. HCE has not submitted CGWA NOC for withdrawal of ground water and reply to the query letter. 5. HCE has not submitted ETP for redevelopment of Hospital & Residential Quarters vide dtd.30.11.2016 for Total Plot Area-1,73,727.5 Sq. M. and Total Construction BUA-1,36,106.4 Sq.M. and the same has expired. 6. HCE has not submitted details of previous CCA and BMW Auth. 7. HCE has not submitted details of previous CCA and BMW Auth. After due deliberations, it was decided to keep the case in abeyance and Committee to be re-called after 30 days. The case was not submitted. Applied for DE-30 CMD. Effluent is discharged into the local body without treatment.
22	MPCB- CONSENT- 0000229587	Aegis Vopak Terminals Limited, Sector 2, Eastern Node,	NOT APPROVED	-----	not submitted capital investment certificate to calculate the penal charges and CCA fees from 1.11.2014 to 21.08.2024 as previous BMW Authorization expired on 31.10.2014. HCE has not submitted BG of Rs. 5.25 Lakh & ETP of Rs. 10.00 Lakh as per BMW Authorization & CCA for ETP respectively. HCE has not submitted a quantity of

		Behind Port Users Building, Jawaharlal Nehru Port Authority, Sheva, - 400707.	Consent to Establish		BMW categories with factual generation. HCE has not applied for revalidation of C to E for Super Specialty as it has expired, and Committee also noted that Proposed Total Plot Area: 1,21,076.0 SQM, & Total Built-Up Area (BUA): 30,800.58 SQM. PP has applied for proposed ETP of 1500 CMD (occasional) & proposed to provide personal hearing with details of the entire hospital project, port chart for provision of ETP & STP capital investment as per Board's prescribed format, EC and details its compliance. Committee further noted that PP has not yet started work. Also, Local
111	MPCB- CONSENT- 0000235441	Patanjali Food & Herbal Park Nagpur Pvt Ltd.Sector-12A/16, MIHAN Non-SEZ, MIHAN Tahsil-Hingna	APPROVED Renewal of Consent to Operate amalgamation of 1 st	31.12.2025	Committee noted that, industry has applied for Renewal of Consent to Operate amalgamation of 1 st Consent to Operate (Part) expansion for mfg. of Atta – 150 MT/D, Atta for biscuit – 300 MT/D & Orange Concentrate – 100 MT/D. It was decided to call project proponents for personal hearing with project details, proposed activity, CRZ & EC status. Committee also noted that, Industry has obtained Revalidation of Consent to Establish vide dt: 11/02/2024 for mfg of various types of
23	MPCB- CONSENT- 0000230221 & 0000230376	Municipal Corporation of Greater Mumbai, 3rd Floor, Engineering Hub, Dr. E. Moses Road, Worli, Mumbai City, Mumbai City – 400018.	Consent to Operate (Part) expansion consent to establish for expansion and BMW Authorization	-----	Juices / herbal juices and Atta and Atta for biscuit etc and obtained Renewal of Consent to operate vide dt: 24/12/2023 valid up to: 31/12/2024 for mfg. of Atta and Atta for biscuit etc.) Total Plot Area - 13,052.20 Sq. M. and Proposed BUA -96,408.92 Sq. M. Committee noted that industry has provided ETP of 1500 CMD with primary, secondary and tertiary treatment systems. RO followed by MEE to achieve ZLD and provided 2 T on 31/08/2016. However, the copies of red boilers with individual new collectors & C of R as per A.P.C. & states of SEPCO meeting held on 10TH & 11th July 2023. Accordingly, HCE has EC dated 02.02.2017 for total plot area = 13166.14 sqm and BUA = 79480 sqm. HCE has submitted Bank Guarantee of Rs. 25 lakh BUA - 13052.20 sqm. Proposed Built Up Area (BUA) 96408.92 sqm. Industry not submitted Bank Guarantee as per Revalidation of C to E for expansion project. Committee further noted that HCE has not submitted an approved plan by the competent authority. HCE has applied for proposed water consumption = 385 CMD. Domestic effluent = 333 CMD. STP fees of Rs. 74644.00 towards increase in CI to MPC Board and proposed. Not submitted trade effluent details. HCE has submitted Industry asked to submit penal charges Rs. 716282.00 towards delay submission of application for Renewal of Consent to Operate to MPC Board.

					<p>HCE has also made another application for the same vide UAN After due deliberation, it was decided to grant Renewal of Consent to Operate amalgamation of 1st Consent to Operate (Part) expansion for, mfg. of Atta – 150 MT/D, Atta for biscuit – 300 MT/D & Orange Concentrate – 100 MT/D, by imposing following terms and conditions:</p> <p>If HCE/PP fails to submit a satisfactory reply of Show Cause Notice for refusal</p> <ol style="list-style-type: none"> 1. Industry shall submit Bank Guarantee Rs. 25 Lakhs towards compliance consent conditions. 2. Industry shall submit Bank Guarantee Rs. 25 Lakhs as per Revalidation of C to E for expansion project to MPC Board with 12 % interest penal charges to MPC Board. 3. Industry shall submit additional consent to fees towards an + 1st consent to operate with amalgamation or both consents. 4. Industry shall submit penal charges Rs. 716282.00 towards Commitment submitted that application obtained Consent to Operate granted Operate to 05/02/2024 which was valid up to 28/02/2025 and Consent to Establish for Expansion vide dtd. 12/04/2022. Consent shall be issued after submission of additional consent fees and BG as per C to E Conditions with 12% interest penal charges and penal charges towards delay submission of application for Renewal of Consent to Operate to MPC Board.
24	MPCB- CONSENT- 0000227654	SKF India Limited, S. No. 159 to 162,169,186, Chinchwad Haveli	NOT APPROVED Renewal of Consent to Operate	-----	<p>Committee noted that PP has obtained Consent to Operate granted Operate to 05/02/2024 which was valid up to 28/02/2025 and Consent to Establish for Expansion vide dtd. 12/04/2022. Consent shall be issued after submission of additional consent fees and BG as per C to E Conditions with 12% interest penal charges and penal charges towards delay submission of application for Renewal of Consent to Operate to MPC Board.</p>
112	MPCB- CONSENT- 0000239027	Sinhgad Dental College and Hospital Vadgaon Bk Off Sinhgad Road,Wadgaon Bk,Pune	Combined Consent & BMW Authorization , Consent to Operate	-----	<ol style="list-style-type: none"> 1. JVS result of ETP dtd. 23/01/2025 exceeding consent limit BOD – 148 mg/l against 30 mg/l and COD – 436.0 against 250 mg/l, Chloride - 7747.60 against 600 mg/l. 2. PP has obtained consent to establish for expansion with Nil trade effluent generation for manufacturing of various types of bearings, bearing housing etc. Justification needed as existing CTO generate 120 CMD of trade effluent & expanded quantity for the same products generating Nil effluent.
113	MPCB- CONSENT- 0000238405	Godrej & Boyce Mfg. Co. Ltd., Pirojshanagar, Vikhroli	APPROVED Renewal of Consent to Operate	30.04.2026	<p>Committee noted that PP has applied for renewal of consent to operate for Locks, Components & fittings, Furniture, Compressed Air Equipment, Refrigerators, Compressors, Pumps and Grinding Machine, Sub-assemblies, Parts and accessories for Aircraft and Spacecraft, Wind Energy, Safe deposit etc.</p>

					Committee also noted that PP has obtained Consent to Operate vide dtd. 22/04/2022 which was valid upto 30/04/2025. Now submitted the application with 72 days from date of issuance of Notice. The case shall be refused without giving any further opportunity.
25	MPCB- CONSENT- 0000230548	GOVERNMENT MEDICAL COLLEGE AND SUPER SPECIALITY HOSPITAL NAGPUR, NEAR RASHTRA SANT TUKDOJI MAHARAJ CANCER HOSPITAL HANUMAN NAGAR, Nagpur (Municipal Corporation.), Nag pur - 440009.	NOT APPROVED Renewal of combined consent and BMW Authorization	-----	Committee noted that HCE has applied for Renewal of combined consent and BMW Authorization for 230 beds with laundry activity on Total Plot Area 40451.11 Sq. M. with Built-up area 21971.84 Sq. M. Committee further noted that PP has provided ETP and STP for treatment of trade and domestic effluent. JVS result of STP & ETP dtd. 17/01/2025 found within consented limit. Also, PP has provided APCS at painting, plating, pre-treatment section and shot blasting section. Domestic effluent = 360 CMD. Now applied for trade effluent = 28 CMD, Domestic effluent = 30 CMD. HCE has submitted a declaration that they have provided STP of 100 CMD and not provided ETP. After due deliberation, it was decided to grant Renewal of Consent to Operate with reduced products by imposing following conditions: Committee further noted following non-compliances: 1. PP shall submit/extend existing Bank Guarantee of Rs. 25.0 Lakhs. 1. HCE has not submitted original BG as per the previous CCA. 2. HCE has not submitted a capital investment certificate for calculation of eligible PP fees as per the consent to establish upto 230 beds. 3. HCE has not submitted CBMWTSDF membership for disposal of BMW.
114	MPCB- CONSENT- 0000236062	Western Coalfields Limited, Ukni Opencast Mine 669 Near Ukni village Wani	APPROVED Consent to Establish for Expansion	Commissioning of Unit or 5 year whichever is earlier	Committee noted that PP has applied for consent to establish upto 230 beds in 2024, additional coal mining from 1.3 MTPA i.e. from 2.2 MTPA to 3.5 MTPA and mine lease from 940 ha to 1285.12 ha. 3. HCE has not submitted CBMWTSDF membership for disposal of BMW. Committee also noted that PP has obtained Consent to Operate vide dtd. 12/05/2023 for Coal - 2.2 MTPA and obtained Environmental Clearance vide File No. J-11015/237/2010-IA-II (M) dtd. 15/01/2014 for coal mining - 3.50 MTPA on 1285.12 ha. 5. HCE has not submitted justification regarding variation in the Total Plot area and BUA. Also, the expansion plan with Architect certificate is not submitted. 6. HCE has not justified the decrease in bed numbers from 1560 to 230 beds. After due deliberation, it was decided to grant consent to establish for expansion for Coal Mining - 1.3 MTPA by imposing following conditions: After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of CCA for above non-compliances.

					1. PP shall submit/extend existing Bank Guarantee as per B.G. If HCE failed to submit a satisfactory reply of Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be closed without giving it a further opportunity.
115	MPCB- CONSENT- 0000239186	Madhya Bharat Agro Products Limited (MBAPL) Plot No. B-13 and B-16 Plot No. B-13 and B-16 (B-13 and B-16) LIMITED Gat No. 740 as plot no. T-68 to Sanaswadi, Pune - Nagar Road Nardana Shirur Industrial Area Shindkheda	APPROVED Consent to Establish (Expansion) Renewal of Consent to Operate	Commissioning of unit or 5 years, whichever is earlier.	Consent to Establish for grant of consent to establish expansion for manufacturing of chemical fertilizers.
26	MPCB- CONSENT- 0000230064	ARCELORMITTA NIPPON STEEL INDIA LIMITED Gat No. 740 as plot no. T-68 to Sanaswadi, Pune - Nagar Road Nardana Shirur Industrial Area Shindkheda	NOT APPROVED Renewal of Consent to Operate	Commissioning of unit or 5 years, whichever is earlier.	Committee noted that PP has applied for renewal of consent to operate for Colour Coated Sheets / Coils, Pickled Sheets / Coils, Cut Sheets for manufacturing unit of inorganic chemicals for NPK fertilizers dated 22/05/2024. Obtained Environmental Clearance for Chemical Fertilizer and Synthetic Organic Chemical Manufacturing Unit dated 02/01/2025. Proposed 43 CMD ETP. Industry has submitted BG of Rs. 25 as per earlier consent conditions. After due deliberation, it was decided to issue to show cause notice for refusal of consent on following non-compliances: After due deliberation it was decided to grant of consent to establish expansion for manufacturing chemical fertilizers with standard conditions and bank guarantee. 1. JVS result of STP & ETP dtd. 30/12/2024 exceeding consented prescribed limit. 2. Industry is engaged in recovering spent acid from another industry. Not obtained consent and authorization under HZW rules.
116	MPCB- CONSENT- 0000239268	Llyods Metals and Energy Limited (SIOM) Compartment No. 197, 198, 199, 227 & 228 Surjagarh Iron Ore Mine Etapalli	NOT APPROVED Consent to Establish for Expansion	-----	Committee noted that PP has applied for Expansion from 10 MTPA (ROM) to 26 MTPA and Hematite and Banded Hematite Quartzite (BHQ) - 45.0 MTPA over a large area of 348.09 Ha. PP has applied for another unit acid through acid regeneration plant (ARP). 3. PP reported that they are not producing a large quantum of Iron Oxide. Justification in this regard needed as unit treating own & other unit acid through acid regeneration plant (ARP). 4. PP has obtained consent for CCL-1 Incinerator. Submit justification towards use of same in process and provision of air pollution control system and status of provision of online emission monitoring system as per CPCB guideline. 5. Details of payments of forfeiture of B.G. of Rs. 5.0 lakhs as per mining over lease area of 348.09 Ha. PP has applied for the expansion earlier consent needed. 6. ToR granted on 26.11.2024 and PH conducted on 28.01.2025. During the visit, Board officials observed that sludge drying beds were full and there was the possibility of overflow of sludge and Attendup deliberation proper Hazardous Waste storage yard and justification towards consequent need of Environmental Clearance expansion as per MIBSD of Environment, Forest and Climate Change Notification dtd. 07/06/2024 needed.

117	MPCB- CONSENT- 0000239482	Prestige Estates Projects Ltd. (EWS Building of Housing	APPROVED Renewal of Consent to	30.11.2026	Committee noted that PP has applied for Consent to Establish for construction project having Total Plot Area of 8,692.41 SqMtrs & Total Construction BUA of 3,018.44 SqMtrs out of Total Construction BUA of 78839.07 SqMtrs as per EC dated 12.11.2024
27	MPCB- CONSENT- 0000230529	Project G.S. No. 2020-01 No. 2020/01 By Colla Parishram Wad, Mumbai - 400011. Mumbai	APPROVED (Part-I) Consent to Establish (Expansion)	Commissioning of unit or 5 years, whichever is earlier.	Committee noted that PP has applied for Consent to Establish for expansion for manufacturing speciality chemicals and pharma. PP has obtained Consent to Establish dtd. 29/07/2020 valid till COU or 30.06.2025 for construction project having Total Plot Area of 8692.41 SqMtrs & Total Construction BUA of 72840.67 SqMtrs from the board on 20/08/2021 for mfg. speciality chemicals and pharma. PP has obtained Consent to Establish for expansion from the board on 26/08/2020 valid for 5 yrs for construction project on Total Plot Area of 8,692.41 SqMtrs & Total Construction BUA of 16003/203 SqMtrs which is valid till 31/01/2028. Detailed Consent to Operate (Part-I) dated 12/02/23, SDAW-BC-1002024 for construction project on Total Plot Area of 8,692.41 SqMtrs for construction BUA of 3,018.44 SqMtrs out of Total Construction BUA of 72,840.67 SqMtrs as per EC granted dated 27.11.2021. Boilers having a capacity of 12 TPH each. Common Stack of 49 m along with a bag house & a cyclone separator will be provided as per AEC standards. Consent to operate (Part-II) dated 02.04.2025 valid till 31.01.2026 for construction project on Total Plot Area of 8692.41 SqMtrs for Part-II total construction BUA of 75820.63 SqMtrs out of Total Construction BUA of 78839.07 SqMtrs as per specific conditions of EC dated 12.11.2024. PP has obtained Consent to Establish for manufacturing of specialty chemicals and pharma. PP has obtained Consent to operate (Part-I) dated 02.04.2025 valid till 31.01.2026 for construction project on Total Plot Area of 8692.41 SqMtrs & Total Construction BUA of 72,840.67 SqMtrs as per EC granted dated 27.11.2021. Boilers having a capacity of 12 TPH each. Common Stack of 49 m along with a bag house & a cyclone separator will be provided as per AEC standards. Consent to operate (Part-II) dated 02.04.2025 valid till 31.01.2026 for construction project on Total Plot Area of 8692.41 SqMtrs for Part-II total construction BUA of 75820.63 SqMtrs out of Total Construction BUA of 78839.07 SqMtrs as per specific conditions of EC dated 12.11.2024.
28	MPCB- CONSENT- 0000230743	District Hospital Hingoli Risala Bazar, Hingoli	NOT APPROVED Combined Consent to operate & BMW Authorization	-----	Committee noted that HCE has applied for Consent to Establish for construction project having Total Plot Area of 8692.41 SqMtrs & Total Construction BUA of 15806.46 SqMtrs. PP has obtained EC dtd. 12.11.2024 for construction project on total plot area of 8692.41 SqMtrs and total construction BUA of 78842.10 Sqmtr. Committee also noted that HCE was commissioned on 16.09.2005 for Sewage generation is 31 CMD. PP has provided STP of 40 CMD. PP has expanded to 200 beds from 27.02.2008. HCE has applied for IE is Nil DE- 10 CMD. ETP & STP not provided & untreated effluent

					<p>Discharged into domestic sewerage system. dtd. Rs. 70655/- for HCE submission of PG of Rs. 25 lakh and penal fees of Rs.138357/- for delay in application is applicable.</p> <p>Committee further noted following non-compliances:</p> <p>After due deliberation, it was decided to grant Renewal of Consent to Operate (Part-I) for E/W/S building Construction project on Total Plot Area of 8,692.41 SqMtrs for Construction BUA of 3,018.44 SqMtrs out of Total Construction BUA of 78839.07 SqMtrs as per EC dated 12/01/2024 subject to obtain penal fees.</p> <p>3. HCE has not provided ETP and STP and discharging effluent</p> <p>The penal fees shall be submitted within 15 days, failure of which, the case will be refused without further opportunity.</p> <p>4. HCE has not submitted CGWA NOC for withdrawal of ground water, and reply to the query letter</p>
118	MPCB- CONSENT- 0000233275	Shri Someshwar Sahakari Sakhar Karkhana Ltd.100 101 & 102 Someshwarnagar Baramati	APPROVED Consent to Establish expansion	Commissioning of the unit or five years which is earlier	<p>Committee noted that, the industry has applied for consent to establish for proposed expansion from 30 KLPD to 90 KLPD molasses-based distillery project - for products of fuel ethanol – 900 KL/M, rectified spirit – 900 KL/M and fuel oil – 3.6 KL/M and CO gen unit – 2.5 MW³ and Potash rich ash -1160 KL/M (by using raw material Molasses)</p> <p>If HCE/PP fails to submit a satisfactory reply of Show Cause Notice for refusal of CGA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity. Industry has existing Renewal of Consent to Operate for 30 KLPD molasses base distillery project vide dated 14/11/2024. HCE has applied for Renewal of combined consent and BMW authorization for 515 beds on Plot Area 811.744.80 M2 with Built up area 49498.16 M2.</p> <p>Committee noted that Industry has obtained Environmental clearance for expansion project vide EC dt: 03/01/2025 for distillery expansion from 30 KLPD to 90 KLPD, sugar cane CGA was granted for 515 beds and gen was all 3 to 36 MW 2024 on Plot Area 811744.80 M2 with Built-up area 49498.16 M2.</p> <p>Committee further noted that, distillery has provided Reboiler followed by Biodigester followed by Bio Composting for the treatment of spent wash and for C to E expansion ZLD through MEE (Evaporation) and then feed to Incineration boiler and distillery will be installed 30 TPH¹ cap. Multifuel fired (Bagasse/concentrated spent wash/coal) and distillery will be proposed to provide ESP as APCS with 60 mtr stack.</p>
29	MPCB- CONSENT- 0000221936	Kasturba Hospital, Sane Guruji Marg, Opp. Arther Road Jail – 400011	NOT APPROVED Renewal of combined consent and BMW Authorization	-----	<p>Projective noted 14/11/2024. HCE has applied for Renewal of combined consent and BMW authorization for 515 beds on Plot Area 811.744.80 M2 with Built up area 49498.16 M2.</p> <p>Committee noted that Industry has obtained Environmental clearance for expansion project vide EC dt: 03/01/2025 for distillery expansion from 30 KLPD to 90 KLPD, sugar cane CGA was granted for 515 beds and gen was all 3 to 36 MW 2024 on Plot Area 811744.80 M2 with Built-up area 49498.16 M2.</p> <p>Committee further noted that, distillery has provided Reboiler followed by Biodigester followed by Bio Composting for the treatment of spent wash and for C to E expansion ZLD through MEE (Evaporation) and then feed to Incineration boiler and distillery will be installed 30 TPH¹ cap. Multifuel fired (Bagasse/concentrated spent wash/coal) and distillery will be proposed to provide ESP as APCS with 60 mtr stack.</p>

					<p>of STP to their Central Agency. Further they have submitted that STPs The committee also noted that submitted BG of Rs. 25.0 lacs towards compliance of consent conditions. BG valid up to 31/08/2025 for existing consent to operate and as per CE expansion dtd 28/08/2020 the industry has not submitted BG of Rs. 5.0 lacs towards compliance of conditions in consent and EC.</p> <p>If HCE/PP fails to submit a satisfactory reply of Show Cause Notice for After due deliberations, it was decided to grant Consent to Establish for Expansion from 30 KLPD to 90 KLPD molasses-based distillery project to MPC Board, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. Industry shall submit Bank Guarantee of Rs. 5 Lakhs as per earlier C to E expansion with 12% interest penal fees / charges 2. Industry shall submit Bank Guarantee of Rs. 25 Lakhs towards compliance of consent conditions to MPC Board. <p>Consent shall be issued after submission of BG as per C to E conditions and with 12% interest penal fees / charges</p>
30	MPCB- CONSENT- 0000230938	YASWANTRAO CHAVAN MEMORIAL HOSPITAL, SANT TUKARAM NAGAR, PIMPRI, PUNE - 411018.	APPROVED Renewal of combined consent and BMW Authorization NOT APPROVED	31.12.2026	<p>Committee noted that HCE has applied for Renewal of Consent and BMW Authorization for 750 beds with laundry activity on Total Plot Area 45167.56 Sq. M. with Built-up area 39230.66 Sq. M.</p> <p>Consent shall be issued after submission of BG as per C to E conditions and with 12% interest penal fees / charges</p> <p>Committee also noted that the previous CCA was granted for 750 beds which was valid upto 31.12.2024. Total plot area = 45,167.56 sq.m. Total BUA = 39,230.66 sq.m. This HCE is owned by Pimpri Chinchwad Municipal Corporation. BMRK certificate and membership of Consent to Operate for activity i.e. for R&D Activity - Laboratory Chemicals - 5.0 Kg/A</p> <p>Committee also noted that Industry has obtained Consent to operate from Board on 28.03.2016 for R & D Activity. Obtained Renewal of Consent to operate from Board on 31/05/2021 for R & D Activity (Laboratory Chemicals) which was valid upto 31/12/2024 with Capital Investment of Rs. 323.77 Crs.</p> <p>Committee further noted that HCE has submitted BG of ₹5.0 lakh valid up to 17.06.2027 on 03.08.2024. However BG interests are not submitted. Provided BMW segregated in color-coded bags, stored securely, and disposal records maintained.</p> <p>Committee also noted that Industry has obtained Consent to operate from Board on 28.03.2016 for R & D Activity. Obtained Renewal of Consent to operate from Board on 31/05/2021 for R & D Activity (Laboratory Chemicals) which was valid upto 31/12/2024 with Capital Investment of Rs. 323.77 Crs.</p> <p>Committee further noted that HCE has submitted BG of ₹5.0 lakh valid up to 17.06.2027 on 03.08.2024. However BG interests are not submitted. Provided BMW segregated in color-coded bags, stored securely, and disposal records maintained.</p>
119	MPCB- CONSENT- 0000239300	FDC Limited, S. Nos. 142 to 148 S. V. Road, Jogeshwari West	NOT APPROVED Renewal of Consent	-----	<p>Committee also noted that Industry has obtained Consent to operate from Board on 28.03.2016 for R & D Activity. Obtained Renewal of Consent to operate from Board on 31/05/2021 for R & D Activity (Laboratory Chemicals) which was valid upto 31/12/2024 with Capital Investment of Rs. 323.77 Crs.</p> <p>Committee further noted that HCE has submitted BG of ₹5.0 lakh valid up to 17.06.2027 on 03.08.2024. However BG interests are not submitted. Provided BMW segregated in color-coded bags, stored securely, and disposal records maintained.</p> <p>Committee also noted that Industry has obtained Consent to operate from Board on 28.03.2016 for R & D Activity. Obtained Renewal of Consent to operate from Board on 31/05/2021 for R & D Activity (Laboratory Chemicals) which was valid upto 31/12/2024 with Capital Investment of Rs. 323.77 Crs.</p> <p>Committee further noted that HCE has submitted BG of ₹5.0 lakh valid up to 17.06.2027 on 03.08.2024. However BG interests are not submitted. Provided BMW segregated in color-coded bags, stored securely, and disposal records maintained.</p>

31	MPCB- CONSENT- 0000213255	UltraTech cement Ltd. Pune Bulk Terminal 153/173	NOT APPROVED	-----	General charges against the PP delayed foot 1st submitted details regarding and prodgization with existing consent to operate for operation of one Silo unit of capacity 6000 MT for storage of cement.
120	MPCB- CONSENT- 0000235286	XOag Phatthapack (Private) Limited: Bavali, Dist:- Raj. No. 448, 464- A, 464-B, 465-A, 465-B, 467-A, 467-B, Village - Shindewadi, Shirwal, Tal:- Khandala, Dist:- Satara 412801 Khandala	Consent to NOT APPROVED Consent to Establish (Expansion)	-----	Committee noted that Industry has applied for grant applied for grant After consent to Establish was decided to expansion within cause notice for refusal for the following Aget from 8 plan case -5500 MT/A. Committee has granted that industry establish for Consent to Operate from the B capacity 18000 MT for storage 28.04.2024 however PP product has applied for grant in Renewal of Consent to Operate under UAN Netals MPCB CONSENT 0000189299 & said application is under process. Railway siding facility and Packing of Cement (Bag packing) and no additional APT/AS is under earlier Consent holds 20/04/2025 consent conditions 2. Expansion C.I. of Rs.16.54 Crs is not reflected in the CA After due deliberation, it was decided to call PP for Personal Hearing, regarding PP submitted details and consent and Operate vide manuatt 20/01/2025, latest production details, Hazardous waste details, non-hazardous waste details, latest JVS results and audited PP facilities. PP has to submit a satisfactory reply w.r.t. Show Cause Notice for refusal within 7 days from date of issuance of notice. The case shall be
121	MPCB- CONSENT- 0000237953	Hindustan Coca- Cola Beverages General, Survey No.284, Sanku Ward Bhandara Tal & Dist. Bhandara	APPROVED	30.04.2030	The Committee noted that, the industry has applied for Renewal of Consent to Operate for mfg. of Pulp based, carbonated beverages in glass bottles, tetra, Pet bottle and Packaged drinking water (Pet bottles & jar etc.rate & BMW Authorization for 400 beds hospital on Total Plot Area – 13286.90 Sq. Mtrs., and Total Built Up Area (BUA) is 22440.10 Sq. Mtrs.
32	MPCB- CONSENT- 0000231374	General, Survey No.284, Sanku Ward Bhandara Tal & Dist. Bhandara	Renewal of Consent to APPROVED Operate Renewal of combined consent to Operate & BMW Authorization	-----	that industry has obtained 1st Consent to Operate of CSD pet line (Replacement with old RGB line) with amalgamation of existing Renewal of Consent to Operate vide M/V: 08/05/2023. Consent is valid up to: 30/04/2025 and there is validity upto 28.02.2015 Rs. 62502 CGA applic 307 10401 no. 68078 was refused By the Board on 8.11.2024. HCE has applied for IE- Nil & DE – 1.0 CMD. Water consumption-3.0 CMD. PP has also provided industry has installed ETP of 2200 CMD capacity with primary, secondary and tertiary treatment systems, followed by RO & ATFD and also provided anaerobic digester for

					<p>treatment of shock load of COD due to rejected beverages and Industry has installed 102000 SQM sets with acoustic enclosures. 12. HCE has not submitted proper water budget and BMW quantities to the tune of 400 beds. 13. HCE has not provided FTP and STP for the treatment of the effluent. 14. Industry has provided a common stack of 52 meters to 10 TPH & 4 TPH LSHS. 15. HCE has not submitted a capital investment certificate to calculate the penal and CCA fees for lapse period i.e. upto 21.08.2024. Also Not paid the fees for lapse period and penal charges. 16. HCE has not submitted the Bank Guarantee of Rs. 3.0 Lakh as per previous BMW Authorization. After due deliberations, it was decided to grant Renewal of Consent to Operate for mfg. of Pulp based, carbonated beverages in glass bottles, tetra, Pet bottle and Packaged drinking water (Pet bottles & jar etc, by imposing following terms and conditions: If HCE/PP fails to submit a satisfactory reply of Show Cause Notice for refusal of COA within 7 days of Bank Guarantee of Rs. 25 Lakhs to MPC Board, the case will be refused without giving any further opportunity. 1. Industry shall submit additional consent fees towards an increase in CI to MPC Board.</p>
33	MPCB- CONSENT- 0000229025	Agnel Developers LLPCTS No.194A/9/10 and 194A/9/11 at Pant Nagar	NOT APPROVED	-----	<p>Committee noted that Project Proponent has applied for Revalidation of Consent to Establish with expansion in Residential & Commercial building Construction project on Total Plot Area of 21,071.70 SqMtrs & total construction BUA of 113661.92 SqMtr.</p>
122	MPCB- CONSENT- 0000241465	<p>Prestige Falcon Mumbai Realty Private Limited C.S No 998 (pt), 999 (pt) new CTS 1008 & 778 to No.194A/9/10 and 780 (pt) C.S No 998 (pt), 999 (pt), 1008 & 778 to Ghatkopar, 780 (pt) of Worli Division, situated in G/S Ward,</p>	<p>Revalidation of Consent to Establish with Expansion</p>	<p>Commissioni ng of the project or 5 Yrs whichever is earlier</p>	<p>Committee noted that Project Proponent has applied for Consent to establish for Redevelopment building Construction project on Total Plot Area of 23425.64 SqMtrs & total Construction BUA of 2,64,212.8 SqMtr as per specific condition of EC dtd 12.11.2024. PP has obtained Environmental clearance dtd 03.01.2012 with CI of Rs 66.62 Cr. PP has obtained Environmental clearance dtd 03.01.2012 for building Redevelopment building Construction project on Total Plot Area of 23425.64 SqMtrs & total Construction BUA of 2,64,212.8 SqMtr as per specific condition of EC dtd 12.11.2024. The EC is revalidated for period upto 01.01.2026 vide letter dtd 21.05.2019. The Sewage generation will be 679 CMD. PP has proposed STP of 750 CMD based on MBBR. PP has proposed to provide OWC.</p>

		Shivaji Nagar, Dr Annie Besant Road, Worli, Mumbai-400030 Mumbai City			PP has obtained EC note expansion dated 01.03.2020 PP has started construction of 10717.33 SqMtrs & total construction BUA of 65200.61 SqMtrs has been started. PP has submitted that the excavation is done for shore piling work of metro line (Aqua) and this is reported existing PP has submitted for construction BUA of 74302.37 SqMtrs. After due deliberation, it was decided to grant of Consent to establish the Sewage treatment building 43135 CWD. Projected Total BUA of 2625.64 SqMtrs & total COWC of 2625.64 SqMtrs & total COWC of 2,64,212.8 SqMtr as per specific condition of EC dtd 12.11.2024 by imposing standard conditions of deliberation. It was decided to issue Show Cause Notice for refusal of consent on following non-compliances:
123	MPCB- CONSENT- 0000240758	CNH INDUSTRIAL (INDIA) PRIVATE LIMITED Chakan MIDC, Phase-II Chakan MIDC, Phase-II Khed	APPROVED Consent to Establish for Expansion	Commissioning of Unit or 5 Year whichever is earlier	Committee noted that PP has applied for consent to Establish for expansion of 10717.33 SqMtr. as per specific condition. However, PP has now applied for total construction BUA of 113661.92 SqMtr. Clarification for the same is required. PP has provided consent to operate vide dtd. 03/02/2024 obtained consent on 13/02/2024 for total BUA of 13/02/2024. PP has not submitted sanction plan/IOD for 52000 SqMtr/ 113661.92 SqMtr. Clarification for the same is required. Committee further noted that PP has provided ETP and STP in existing unit for treatment of trade and domestic effluent. JVS sample
34	MPCB- CONSENT- 0000231361	Shantilal Sanghvi Foundation, C. S. No. 3/207(Pt) & 4/207(Pt) of Salt Pan Division, Wadala, Mumbai.	APPROVED Revalidation of Consent to Establish (CCA)	Commissioning of the Unit or 5 years whichever is earlier	ETP & STP not yet collected. On 24/07/2024 a Revalidation of consent to establish (CCA) proposed to provide STP and a new general BUA of 7770.13 Sq. M. & total BUA of 3942.64 Sq. M. & a new completed BUA of 64537.15 Sq. M. After due deliberation, it was decided to grant consent to establish Expansion by imposing the following conditions. to establish & BMW Authorization was granted vide dated 02.11.2019 for 640 beds on total plot area of 7770.13 Sq. M. & existing BUA of 5620.13 Sq. M. & expired date 1.11.2024. HCE has obtained 1 st combined consent to operate BMW Authorization for 49 beds on total plot area of 7770.13 Sq. M. & existing BUA of 25494.31 Sq. Mtr. Further, HCE has applied for CCA vide UAN No. 219790 for 1st operate beds 53 beds + existing beds 49= Total 102 beds on TPA-7770.13 Sq. M & TBUA-64537.15 Sq.M. Same has approved in the CAC meeting dtd.

					<p>Committee further noted that HCE has proposed expansion of 6000 Hydrogen & Multifuel Test Facility & proposed additional DG Set 100 KVA.</p> <p>Committee also noted, that Board has granted consent to operate on 31.03.2023, with imposing the following conditions upto 31.08.2027. Board has granted consent to establish for expansion on 08.05.2020 with CI= Rs 342117/- PP shall submit 08.05.2025</p> <p>2. PP shall obtain Environmental Clearance if total buildup area exceeding 20000 Sq. Mtrs.</p> <p>Committee also noted that industry has obtained Environmental Clearance from Environment Dept. dtd. 16.11.2019 for total</p>
36	MPCB- CONSENT- 0000232033	Civil Hospital Civil Hospital Near ZP Office Beach Road Alibag Tal. Alibag, Dist Raigad	NOT APPROVED	-----	<p>production capacity of 8,95,000 MT/A from existing quantity 3,75,000 MT/A to 8,95,000 MT/A. HCE has applied for combined consent to expand to 8,95,000 MT/A. HCE has applied for combined consent to expand to 8,95,000 MT/A. HCE has applied for combined consent to expand to 8,95,000 MT/A.</p> <p>Committee also noted Industry has provided STP of 50 CMD. Industry has provided 1300 CMD ETP with RO and MVR. Will provide ETP including RO & MVR. ZLD will be achieved. Treated effluent shall be discharged in land for gardening.</p> <p>Committee also noted that Industry has proposed to install 4 thermic fluid heaters (2W + 2SB), 2 boilers with common stack, 1 flare for emergency and 1 process stack. Also industry shall shift to Natural Gas (80%) as primary fuel, with LSHS/LDO (20%) for emergency use.</p> <p>1. HCE has not renewed the BMW Authorization & CCA after 31.03.2021.</p> <p>2. HCE has started the construction work of new buildings/Expansion without obtaining prior Consent to Establish from the Board.</p> <p>After due deliberation, it was decided to grant revalidation of consent to expansion for the remaining production quantity for manufacturing, without obtaining prior CCA from the Board.</p> <p>3. HCE has increased the number of beds from 256 beds to 282 beds by imposing following conditions;</p> <p>4. HCE has not submitted a capital investment certificate to calculate the penal and CCA fees for lapse period i.e. upto 21.08.2024</p> <p>5. Untreated effluent from Hospital is discharging into Municipal sewer line.</p> <p>6. HCE has not submitted a water budget (SDWA) for generation of effluent.</p> <p>Butadiene Styrene (ABS), Styrene Acrylonitrile (SAN), Polymethyl Methacrylate (PMMA) is decided to not consider the case and issue Show Cause Notice for refusal of CCA for above non-compliances.</p>

					<p>2. Expandable Polystyrene (EPS) = 65,000 MT/A</p> <p>If B.C.E/PP fails to submit the application by Board's notice for renewal of GCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity.</p> <p>5. Captive Rooftop Solar Power Plant – 12 MW</p>
37	MPCB- CONSENT- 0000230106	Varroc Engineering Ltd., Plot No. M-191/3, Bad. Dr.	NOT APPROVED	-----	<p>Committee noted that PP has applied for Renewal of Consent to operate for manufacturing of 6 cylinder crank shaft -697 -1,00,000 Nos./Y, 6 cylinder crank shaft -Copper & OM-314-100000 Nos./Y, Other forged parts like gears, steering, knuckles, crown wheels, front wheel hub, spindkles, etc.-120000 Nos./Y & Various types of small forging parts -16000000 Nos./Y with additional product i.e. Forged front axle beam different varieties-100000 Nos./Y without consent to establish.</p>
126	MPCB- CONSENT- 0000241835	Part VIII, MIDC Vithalrao Vikhe Wajul Tal Ratil Sahakari Sakhar Karkhana Gangapur, Dist. Chhatrapati Sambhaji Nagar Pravaranagar, Loni Rahata	Establish of Consent to operate with expansion	-----	<p>Committee also noted that previous consent granted for the above products excluding new product vide dtd. 13/02/2023 which was valid up to 28/02/2025. PP has applied for Domestic Effluent: 46.8 CMD. ammonia reformer. After heating the process gas in the tubular type ETP of capacity 10 CMD and disposal is to CETP. PP has provided dust collector & stacks to smelt blasting sections (2) separately from the restriction of emission parameters from this stack furnace and welding booth.</p> <p>Committee also noted that the parameters given in the renewed Consent to operate for WNA stacks (SCHEDULE II: S-11 to S-13: Weak Nitric Acid plant-1,2 & 4 on page No. 9) are not in line with the parameters given in the earlier CTO (please see attachment for details) and without manufacturing process and justification requested to change the same accordingly from 400 mg/Nm3 to 3 kg/production.</p> <p>3. PP has not submitted the latest assessed capital investment certificate and balance sheet for the year 2023-2024.</p> <p>4. PP has not certified the decrease in capital investment through C.A. & not submitted CETP membership.</p> <p>5. PP has not submitted the details of the original BG submission acknowledgement of Regional office, to assess the BG interest as per Board's policy.</p>
127	MPCB- CONSENT_ AMMENDM ENT- 0000007009	Mahadhan Agritech Limited Plot No. K- 1, K-1 (Part-1), K- 1 (Part-2)	NOT APPROVED Amendment	-----	<p>Committee further noted following non-compliances:</p> <p>1. PP has applied for additional product i.e. Forged front axle beam different varieties -100000 Nos./Y (please see attachment for details) and without manufacturing process and justification requested to change the same accordingly from 400 mg/Nm3 to 3 kg/production.</p> <p>2. PP has not submitted the present status of the additional product.</p> <p>3. PP has not submitted the latest assessed capital investment certificate and balance sheet for the year 2023-2024.</p> <p>4. PP has not certified the decrease in capital investment through C.A. & not submitted CETP membership.</p> <p>5. PP has not submitted the details of the original BG submission acknowledgement of Regional office, to assess the BG interest as per Board's policy.</p>

128	MPCB- CONSENT_ AMMENDM ENT- 0000007013	Deepak Fertilisers And Petrochemicals Corporation Limited Plot No.K- 1.Part-1,K-2,K- 3,K-4,K-5 & K-6	NOT APPROVED Amendment	-----	<p>6. PP has not disposed of HW as per DLW list S as Nest 7 spread manifest of HW is 16.11.2024 requested from DISEP.</p> <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of consent for above noncompliance. Committee also noted that on page No. 7. Natural Gas (NG) is used as clean fuel for firing burners to heat the process gas present in the tubular methanol reformer. After heating the process gas in the tubular reformer, the left-out flue gases are vented into atmosphere through stack called as reformer stack. Industry has requested to exempt from</p>
38	MPCB- CONSENT- 0000229748	ISMT Ltd (Steel Plant) Village Kolvihre Jejuri - Morgaon Road Purandar	APPROVED Renewal of Consent	28.02.2027	<p>The restriction of emission standards from this stack consent to operate Committee further & noted Steel 15000 MT/A No. Making of change in the various diameter 4000 MT/A, with change of name.</p> <p>Schedule I-1 Stack No. S-2, The parameters given in the renewed CTO for WNA stacks (SCHEDULE II: S-2: Weak Nitric Acid plant-3 on Committee also noted that PP has obtained consent to operate vide page No. 7, are not in line with the parameters given in the earlier dtd. 04/09/2020 which was valid upto 28/02/2025 and consent to establish for expansion vide dtd. 18/04/2025.</p> <p>CTO requested to kindly change the same accordingly from 400 mg/Nm³, to 3kg/T. Natural Gas as clean fuel for Boiler A/B, C, D.</p> <p>Committee noted that has provided ETP and STP for treatment of trade and domestic effluent. W/S analysis result of STP application dtd. 14/02/2024 is within prescribed limit. PP has provided fume extraction system followed by Bag filter to Electric Arc Furnace (EAF). Provided side suction type secondary fume extraction system. PP submitted they</p>
129	MPCB- CONSENT_ AMMENDM ENT- 0000010760	Deepak Fertilisers And Petrochemicals Corporation Limited, Plot No.K-1.Part-1,K- 2,K-3,K-4,K-5 & K-6	NOT APPROVED Amendment	-----	<p>On upgrading the existing secondary fume extraction system to operate on 03.01.2023 for the manufacturing of Hand Sanitizer (By mixing & blending daily 7200 MT/A was decided to 9996 MT/A, dtd. 02/02/2024 by imposing following conditions (Plant No. 3) 99000 MT/A , CONCENTRATED NITRIC ACID (Plant Nos. 1,2 and 3) 129600 MT/A, Iso 1 Propyl isobutyl ether (DIPE) for drums filling operation (PACKAGING OPERATION ONLY) 15000 MT/A, Electricity power GT-1, 2 and 5 (Gas based excluding DG Sets) 16.9 MW, consent shall be given after payment of charges for N/A, Suction of B.G.</p>

					NPA mixture 1080 MT/A and Propane 33000 MT/A etc which is valid upto 31.03.2026.
39	MPCB- CONSENT- 0000230086	Siemens Ltd. Plot No. 1/2, Shendra, MIDC, Chh. Sambhajinagar	NOT APPROVED Renewal of Consent to Operate	-----	<p>On 31.03.2025, that PP has applied for Renewal of Consent to operate for manufacturing of Railway Bogies – 800 Nos/Y and with one additional product i.e. Railway bogies for the – 5000 Nos/Y production quantity for the product- Isopropyl Alcohol-70200 MT to 70000 MTA (Unitaries). Correction in capacity as per quantity approved in Railway Bogies (MT/A) and delete the entry upto 25.03.2025. PP has applied for H-Whistle 25 GMD coveredails of the showering & washing activity of the Bogies as a hydro test are not submitted. STP is provided with 25 CMD Capacity. Further, the plant is equipped with filters. Disposal of production quantity of 5000 Nos/Y of category 4 and 5 of hazardous waste reduced stack from 12 meters to 3.5 meters. PP has applied for enhancement in the quantities of HW 21.1 Paint residue-1600 Kg/A, Residue-3. Decided to refer HW 33.1 and 1200 Nos/Y to Technical Committee for considering ramp up in production. However, as per HW manifest of the industry observation, for the period 01.05.2024 to 01.02.2025 (duration 09 months), it is observed that 3500 Nos/Y of HW of Paint residue, Paint Waste & thinner is disposed of against consented quantity of 52260 MT/A. Also, HW 33.1 is disposed by 1295 Nos/Y against consented quantity 1200 Nos/Y. Committee also noted that the production quantity of Weak Nitric Acid mentioned as 313560 MT/A instead of 52260 MT/A. Committee further noted that PP has not submitted Hazardous Waste Audit report findings as per consent conditions with following non-compliances:</p> <ol style="list-style-type: none"> 1. PP has applied for additional product as Railway Components – 5000 Nos/Y without obtaining C to E and without manufacturing process and its present status. 2. PP has not submitted the latest assessed Capital Investment certificate and balance sheet for the year 2023-2024. 3. PP has disposed HW of Paint residue, Paint Waste & thinner to the tune of 3.192 MT against consented quantity of HW under Paint or solvent Residue-1600 Kg/A. Also, HW 33.1 is disposed of 1295 Nos/Y against consented quantity 1200 Nos/Y. 4. PP has not submitted a Hazardous Waste Audit report with this application and its compliance as per conditions.
130	MPCB- CONSENT_ AMMENDM ENT- 0000012150	Mahadhan Agritech Limited Plot Nos. Plot K-7 and Plot K-8, MIDC Industrial Area, Taloja, AV 410208 Dist. Raigad.	NOT APPROVED Amendment	-----	<p>On 01.04.2025 (duration 09 months), it is observed that 3500 Nos/Y of HW of Paint residue, Paint Waste & thinner is disposed of against consented quantity of 52260 MT/A. Also, HW 33.1 is disposed by 1295 Nos/Y against consented quantity 1200 Nos/Y. Committee also noted that the production quantity of Weak Nitric Acid mentioned as 313560 MT/A instead of 52260 MT/A. Committee further noted that PP has not submitted Hazardous Waste Audit report findings as per consent conditions with following non-compliances:</p> <ol style="list-style-type: none"> 1. PP has applied for additional product as Railway Components – 5000 Nos/Y without obtaining C to E and without manufacturing process and its present status. 2. PP has not submitted the latest assessed Capital Investment certificate and balance sheet for the year 2023-2024. 3. PP has disposed HW of Paint residue, Paint Waste & thinner to the tune of 3.192 MT against consented quantity of HW under Paint or solvent Residue-1600 Kg/A. Also, HW 33.1 is disposed of 1295 Nos/Y against consented quantity 1200 Nos/Y. 4. PP has not submitted a Hazardous Waste Audit report with this application and its compliance as per conditions.

131	MPCB- CONSENT_ AMMENDM ENT- 0000012236	Mahadhan Agritech Limited, Plot Nos. Plot K-7 and Plot K-8, MIDC Industrial Area, Taloja, AV 410208 Dist. Raigad.	NOT APPROVED Amendment	-----	<p>Committee noted that the activity involved in the Hazardous Waste showering, washing and hydro test quantities, Lead Acid Battery & E-waste quantity on actual basis with this application.</p> <p>6. PP has not submitted the original Bank Guarantee submission acknowledgement to assess BG interest, if any, as per the Board's policy.</p> <p>Committee also noted that the said unit has submitted another applications for amendment in consent which were submitted to Board After due deliberation, it was decided to not consider the case and issue Officer for further considerations. Hence, it will be appropriate to Show Cause Notice for refusal of consent for above non-compliance, amalgamate all the amendment applications and issue single amended consent.</p> <p>If PP fails to submit a satisfactory reply to Show Cause Notice for refusal of consent within 7 days from issuance of SCN, the case will be refused without giving any further opportunity.</p> <p>After due deliberation, it was decided to refer amendment application to Technical Committee.</p>
40	MPCB- CONSENT- 0000232776	Indira Gandhi General Hospital IGGH	NOT APPROVED	-----	<p>Committee noted that HCE has applied for 1st combined consent to operate and BMW Authorization for 300 beds on Total Plot Area- 16910 Sq. M. and Total BUA- 9810 Sq. M.</p>
132	MPCB- & CONSENT_ AMMENDM ENT- 0000012354	Mahadhan Agritech Limited, Plot No. K-1, K-1 GOKUL CHARG, Chalkaranji (M-1 (Part 1), K-1 (Part 2), Kolhapur - 416113	NOT APPROVED to operate Amendment and Authorization	-----	<p>Committee noted that the Industry applied for amendment of consent for approval to utilize Hazardous Waste City Gas No. 3524 ETP & larger BMW wastewater treatment more quantity HCE 5.0 MTs from the BOUTSD company.</p> <p>Membership for 200 beds which is valid upto 31.03.2025. HCE has submitted an Approval letter dtd 20.03.2024 from the Joint Secretary Health Department Government of Maharashtra for increased beds from 200 to 300. HCE has applied for D.E = 70 CMD, T.E = 0.8 CMD. ETP and STP are not provided. Presently, they have provided permission under Rule-9 under Hazardous waste & other waste, hypochlorite dosing facility at the Path lab, OT, Delivery Room, PM, etc and after hypochlorite dosing effluent is discharging into the municipal sewer with laundry effluent. The Board has issued Interim Direction vide dtd 21.03.2024 for operating HCE without CGA and ETP provide general STP (C&E has requested to cancel the application UAN MPCB-0000232776 SDF & R.O. plant).</p> <p>Committee recommended as CPCB has notified the SOP. Industry need to apply for authorization under rule of Hazardous Rules. Therefore, this amendment may be refused.</p> <p>1. HCE has not submitted details of the sanctioned layout, Built up area and plot area with construction details with Architect certificate with commissioning date.</p>

133	MPCB- CONSENT_ AMMENDM ENT- 0000013270	Mahadhan Agritech Limited Plot Nos. Plot K-7 and Plot K-8, MIDC Industrial Area, Taloja, AV 410208 Dist. Raigad.	NOT APPROVED Amendment	-----	<p>2. HCE has not submitted Capital investment to calculate fees and permit charges upto 08.2024 as HCE is in operation without grant of CCA consent i.e. pH, TSS, O&G, Ammonical Nitrogen & TKN and industry requested to remove the same.</p> <p>3. HCE has not submitted detailed & rational water budget and its treatment.</p> <p>Committee also noted Removal of specific condition- monitoring of Dioxin & Furan.</p> <p>4. HCE has not provided ETP and STP and discharging effluent in local body drainage.</p> <p>5. HCE has not submitted CBMWTSDF membership for 300 beds.</p> <p>After due deliberation, it was decided to refer amendment application to Technical Committee.</p> <p>6. HCE has not submitted compliance of the Interim Directions of the Board.</p>
134	MPCB- CONSENT_ AMMENDM ENT- 0000013383	JSW Steel Limited Geetapuram ,Dolvi	-----	-----	<p>After due deliberation, it was decided to not consider the case and issue Already discussed consent to operate and consent issued.</p> <p>Show Cause Notice for refusal of CCA for above noncompliance.</p> <p>If HCE/PP fails to submit a satisfactory reply of Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity.</p>
135 41	MPCB- CONSENT_ AMMENDM ENT- 0000231988 0000013636	Mahadhan Solvay Agritech Limited, Specialties India Private Limited, (Part-1), K-1 (Part-2) Plot No. K-1, K-1 103/104,104 part,105 part I , II & 2 MIDC DHATAV Roha	NOT APPROVED APPROVED Amendment Consent to 1 st Operate	----- -----	<p>Committee noted that the said unit has common in ETP in which treating effluent of M/s. Smartchem Technology Ltd (1703.52 CMD) & M/s. Deepak Fertilizers & Petrochemicals Corporation Limited. Plot Nos. K-1 Part-1, K-2, K-3, K-4, K-5 & K-6 (1515.86 CMD) i.e. Total 3219.38 CMD and after Capital investment said effluent discharged to CETP. However, while granting consent to M/s. Smartchem Technology Ltd. effluent discharge shown 1703.52 CMD.</p> <p>Committee also noted that Industry has obtained consent to establish for expansion by the Board on 08.07.2020. Obtained Renewal of consent to operate granted by the Board for the 14 nos. of products on 24.11.2022 which is valid up to 30.04.2027. Obtained Renewal of discharge quantity 3219.38 CMD (1703.52 CMD + 1515.86 CMD) Consent to operate granted by the Board on 23.06.2022 which is valid up to 31.07.2023.</p> <p>After due deliberation, it was decided to refer amendment application to Technical Committee.</p> <p>Committee further noted that Industry has obtained Environmental Clearance on 24.06.2020 for expansion in existing products with decreasing and increasing capacities of existing products and addition</p>

136	MPCB- CONSENT_ AMMENDM ENT- 0000013771	I G Petrochemicals Limited, Plot No.T-1,2,2/1, 11,12,13,14, V - 45 Taloja Industrial Area, MIDC, Taloja, Dist. Raigad	APPROVED Amendment	-----	Committee noted that the BUA of 06/02/2023 submitted in Consent to Operate (12.50 Lakhs) as per the conditions in which it is valid up to 30/06/2027 as applied for change in disposal path of HW Category No. 1.4, 35.3, 36.2, 37.1, 33.1, 35.2, 33.2 & by-product Phthalic Acid as Co-Product / Pre-processing / Co-processing product max caper Industry Based on loaded (3) by-product generating base Hazardous Waste. And MS Scraps, Booklets Glass, for the Woodley Steam & Paper 2025 informing that they have secure Environment Clearance for increase and decrease of products. Deliberation, submitted certificate of no increase in pollution load certificate for the Hazardous Waste disposal and No EIA 2. The waste is applicable to them for all the additional products they have been granted by the EC.
137	MPCB- CONSENT_ AMMENDM ENT- 0000014050	RAYMOND LIMITED PLOT NO.-E-1/11, MIDC AREA, AJANTA ROAD, Dhule	NOT APPROVED Amendment	-----	Committee noted that, Industry has obtained existing Renewal of Consent to Operate granted for existing product mix, and for the production of consent 06/02/2023 has failed to submit product mix committee and not submitted no increase in pollution load certificate. Committee noted that, industry has applied amendment in the existing
42	MPCB- CONSENT- 0000228831	ALGACON Technology Solution India Pvt. Ltd., Plot No. 16 Plot No. 16, Rajiv Gandhi Info Tech Park, SEZ, MIDC Phase III, Hinjewadi, Pune 411 057 Mulshi	APPROVED Renewal of Consent to Operate	28.02.2031	Renewal of Consent to Operate, for following aspects as under: Committee noted that Project Proponent has applied for Renewal of Consent to Operate for IT & ITEs activity Construction project on Total Plot Area of 1,17,600 SqMtrs for Construction BUA of 1,50,378 SqMtrs as per EC granted dated 23/12/2018. a) Schedule-1, C - connectivity online monitoring system to the MPCB server including separate energy meter for pollution control system - , due to the market scenario since the covid period stopped our Dyeing processing operations and Boiler operations also. PP has obtained Consent to Establish for expansion u/d. 17.07.2023 valid till COU of 5 yrs for IT & ITEs activity on total Plot Area of 66,883.50 SqMtrs for Total Construction BUA of 3,48,678.49 SqMtrs to 9.5 in the previous consent instated of pH range was 6.5 to 8.5 as per specific condition of EC dated 26/10/2018 with CI of Rs 1031 Cr. b) Schedule-I 1. B - Correction to be done in pH range was 5.5 to 9.5 in the previous consent instated of pH range was 6.5 to 8.5 as per specific condition of EC dated 26/10/2018 with CI of Rs 1031 Cr. c) Schedule-I 2.D. - Conditions to be corrected as - there is no separate STP. So We Mix the Domestic wastewater before treatment in ETP for treatment. PP has obtained Renewal of Consent to Operate u/d 26.05.2022 valid till 28.02.2025 for construction project on Total Plot Area of 1,17,600 SqMtrs for Construction BUA of 1,50,378 SqMtrs as per EC dated 23/12/2018 with CI of Rs 827.09 Cr. d) Specific Conditions - Schedule-1 - OGEMS conditions to be delayed / omitted. e) Specific Conditions - Schedule-I - Dioxin and Furan monitoring is not applicable for the Textiles industry. This condition needs to be omitted. The Capital Investment is increased from Rs 827.09 Cr to Rs 932.30 Cr. PP has paid Rs 9323045 for 5 terms. Rs 210402 is required for increased CI. Earlier Rs 4.22 Lakhs is balance with the Board.

					<p>After due deliberation, it was decided to grant Renewal of Consent to Operate for IT & ITEs activity Construction project on Total Plot Area of 17600 Sq.Mtrs for Construction of Product line, which is as per EC granted dated 23/12/2013 subject to BG forfeiture as per earlier consent and fees on increased CI and by imposing standard conditions on bank guarantee that the change in production can't be consider in the amendment.</p>
138	MPCB- CONSENT_ AMMENDM ENT- 0000014722	Deepak Fertilisers And Petrochemicals Corporation Limited Plot No.K-1	NOT APPROVED Amendment	-----	<p>Committee noted that PP applied for first consent to operate for Gondkhairi Underground Coal Mine (Kampteam Coalfield) application through a Coalition by mechanized Longwall (Retreating) with caving method as per Block allotment of the mining lease area (MLA) of 862.0 Ha.</p>
43	MPCB- CONSENT- 0000231622	GONDKHARI- UNDERGROUND COAL MINE 274, 96 Gondkhari, Surabardi	APPROVED Consent to 1 st Operate (Part)	31.03.2026	
139	MPCB- CONSENT_ AMMENDM ENT- 0000015358	Kalmeshwar Organic Industries Private Limited Plot no. N-2, Additional MiDC, Ambernath-(e)	NOT APPROVED Amendment	-----	<p>Committee noted that Industry has applied for amendment of Consent to Operate granted for 6 Thermopack (4 Working + 2 standby) and Steam generator Boiler operated on Pipe Natural Gas to generate the steam and Process vent 3 nos. PP uploaded Forest Clearance for Diversion of 87.351 ha of forests for the Gondkhairi Underground Coal Mine project at Village Gondkhari, Tehsil- Kalmeshwar, District Nagpur vide dtd. 12/09/2024. Committee also noted that Industry has furnished copy of earlier C to O dtd. 16.06.2017 wherein steam generator (NonIBR) exists and thermopack mentioned 6 nos. However, same was not incorporated in existing C to O dtd. 12.04.2022. Accordingly, industry has requested for amendment of Consent to Operate for part operate for development of incline drifage and shaft sinking activities. In this regard, the following conditions.</p>
140	MPCB- CONSENT_ AMMENDM	Mahadhan Agritech Limited Plot No. K-1, K-1 (Part-1), K-1 (Part-2)	NOT APPROVED Amendment	-----	<p>Committee noted that Industry has applied for amendment of Consent to Operate granted for 6 Thermopack (4 Working + 2 standby) and Steam generator Boiler operated on Pipe Natural Gas to generate the steam and Process vent 3 nos. PP uploaded Forest Clearance for Diversion of 87.351 ha of forests for the Gondkhairi Underground Coal Mine project at Village Gondkhari, Tehsil- Kalmeshwar, District Nagpur vide dtd. 12/09/2024. Committee also noted that Industry has furnished copy of earlier C to O dtd. 16.06.2017 wherein steam generator (NonIBR) exists and thermopack mentioned 6 nos. However, same was not incorporated in existing C to O dtd. 12.04.2022. Accordingly, industry has requested for amendment of Consent to Operate for part operate for development of incline drifage and shaft sinking activities. In this regard, the following conditions.</p>

	ENT-0000015741				<p>2. PP shall also obtain that these are and mine opening permit & issuance from established competent applications before starting process which are to operate before Activity Office to inform same to MPC Board Sub-Regional Office.</p> <p>3. PP shall not carry out any trade effluent generating and wastewater treatment activities. It is noted that the Board office has issued various directions against the provide septage and effluent disposal by submittal to Boate office primary site office within 1 month.</p> <p>5. PP shall not carry out any coal extraction and coal handling. After due deliberation, it was decided to defer from MPC Board application to Technical Committee.</p>
44	MPCB-CONSENT-AMMENDMENT-0000015793	SIFY INFINITE Ltd., Plot No. B-20, MIDC, R-847/2 Plot No. Ranjangaon, Tal: Shirur, Dist. Pune.	APPROVED	31.01.2026	Committee noted that PP has applied for renewal of consent to Operate and Trade Effluent (Data Centre Activity) for the total plot area is 12416 Sq Mtr and total construction BUA 2445 Sq Mtrs.
141	MPCB-CONSENT-AMMENDMENT-0000015793	SIFY INFINITE Ltd., Plot No. B-20, MIDC, R-847/2 Plot No. Ranjangaon, Tal: Shirur, Dist. Pune.	NOT Renewal of APPROVED Consent Amendment	----	<p>Committee also noted that PP has obtained Consent to Establish for data center from Board on 05/09/2021. Obtained Consent to Operate for data center from Board on 28/02/2022. Obtained consent to establish with expansion (Phase II) for data center from Board on 28/03/2023. PP has applied for amendment in consent for type error correction in validity of consent from 31/01/2026 to 31/10/2026 and change in disposal path of ETP treated effluent from 28/03/2023 to 31/10/2026. PP has applied for amendment in consent for 24 nos of DG Set of capacity of 3500 KVA each and total plot area is 12416 Sq Mtr and BUA is 9610.62 Sq Mtr. Obtained 1st Consent to Operate (Part II) for data center activity for total plot area 12416 Sq Mtr, construction BUA of 24445 Sq Mtr out of total BUA 34,056.05 Sq Mtr.</p> <p>Committee further noted that PP has obtained Environment clearance from GoI on 02/02/2024 vide No. EG24B038MH1475011. STP provided by MBBR Technology. STP has a capacity of 5 CMD. PP has installed 20 nos of DG Set having a capacity of 3000 KVA each with acoustic enclosure. PP has not submitted bank guarantee as per earlier consent conditions. Committee noted that PP has applied for change of name from M/s. Mahindra Heavy Engines Limited to Mahindra and Mahindra Limited and addition of biomedical waste in existing consent.</p> <p>After due deliberation, it was decided to defer from MPC Board application to Technical Committee.</p>
142	MPCB-CONSENT-AMMENDMENT-0000016464	Mahindra and Mahindra Limited Plot No A-1/1, Chakan Industrial Area, Phase IV, Village Nigoje,	APPROVED	...	<p>Committee noted that PP has obtained Consent to Operate for IT and ITES activity (Data Centre Activity) for the total plot area is 12416 Sq Mtr and total construction BUA 2445 Sq Mtrs., by</p>

		Taluka Khed, Pune			After due deliberation, it was decided to grant conditions for infrastructure projects. Consent issued vide dtd. 22/03/2025 for change of name from M/s. Mahindra Heavy Engines Limited to Mahindra and Mahindra Limited. Consent shall be issued after submission of bank guarantee and penal charges towards delay in submission of bank guarantee.
45	MPCB- CONSENT- 0000239289 CT- 0000000049	Regional Referral BYONIK Hospital Dombivli, Tal. Dombivli, MIDC Phase- I , Dombivli, Taluka Kalyan, District Thane	NOT APPROVED Amendment 1st Consent for Shifting & Claimed/By- product from haz. Waste to By- product	-----	Committee noted that HCE has applied for Combined 1st Consent to operate BMR Authorization for 220 Beds hospital on total plot area of 46399.6 Sq.Mtr & total BUA of 42396 Sq.mtr Committee also noted that HCE has not obtained CCA for C to E and was reportedly established in 2017. Applied for Effluent generated as IE- 0.5 CMD DE –35 CMD. ETP/STP is not provided. Construction of combined ETP & STP of capacity 200 CMD is under construction and 80% of work is completed. Committee further noted following non-compliances: 1. HCE has not submitted a sanctioned plan/layout. Environmental Clearance as BUA is exceeding 20,000 Sq. M. 2. HCE has not submitted capital Investment certificate of previous period to calculate penal and CCA for the period 2017 to 2024. 3. HCE has not paid the requisite fees for CCA and penal charges upto 21.08.2024 4. HCE has also not submitted water application membership of CBMWTF and operating without obtaining Cto E and EC. Proposed unit comes under in Western Ghat Eco Sensitive Area. After due deliberation, it was decided to refuse the case and issue Show Cause Notice for refusal of CCA for above non compliance. If HCE/PP fails to submit a satisfactory reply of Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity.
143					
144	MPCB- CONSENT- 0000 228048	JAY JAGDAMBA LTD, Village Abitghar ,Shrispada, Sahapur Road, Tal-Vada, Palghar	Not Approved	-----	1. HCE has not submitted a sanctioned plan/layout. Environmental Clearance as BUA is exceeding 20,000 Sq. M. 2. HCE has not submitted capital Investment certificate of previous period to calculate penal and CCA for the period 2017 to 2024. 3. HCE has not paid the requisite fees for CCA and penal charges upto 21.08.2024 4. HCE has also not submitted water application membership of CBMWTF and operating without obtaining Cto E and EC. Proposed unit comes under in Western Ghat Eco Sensitive Area. After due deliberation, it was decided to refuse the case and issue Show Cause Notice for refusal of CCA for above non compliance. If HCE/PP fails to submit a satisfactory reply of Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity.
46	MPCB- CONSENT- 0000232764	Western Concessions Private	APPROVED	31.05.2026	Committee noted that PP has applied for renewal of consent to operate for LNG terminal (Introduction of 6 MTPA FSRU in early introduction

		Limited,36,37,39, 53 JSW Jaigarh Port Limited Jaigarh	Renewal of Consent to Operate		<p>phase) at JSW Jaigarh Port with on Board Regasification Facility – 6 MTPA.</p> <p>Committee also noted PP has obtained consent to operate vide dtd. 10/02/2021 which was valid upto 31.05.2025 with C.I. of Rs. 193 Crs for LNG terminal (Introduction of 6 MTPA FSRU in early introduction phase) at JSW Jaigarh Port with on Board Regasification Facility and obtained Environmental Clearance vide F.No. 10-17/2006-IA.III dtd. 13/06/2018 in the name of H Energy Gateway Pvt. Ltd.</p> <p>Committee further noted that domestic effluent sending to STP of JSW Jaigarh Port Ltd for further treatment and disposal.</p> <p>Committee also noted that presently the Floating Storage and Regasification Unit (FSRU) is not present at LNG terminal.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate, by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall submit/extend existing Bank Guarantee of Rs. 25.0 lakhs towards compliance of consent and environmental clearance compliances. 2. PP shall inform the Board of the arrival of the Floating Storage and Regasification Unit (FSRU) at LNG terminal and start of activity. 3. PP shall obtain all safety and peso clearance from competent authority before start of activity. 4. PP shall amend environmental clearance for change of name Western Concessions Private Limited. 5. PP shall be jointly responsible for operation of sewage treatment plant. In case of non-compliance, both units will be jointly & severally liable for any legal action.
47	MPCB- CONSENT- 0000231552	Bharat Forge Ltd. Chakan, Gat No.	APPROVED	28.02.2026	Committee noted that PP has applied for renewal of consent to operate for Machined Components.

		635 Kuruli Chakan	Renewal of Consent to Operate		<p>Committee also noted that PP has obtained Consent to Operate vide dtd. 23/03/2024 valid upto 28/02/2025.</p> <p>Committee further noted that PP has provided ETP and STP for treatment of trade effluent and domestic effluent. JVS result of STP & ETP outlet dtd. 29/05/2024 found within consented limit. PP has provided dust collector at sand blasting section JVS analysis of source emission dtd. 01/02/2024 found within consented limit.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit/extend existing Bank Guarantee of Rs. 25 lakhs.
48	MPCB- CONSENT- 0000233311	Sane Guruji Arogya Kendra, Sr No. 165 A Malwadi, Hadapsar Tal Haveli Dist Pune	NOT APPROVED Renewal of Combined Consent to operate & BMW Authorization	-----	<p>Committee noted that HCE has applied for Renewal of Combined Consent to operate & BMW Authorization for 200 Beds hospital on total plot area of 9879 Sq.Mtr & total BUA of 5005.22 Sq.mtr. without laundry activity.</p> <p>Committee also noted that previous Renewal of CCA granted for 250 beds with valid up to 31/12/2021 further application is waiting for payment vide UAN NO.121557. Hence, the same shall not be treated as submission. HCE has applied for Trade effluent 6.4CMD & Domestic effluent 35 CMD. STP of 45 CMD is provided with phytoremediation & ozonator. CBMWTDF membership & BNHR is expired on 31.03.2025 Committee further noted following non-compliances:</p> <ol style="list-style-type: none"> 1. HCE has not submitted BG of Rs. 2.0 Lakh as per previous CCA 2. HCE has not provided ETP and not submitted valid membership of CBMWTDF and BNHR certificate. 3. HCE has not applied for CCA for 1118 days and application UAN NO. 121557 is Waiting for payment. 4. HCE has not paid the requisite fees for CCA of Rs. 9,60,754 including penal charges, regular fees upto 31.12.2027 and fees for enhancement in C.I. 5. BG interest will be calculated after receipt of the BG details.

					<p>6. BG of Rs.25000/- is not yet forfeited due to lack of submission of BG.</p> <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of CCA for above non-compliances.</p> <p>If HCE/PP fails to submit a satisfactory reply of Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity.</p>
49	MPCB- CONSENT- 0000233009	Mubea Automotive Components India Pvt. Ltd., Survey No. 1072, Post Pirangut, Tal. Mulshi, Dist. Pune-412115.	NOT APPROVED Renewal of Consent to Operate	-----	<p>Committee noted that PP has applied for renewal of consent to operate for All types of Spring Family, Bar Family and Coil (ITW) Family.</p> <p>Committee also noted PP has obtained Consent to Operate granted vide dtd. 17/12/2023 which was valid up to 28/02/2025.</p> <p>After due deliberation, it was decided to issue to show cause notice for refusal of consent on following non-compliances:</p> <ol style="list-style-type: none"> 1. RO reject of trade effluent using on land for gardening purposes and have not provided Evaporator system, which shows you are not able not achieved zero liquid discharge as per consent condition. 2. You have not provided a disinfection system in existing sewage treatment plant (STP). 3. Submit details compliance w.r.t. Board Circular for D.G. Sets vide no. MPCB/JD(APC)/NCAP/DG Set/B-0090 dtd. 02/06/2023. 4. Justification towards increase in capital investment needed. 5. You have not uploaded a copy of CHWSTDF member as per your submission w.r.t. SRO office scrutiny letter. <p>If PP fails to submit a satisfactory reply w.r.t. Show Cause Notice for refusal within 7 days from date of issuance of notice. The case shall be refused without giving any further opportunity.</p>

50	MPCB- CONSENT- 0000232029	TATA AUTOCOMP HENDRICKSON SUSPENSIONS PVT LTD., Plot No. D - 236/5 MIDC Chakan, Phase - II Khed	NOT APPROVED Consent to Establish (Expansion)	-----	<p>Committee noted that PP has applied for consent to Establish for below mentioned activity for Suspensions with BUA 27355.0 sq meter.</p> <p>Committee also noted that PP has obtained Consent to Operate vide dtd. 03/01/2024 which was valid upto 31/12/2026.</p> <p>After due deliberation, it was decided to issue to SCN for Refusal for the following non-compliances:</p> <ol style="list-style-type: none"> 1. Details of proposed ETP & detail of mode of disposal of trade effluent not given. 2. As per the earlier consent existing STP having a capacity of only 25.0 CMD. PP did not submitted details of proposed additional domestic effluent generation, its treatment etc. Also details of land are available for disposal of the treated domestic effluent needed. 3. PP has not submitted details of the air pollution control system for chemical pre metal treatment and oil quenching section. 4. PP proposed to provide 5 no of PNG fired furnaces, however details related used furnaces in manufacturing process not submitted. 5. PP not submitted details of air and noise pollution control system at hammering section. Also, not submitted details of fuel used for hammering process. 6. Details of Existing + Expansion BUA needed for applicability of EC. 7. Status of steps taken towards commissioning of expansion unit needed. <p>If PP fails to submit a satisfactory reply w.r.t. Show Cause Notice for refusal within 7 days from date of issuance of notice. The case shall be refused without giving any further opportunity.</p>
----	---------------------------------	--	---	-------	--

51	MPCB- CONSENT- 0000232781	Kirloskar Oil Engines Ltd. Plot A Khadki L. K. Road Khadki Haveli	NOT APPROVED Renewal of Consent to Operate	-----	<p>Committee noted that PP has applied for renewal of consent with decreased production quantity of two products.</p> <p>Committee also noted that PP has obtained Consent to Operate vide dtd. 15/09/2022 valid upto 28/02/2025 for the products i.e. I C Engines - 150 No/M, Generating Sets, Pumpsets, Agri Farm Equipment, Trading of small Gensets, Oil, Electrical items like alternator, AMF panel, Genset Control panel, Switchgears & batteries (only for storage and sale and no commercial manufacturing activity).</p> <p>After due deliberation, it was decided to issue to show cause notice for refusal of consent on the following non-compliances:</p> <ol style="list-style-type: none"> 1. PP mixing trade primary treated trade effluent with domestic effluent and disposal on land. JVS analysis results of STP outlet dtd. 14/02/2022 and 28/06/2022 exceeding consented prescribed limit. 2. PP submitted C.A. certificate with increase in C.I. of Rs. 9.49 crs, however reported that they have removed/stopped the production of Pump sets and Agri Farm Equipment justification in this regard needed. 3. PP carrying out spray painting activity, however not applied for any chemical surface treatment or physical treatment like shot blasting activity. Justification in this regard needed. 4. Details of reduction of pollution load in terms of wastewater and emission sources reduction needed. 5. Justification towards increased quantity of non-hazardous waste even reduction in production is needed. 6. Details of compliance of Board Circular for D.G. Sets vide no. MPCB/JD(APC)/NCAP/DG Set/B-0090 dtd. 02/06/2023. <p>If PP fails to submit a satisfactory reply w.r.t. Show Cause Notice for refusal within 7 days from date of issuance of notice. The case shall be refused without giving any further opportunity.</p>
----	---------------------------------	---	--	-------	---

52	MPCB- CONSENT- 0000233625	AMMUNITION FACTORY KHADKI, PUNE08/10/11/14 & 14A KHADKI HAVELI	APPROVED Renewal of Consent to Operate	31.01.2026	<p>Committee noted that PP has applied for renewal of consent to operate for manufacturing Artillery and Small Arms.</p> <p>Committee also noted that PP has obtained Consent to Operate vide dtd. 12/04/2021 which was valid upto 31/01/2025.</p> <p>Committee further noted that PP has provided ETP and STP for treatment of trade and domestic effluent.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate, by imposing following conditions.</p> <ol style="list-style-type: none"> 1. PP shall submit/extend existing Bank Guarantee of Rs. 25.0 lakhs. 2. PP shall ensure provision of scrubber at pre-treatment, chemical surface treatment & plating section. Ensure effective operation and maintain the same so as to achieve consented prescribed standards.
53	MPCB- CONSENT- 0000226098	Building No. 9 having Wing 9A,9B,9C & 9D (Aviva CHS Ltd) Survey No. 25/1pt, 26/9pt, 110/1pt and 110/2 pt At Village Ghodbunder, Mira Road, Thane (W) Thane	NOT APPROVED Consent to 1 st Operate	-----	<p>Committee also noted that PP has applied for Consent to 1st Operate for 3717 sq.mt, out of total plot area 127430 sq.mt and construction area 80,943.58 sq.mt. out of 7,48,255.82 sq.mt. for building no.9 name of Aviva building.</p> <p>Committee also noted that PP has obtained an Amendment in Consent to Establish from Board on 29/11/2018. Obtained Re validation in Consent to Establish from Board on 09/11/2022 for total plot area of 113624 Sq Mtr for remaining construction BUA 372100 Sq Mtr out of total construction BYA 531951.47 Sq Mtr PP has obtained Environment clearance from GoM on 20/07/2020 vide No SIA/MH/MIS/14822/2020.</p> <p>Committee further noted that PP has provided STP with MBBR Technology. STP has a capacity of 750 CMD. Industry has not submitted details of the Previous Bank Guarantee.</p>

					<p>After due deliberation, it was decided to issue show cause notice for refusal of consent as PP has failed to submit bank guarantee and penal charges towards delay in submission of bank guarantee.</p> <p>If PP fails to reply to SCN within 7 days from date of issuance of SCN. The case shall be refused without giving any further opportunity.</p>
54	MPCB- CONSENT- 0000233721	Sigma Electric Manufacturing Corporation Pvt. Ltd. Unit-IGat No 154/1, 155/1 Mahalunge Village, Chakan- Talegaon Road, MIDC Chakan Khed	NOT APPROVED Renewal of Consent to Operate	-----	<p>Committee noted that PP has applied for renewal of consent to operate for manufacturing Electrical Wiring Accessories In Copper, aluminium Alloys & Electrical Wiring Accessories and Fittings for Home appliances in Zinc Alloys.</p> <p>Committee also noted that PP has obtained Consent to Operate vide dtd. 29/05/2022 which was valid upto 28/02/2025</p> <p>After due deliberation, it was decided to issue to show cause notice for refusal of consent, on following non-compliances:</p> <ol style="list-style-type: none"> 1. JVS result of ETP dtd. 11/01/2022 exceeding consent prescribed limit. 2. Only primary treatment treated effluent further connected to STP for further treatment. Which is not allowed as per consent. Also, STP capacity is inadequate for further treatment I.E. as it has capacity of 50.0 CMD & sewage generation is 48.0 CMD. 3. Details provision of APCS at Induction Furnace 1 PG-1 needed. 4. Submitted capital investment is not matching with balance sheet. Submit unit wise capital investment in Board prescribed format. 5. Details towards compliance of Ministry of Environment, Forest and Climate Change Notification dtd. 07/06/2024 needed towards applicability of Environmental Clearance. 6. Submit details of per annum quantity of ferrous & nonferrous metal casting activity.

					<p>7. PP applied for 2 nos of shot blasting section, however consent granted for 3 nos of shot blasting justification needed in this regard.</p> <p>8. Justification towards removal of Aluminum Bronze Dross from HZW needed.</p> <p>If PP fails to submit a satisfactory reply w.r.t. Show Cause Notice for refusal within 7 days from date of issuance of notice. The case shall be refused without giving any further opportunity.</p>
55	MPCB- CONSENT- 0000234485	DR. G. D. POL FOUNDATION, INSTITUTIONAL AREA, SEC. 4, KHARGHAR, NAVI MUMBAI – 410210	APPROVED Combined Consent to Establish for Expansion & BMW Authorization	Commissioning of the Unit or 5 years whichever is earlier	<p>Committee noted that HCE has applied for combined consent to establish for expansion & BMW Authorization for an increase in beds from 440 to 465 beds i.e. 25 beds in Plot Area 28972.00 Sq. M. with Built-up area 24207.00 Sq. M.</p> <p>Committee also noted that existing CCA is granted for 440 beds valid upto 31.12.2025 on Plot Area 28972.00 M2 with Built-up area 24207.00 M2. Existing D.E = 140 CMD. I.E = 5 CMD . Proposed D.E = 6.2 CMD. I.E = 0.29 CMD. HCE has provided STP of 150 CMD capacity with MBBR technology. Also, ETP of 5 CMD capacity is provided. Treated effluent used for flushing and gardening.</p> <p>Committee further noted that HCE is having Separate storage facility as per CPCB norms. Segregation and handling of BMW as per Rules. Also Records of waste delivered to CHWTSDf maintained. Industry has submitted BG of Rs 2 lakh as per existing BG. But Original BG submission record is not submitted. Also, Architect certificate for completion BUA is not submitted with details of expansion HCE area.</p> <p>After due deliberation, it was decided to grant consent to establish for expansion for additional 25 beds by imposing standard BG. Consent shall be issued after the submission of architect certificate for existing and proposed BUA with original BG submission details & its interest if any.</p>

56	MPCB- CONSENT- 0000239027 & 0000233630	Sinhgad Dental College and Hospital Sr. No.44/1, adgaon Bk. Tal. Haveli Dist. Pune- 411041	APPROVED Renewal of combined consent to Operate & BMW Authorization	31.01.2026	<p>Committee noted that HCE has applied for Renewal of combined consent to Operate & BMW Authorization for 315 Dental Chairs hospital on Total Plot Area – 4046.85 Sq. Mtrs., and Total Built Up Area (BUA) is 9320.40 Sq. Mtrs.</p> <p>Committee also noted that HCE has made two applications vide UAN Nos 239027 & 233630 and requested that UAN No 239027 is applied in CCA format & another UAN NO. 233630 is in industry consent format. Previous CCA granted for 315 dental chairs with validity upto 31-01-2025 on same BUA as above. Applied Effluent generation as IE- 1.0 CMD and DE- 49 CMD.</p> <p>Committee further noted that HCE has provided ETP & overflow connected to STP for further treatment. Also, STP is provided with 50 CMD capacity. DG set 125 KVA is equipped with stacks and acoustics. CBMWTDF membership has expired and BNHR certificate is not submitted. BG of Rs. 2.0 Lakh submitted with validity upto 9/1/2027 Which is delay in 385 days & paid BG interest.</p> <p>After due deliberation, it was decided to grant Renewal of combined consent to Operate & BMW Authorization for 315 dental chairs by imposing bank guarantee and standard conditions.</p> <p>CCA shall be granted after the submission of valid membership of CBMWTDF and BNHR certificate.</p>
57	MPCB- CONSENT- 0000233640	Marathwada Rail Coach Factory, Plot No. D- 74, Additional Industrial Area, Latur.	APPROVED Renewal of Consent to operate	31.03.2026	<p>Committee noted that PP has applied for Renewal of Consent to operate for the manufacturing of Rail Coach – 250 Nos/Y.</p> <p>Committee also noted that previous consent was granted for manufacturing of Rail Coach – 250 Nos/Y. Which was valid up to 31.03.2025. Industry has not been in operation for the last 2 years. PP has applied for Trade effluent-25.0 CMD for shower test facility & DE- 50 CMD. Provided STP of capacity 75 CMD which is common with</p>

					<p>colony. Separate primary treatment ETP is not yet provided due to lack of non-operation of production activity.</p> <p>Committee further noted that Industry has provided air filters to paint booths – 4 Nos & DG sets (2 x 500 KVA). PP has not yet obtained membership of CHWTSDf due to non-operation of industry. PP has not submitted details of BG and BG 12% interest of Rs. 85480 towards delay in 84 days as per previous consent condition No.13.</p> <p>After due deliberation, it was decided to grant Renewal of Consent to operate for the manufacturing of Rail Coach – 250 Nos/Y subject to provision of ETP, membership of CHWTSDf before commencement of production.</p> <p>Consent shall be issued after receipt of bank guarantee with its interest within 15 days after receipt of this communication.</p>
58	MPCB- CONSENT- 0000231144	Tube Investments of India Limited, Unit: Tube Products of India. Plot No. C-1 Phaltan Industrial Area Phaltan	APPROVED Consent to 1 st Operate	31.03.2026	<p>Committee noted that PP applied for grant of 1st Consent to Operate for mfg. of CDW & ERW Steel Tubes- 4500 MT/M.</p> <p>Committee also noted that PP has obtain Consent to Establish vide dtd. 19/08/2024.</p> <p>Committee further noted that PP has uploaded photos of completion provision of ETP and STP and scrubber at pickling.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate, by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit/extend existing Bank Guarantee of Rs. 25 lakhs. 2. PP shall comply with Ministry of Environment, Forest & Climate Change Notification vide S.O. 2215(E) dtd.07/06/2024. <p>Consent operate shall be issued after verification of provision of pollution control system as per industry submission.</p>

59	MPCB- CONSENT- 0000231531	Wirtgen India Pvt. Ltd., Gat No.301 & 302 Bhandgaon Daund	NOT APPROVED Renewal of Consent	-----	<p>Committee noted that PP applied for 1st CTO for storage and renewal of existing consent and amalgamation for mfg Soil Compactor- 3000 Nos/A, Mobile Screening Machine- 1000 Nos/A, Paver- 600 Nos/A, Asphalt Compactor- 1500 Nos/A, Reconditioning of Compactor, Paver Mines and Other Construction Equipment's (with painting activity)- 200 Nos/A, Pneumatic Tyer Roller-600 Nos/A, Mini Compactor- 5000 Nos/A, Stacker- 800 Nos/A and Crusher- 200 Nos/A.</p> <p>Committee further noted that PP has obtained Consent to Operate vide dtd. 15/08/2022 which was valid upto 28/02/2025 and obtained Consent to Establish for Expansion vide dtd. 04/01/2024 and Obtained Consent to Establish for Expansion vide dtd. 02/02/2022 for Construction of Storage Shed (56800 Sq. Mtr) for Finished Product Manufactures in Phase – 1 to Phase – 4 Factory.</p> <p>After due deliberation, it was decided to issue to show cause notice for refusal of consent on following non-compliances:</p> <ol style="list-style-type: none"> 1. PP has applied consent for additional products like Soil Compactor- 500 Nos/A, Paver- 225 Nos/A, Asphalt Compacter- 900 Nos/A, Reconditioning of Compactor- 150 Nos/A, Pneumatic Tier Roller-550 Nos/A, Mini Compactor- 5000 Nos/A, Stacker- 800 Nos/A and, Crusher- 200 Nos/A, Mobile Screening Machine- 400 Nos/A, Pneumatic Tyer Roller- 550 Nos/A without obtaining consent to operate. Details last year production needed. 2. Applied for Built up area of 27605.29 square meter, however 1st CTO for Storage Shed has Built up area 56800 Sq. Mtr. Justification towards total Built up area of 3 units needed. 3. PP has not submitted B.G. towards forfeiture as per consent to establish dtd. 02/02/2022 and reported that they requested for waiver of same. 4. CTE B.G. is Rs. 25.0 lakhs, however submitted only Rs. 10.0 lakhs towards compliance of consent conditions. Justification in this regard needed.
----	---------------------------------	--	--	-------	--

					<p>5. As per the earlier consent an additional 2.0 CMD domestic effluent shall be generated, however not applied for same in this consent justification in this regard needed.</p> <p>If PP fails to submit a satisfactory reply w.r.t. Show Cause Notice for refusal within 7 days from date of issuance of notice. The case shall be refused without giving any further opportunity.</p>
60	MPCB- CONSENT- 0000235043	KIMS Manavata Hospital Pvt. Ltd. Manavata campus, Near Mylan circle, New Mumbai Agra Highway, Nashik Tal & Dist Nashik	<p>NOT APPROVED</p> <p>Combined Consent to operate & BMW Authorization with increase in beds</p>	-----	<p>Committee noted that HCE has applied for Combined Consent to operate & BMW Authorization with increase in beds from 50 to 300 Beds hospital on total plot area of 10938 Sq.Mtr & total BUA of 23477 Sq.mtr.(without laundry activity).</p> <p>Committee also noted that existing CCA granted for 50 beds on total plot area of 10938 Sq.Mtr & total BUA of 23477 Sq.mtr. Same is valid upto 30.09.2026. HCE has submitted a letter stating that Plot area of HCE is 10619 Sq.Mtr & total BUA is 19477.57 Sq.mtr. However, Occupancy certificate and Architect certificate is not submitted. The Sanction plan issued dtd.25.05.2021 was for Plot Area is 10619 Sq. M. and Existing BUA-10152.80 Sq. M. and Proposed BUA 13324 Sq. M. total BUA 23477.02 Sq. M. HCE has applied for IE- Nil CMD DE – 108 CMD.HCE has provided SBR based STP of capacity 200 CMD. Not provided ETP.</p> <p>Committee further noted following non-compliances:</p> <ol style="list-style-type: none"> 1. HCE has not submitted an Occupancy certificate and explanation regarding obtaining existing CCA with BUA -23477 Sq. M. 2. HCE has not submitted the latest Architect certificate regarding completion of Built-up Area as on date and balance BUA as per sanction plan. 3. HCE has not submitted an exact commissioning date for the expansion of an additional 250 beds. As per CBMWTF certificate issued on 20.11.2024 the beds are reflected as 300 beds. 4. HCE has not provided ETP for the trade effluent generated by the hospital.

					<p>5. HCE has not submitted BNHR certificate & valid membership of CBMWTDF.</p> <p>6. HCE has not justified the variation in the plot area in sanction plan and applied plot area in this application.</p> <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of CCA for above noncompliance.</p> <p>If HCE/PP fails to submit a satisfactory reply of Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity.</p>
61	MPCB- CONSENT- 0000232270	Sany Heavy Industry India Pvt. Ltd., Plot No. E-4 Plot No. E-4, Chakan Industrial Area, Phase III, Village - Kuruli, Tal. Khed, Dist. Pune. Khed	APPROVED 1 st Consent to Operate an amalgamation with Renewal of Consent	28.02.2027	<p>Committee noted that PP has applied for 1st consent to operate and renewal of consent with amalgamation of both consent for manufacturing construction equipment's in orange category.</p> <p>Committee also noted that PP has obtained consent to operate vide dtd. 08/10/2023 valid upto 28/02/2025 & obtained Consent to Establish for Expansion vide dtd. 27/11/2024.</p> <p>Committee further noted that PP has provided ETP and STP for treatment of trade and domestic effluent. Also, PP has provided APCS at paint & shot blasting section.</p> <p>After due deliberation, it was decided to grant 1st Consent to Operate with Renewal of consent to operate an amalgamation of both consent in Red Category by imposing following conditions:</p> <p>1. PP shall submit/extend existing Bank Guarantee of Rs. 25.0 lakhs.</p>
62	MPCB- CONSENT-	New Thergaon Hospital, Sector 6, Sr. No. 9/38, Bapujibuva	APPROVED Combined 1 st Consent	31.05.2026	<p>Committee noted that HCE has applied for a combined 1st Consent to operate for expansion of 140 beds and renewal of existing 200 beds i.e. total 340 beds Hospital on total plot area of 8071 Sq.Mtr & total BUA of 15,018.85 Sq.Mtr.</p>

	0000023522 2 & 0000235212	Nagar, Opp. Thergaon Police Chowki, Thergaon, Pune	to operate for expansion & renewal of CCA & amalgamation		<p>Committee also noted that previous CCA granted vide dated 28.03.2023, valid up to 13.05.2025 for 200 bed hospital on total plot area of 8071 Sq.Mtr & total BUA of 7263.88 Sq.Mtr HCE has also obtained Consent to establish for expansion of CCA granted vide dated 02.02.2025, for 140 beds hospital on total plot area of 8071 Sq.Mtr & total BUA of 15,018.85 Sq.Mtr.</p> <p>Committee further noted that HCE has applied for IE- 5.7 CMD, DE – 50.0 CMD Same is not correct as it was submitted for 140 beds. HCE has provided combined ETP & STP of capacity 70 CMD with chlorination & ozonator. HCE has also made another application vide 235212 for the same submitted request mail to SRO for not to consider application. HCE has not paid fees for CCA and has not submitted BG of Rs. 5.0 Lakh as per C to E and its interest.</p> <p>After due deliberation, it was decided to grant Combined 1st Consent to operate for expansion & renewal of CCA with amalgamation for a total of 340 beds after receipt of the water budget for 340 beds and its treatment system adequacy, BG submission of Rs. 5.0 Lakh and valid CBMWTDF & BNHR certificate & fees and BG interest as applicable within 15 days after receipt of this communication.</p>
63	MPCB- CONSENT- 0000235222	New Thergaon Hospital, Sector 6, Sr. No. 9/38, Bapujibuva Nagar, Opp. Thergaon Police Chowki, Thergaon, Pune	APPROVED Combined 1 st Consent to operate for expansion & renewal of CCA & amalgamation	31.05.2026	This application is considered with another application of the same hospital vide UAN No. MPCB-CONSENT-0000235222 as per Sr. no.63 of this sheet.

64	MPCB- CONSENT- 0000231023	Uran Plant, ONGC Ltd., Villages: Nagaon, Chanje, Mhatavli, Survey No 15 Uran Plant, ONGC Uran, Uran taluka, Dist - Raigad “ 400702 Uran	APPROVED Consent to 1 st Operate	31.08.2025	<p>Committee noted that Industry has applied for Consent to operate for addition of petroleum storage tank along with the modernization of ETP into existing consent which is valid upto 31/08/2025.</p> <p>Committee also noted that Industry has obtained consent to establish from Board on 07/12/2017 for installation of Enhanced reactive thermal oxidizer for H₂S removal from waste acid gas stream. Obtained Consent to operate from Board on 07/12/2022 for operation of Enhanced reactive thermal oxidizer for H₂S removal from waste acid gas stream, which is valid till 31/08/2023. Obtained Renewal of consent to operate from Board on 15/06/2022 which is valid upto 31/08/2025 for Petroleum storage tank.</p> <p>Committee further noted that Industry has obtained Environmental Clearance granted vide No. F.No. J-11011/635/2008-IA-II (I) dated 13/10/2020.</p> <p>After due deliberation, it was decided to grant Consent to operate for addition of petroleum storage tank along with the modernization of ETP and amalgamation with existing consent, by imposing standard conditions and Bank Guarantee.</p>
65	MPCB- CONSENT- 0000235282	Yashodhara Super Speciality Pvt. Ltd. (Unit 2) SR. No 102, Plot No H-1 Solapur North Solapur	NOT APPROVED Combined 1st Consent to operate for expansion of 109 beds and amalgamation with existing	-----	<p>Committee noted that HCE has applied for combined 1st Consent to operate for expansion of 109 beds and amalgamation with existing 100 beds i.e. total 209 beds. Hospital on total plot area of 3044.64 Sq.Mtr & total BUA of 13813.93 Sq.Mtr.</p> <p>Committee also noted that existing CCA granted for 100 beds hospital and same is valid up to 11.10.2026 total plot area of 3044.64 Sq.Mtr & total BUA of 13813.93 Sq.Mtr. HCE has applied for Effluent details as: IE- Nil CMD, DE – 100 CMD. Consented IE is 1.0 CMD and DE-100 CMD which is not correct as expansion of beds is more than 100%. HCE has provided STP of capacity 110 CMD. Disposal: Treated effluent discharged into local body sewer.</p> <p>Committee further noted following no-compliances:</p>

					<ol style="list-style-type: none"> 1. HCE has not submitted the correct water budget considering expansion of beds. 2. HCE has not provided separate ETP for treatment of trade effluent and not submitted adequacy of the STP with its design details. 3. HCE has not submitted membership of CBMWTF. 4. HCE has not submitted BG as per previous CCA, 5. HCE has not submitted NOC of CGWA for borewell extraction. 6. HCE has not submitted details of the expansion of beds with its commissioning date. 7. HCE has not submitted the latest sanction plan & Occupancy certificate. <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of CCA for above noncompliance.</p> <p>If HCE/PP fails to submit a satisfactory reply of Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity.</p>
66	MPCB- CONSENT- 0000235264	Ultra Corpotech Private Limited - Location 05Gat No. 854, 855, 856, 857, 858, 859/1 and 859/2, 860, 861, 862, 863, 776 Near Benninger Company, Nighoje, Tal.Khed, Pune Khed	NOT APPROVED Consent to Establish	-----	<p>Committee noted that PP has applied for consent to establish manufacturing of fabricated, machined, heat treated, surface treated, formed components, sub-assemblies and assemblies duly pressure tested used in oil and gas, solar, energy, defence, power generating equipment's, windmill, infrastructural, earth moving equipment, locomotives and engineering sectors – 6272 No/M.</p> <p>Committee also noted that PP has obtained Consent to Operate vide dtd. 05/04/2025 which was valid up to 30/11/2025 and obtain Consent to Operate vide dtd. 26/06/2023 valid upto 30/11/2024. Also obtained Consent to Establish Expansion vide dtd. 20/09/2022.</p> <p>After due deliberation, it was decided to issue to show cause notice for refusal of consent to establish on following non-compliances:</p>

					<ol style="list-style-type: none"> 1. JVS analysis results of STP outlet dtd. 11/12/2023 & 02/01/2025 exceeding consented limit. 2. PP reported that they are proposed to provide 25 CMD capacity STP for treatment of 40 CMD of sewage justification needed. 3. PP reported that they have provided ETP of 3.0 CMD capacity of ETP, however trade effluent generation is 4.0 CMD justification needed. 4. B.G. as per CTO dtd. 26/06/2023 of Rs. 5.0 lakhs submitted on 10/04/2024, hence penalty needed to pay for delay. 5. B.G. as per CTE for expansion dtd. 20/09/2022 of Rs. 5.0 lakhs submitted on 10/04/2024, hence penalty needed to pay for delay. 6. Built up area shown 52042 square meters. Details of all 3 existing unit's + expansion unit total build-up area needed. 7. Details of total land availability for disposal a total of 98.62 CMD of treated sewage needed. <p>If PP fails to submit a satisfactory reply w.r.t. Show Cause Notice for refusal within 7 days from date of issuance of notice. The case shall be refused without giving any further opportunity.</p>
67	MPCB- CONSENT- 0000231153	Panchshil Infrastructure Holdings Pvt. Ltd. [SOHO]Gat No. 1277/1278A/1279 /1281/1283, (Plot 1+2+3) Wagholi Haveli	APPROVED Renewal of Consent to Operate (Part-II)	28.02.2027	<p>Committee noted that Project Proponent has applied for Renewal of Consent to Operate (Part-II) for mixed use building Construction project on Total Plot Area of 457100 SqMtrs & completed Part-II total construction BUA of 20808.01 SqMtr (instead out 21,829.15 SqMtrs) out of proposed total Construction BUA of 9,64,269.96 SqMtr as per specific condition of EC dtd 12.11.2024.</p> <p>PP has obtained Revalidation of Consent to Establish dtd 08.01.2020 valid till COU or 10.04.2024 for construction project having Total Plot Area of 5,03,100 SqMtrs & Total Construction BUA of 9,63,994.25 with</p>

				<p>CI of Rs 2738 Cr. Applied for revalidation with expansion vide UAN No 195563 for total Construction BUA of 10,80,136.82 SqMt.</p> <p>PP has obtained Renewal of Consent to Operate (Part-I) dtd 08.07.2023 valid till 31.12.2024 for construction project on Total Plot Area of 4,49,100 SqMtrs for construction BUA of 4,25,670.84 SqMtrs as per EC dated 22/10/2019 with CI of Rs 1928.77 Cr. Applied for renewal with additional BUA for 447506.66 SqMtr vide UAN No 223882.</p> <p>PP has obtained Consent to Operate (Part-II) dtd 27.02.2023 valid till 28.02.2025 for Commercial and Residential Construction project on Total Plot Area of 4,49,100 SqMtrs for Construction BUA of 21,829.15 SqMtrs with CI of Rs 64.74 Cr</p> <p>PP has obtained PP has completed Part-I to IV total construction BUA of 4,99,838.91 SqMtr & Part-V for BUA of 24755.79 SqMtr out of total Construction BUA of 9,70,529.45 SqMtr as per specific condition of EC dtd 22.10.2019.</p> <p>PP has obtained Environmental clearance for expansion dtd 12.11.2024 for construction project on total plot area of 457100 SqMtr and total construction BUA of 9,64,269.96 SqMtr with CI of 4648 Cr.</p> <p>Sewage generation 79 CMD. Provided STP of 310 CMD. PP has provided OWC.</p> <p>Committee also noted that earlier C to O (Part-II) dtd 27.02.2023 was valid till 28.02.2025 for Construction BUA of 21,829.15 SqMtrs. PP has submitted that excess non FSI area of 1021.14 SqMtr was considered. Now PP has requested to grant renewal of consent to operate (Part-II) for 20808.01 SqMtr (instead out 21,829.15 SqMtrs) out of proposed total Construction BUA of 9,64,269.96 SqMtr as per specific condition of EC dtd 12.11.2024.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate (Part-II) for 20808.01 SqMtr out of proposed total Construction</p>
--	--	--	--	--

					BUA of 9,64,269.96 SqMtr as per specific condition of EC dtd 12.11.2024 by imposing standard conditions and bank guarantee.
68	MPCB- CONSENT- 0000230619	Bosch Chassis Systems India Pvt Ltd., Gat No 306 Nanekarwadi Chakan Khed	NOT APPROVED Consent to Establish	-----	<p>Committee noted that PP has applied for Consent to Establish for below mentioned activity for Low Pressure Sensor (Assembling) - 3200000 Nos/Y.</p> <p>Committee also noted that PP has obtained Consent to Operate vide dtd. 02/02/2023 valid upto 30/11/2025 for Booster, Cylinders & Valves, Anti-Lock Braking Systems & Electronic Stability Programme, Wheel Speed Sensors, Low Pressure Sensor.</p> <p>After due deliberation, it was decided to issue to SCN for Refusal for the following non-compliances:</p> <ol style="list-style-type: none"> 1. Details of additional 40 CMD sewage treatment plan and mode of disposal not submitted. 2. Nonhazardous material showing Metal Scrap, AL Scrap, CI Scrap shall be generated. details of treatment on coolant generating due to machining activity needed. 3. For expansion D.E- 40 CMD. Details of additional sewage treatment and mode of disposal not submitted. 4. Not submitted details of available land for disposal treated domestic effluent for expansion + existing units. 5. Details of Existing BUA + additional build-up area for expansion needed for applicability of Environmental Clearance. 6. Submit details of compliance Board Circular for D.G. Sets dtd. 02/06/2023 for existing units. <p>If PP fails to submit a satisfactory reply w.r.t. Show Cause Notice for refusal within 7 days from date of issuance of notice. The case shall be refused without giving any further opportunity.</p>

69	MPCB- CONSENT- 0000234898	LMMFs Deenanath Mangeshkar Hospital & Research Center, 8+13/2, Erandawane, Nr. Mhatre Bridge, Pune – 411004	APPROVED Renewal of combined consent and BMW Authorization	31.03.2027	<p>Committee noted that HCE has applied for Renewal of combined consent and BMW Authorization for 876 beds on Total Plot Area 24000 Sq. M. with Built-up area 51142 Sq. M.</p> <p>Committee also noted that previous CCA granted vide dtd. 03.02.2024 for 876 beds which was valid upto 31.03.2025 in Plot Area= 24000 Sq. M.& Built-up area 57798.00 Sq. M. EC obtained vide dtd. 4.09.2010 for Plot Area-24000 Sq. M. and Total BUA- 57798 Sq. M. HCE has submitted BNHR certificate and CBMWTF is valid upto 31.03.2027 for 876 beds.</p> <p>Committee further noted that PP has applied for D.E = 300 CMD & IE- 60 CMD. IE has increased from 26 CMD to 60 CMD. HCE has provided STP of 375 CMD & treated water reused for flushing/gardening and rest discharged to local drainage. Primary ETP is provided and connected with STP for further treatment. HCE has provided Gas engines of 1200 KVA * 4 nos HCE has submitted BG of Rs 25 lakh valid up to 29.12.2025. Original BG submission record is not submitted.</p> <p>After due deliberation, it was decided to grant renewal of combined consent and BMW authorization for 876 by imposing BG as per regime after receipt of the original BG submission record and its interest if applicable with ETP details & valid membership of CBMWTSDF.</p>
70	MPCB- CONSENT- 0000234143	Indian Oil Corporation Limited - Pipelines Division , Ahmednagar - Solapur Pipeline (an extension of Koyali - Ahmednagar Petroleum	APPROVED Renewal of Consent to Operate	31.01.2026	<p>Committee noted that PP has applied for renewal of consent to operate for Transportation of Petroleum Product in IOCL KASPL Ahmednagar - Solapur Pipeline (an extension of Koyali - Ahmednagar-Solapur Petroleum Product Pipeline such as MS, HSD, ATF & SKO having technical specification - 230 Km long, 18" OD x 0.25 " WT 50,00,000 MT/A) in Maharashtra.</p> <p>Committee also noted that previous consent was granted vide dtd. 3.02.2024 for the same activity with validity upto 31/01/2025. No trade and domestic effluent.</p>

		Product Pipeline), Mumbai			<p>Committee also noted that Submitted BG is valid upto 9.01.2027 but original BG submission details not submitted. PP has not submitted the latest C.I. certificate and penal charges for delay in application.</p> <p>Committee further noted that PP has requested to grant the consent under Green category G60-Oil and gas transportation pipeline as there is no water and air pollution and it is in closed loop.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate in red category as Transportation of Petroleum Product pipeline can be considered as part of "isolated storage" of hazardous chemicals under the MSIHC Rules, 1989 subject to submission of latest Capital investment certificate., requisite fees with penal charges and Original BG submission with its interest, if applicable. The above details shall be submit within 15 days.</p>
71	MPCB- CONSENT- 0000235318	Endurance Technologies Ltd., Plot No. L- 6/3, Waluj MIDC, Tal. Gangapur, Dist. Chatrapati Sambhajinagar	APPROVED Consent to Establish for Expansion	Commissioni ng of the Unit OR 5 years whichever is earlier	<p>Committee noted that PP has applied for grant of consent to establish for expansion in terms of Replacement of old machineries by new machinery & Modernization of old machineries, Electrical express line, machinery software's, Building renovation in existing automobile manufacturing components industry.</p> <p>Committee also noted that existing Domestic Effluent: = 65 CMD. Total Industrial Effluent: 55 CMD. For this expansion water consumption and effluent generation is nil. Existing STP 90 CMD & ETP capacity of 55 CMD is provided. Installed Online OCEMS to the ETP Outlet and same is connected to SCADA of CETP with flow meter. PP has applied for proposed 4 nos of melting furnaces with 30 meters combined stack with wet scrubber as an APCS. Existing unit is equipped with wet scrubber & fumes extraction system to 7 tank process, Dust collector to shot blasting and provided 4 nos of furnace with scrubber & combined stack.</p> <p>Committee further noted that Board has issued PD on 29.10.2024 for separation of industry of Plot No.L-6/3 & L-6/3-1, installation of two</p>

					<p>furnaces without obtaining consent, non-operation of ETP, STP, Wet scrubber and no provision to transfer scrubber water to ETP, Not done retrofitting to 4 DG sets, fugitive emissions near melting furnace and slag disposing into landfilling. Compliance submitted and verified with noting that installed 4 furnaces and Fugitive emission near melting sections are observed. PP has installed 2 furnaces without obtaining the Board's consent to establish and shall submit date of installation to calculate the penal charges. PP has not submitted BG acknowledgement details to assess BG interest, if any.</p> <p>After due deliberation, it was decided to grant consent to establish expansion in terms of Replacement of old machineries by new machineries & Modernization of old machineries, Electrical express line, machinery software's, Building renovation in existing automobile manufacturing components industry, by imposing standard conditions and bank guarantee.</p> <p>Consent shall be issued after receipt of the SRO's verification report with penal charges for installation of 2 new furnaces without obtaining Board's consent to establish and BG submission/acknowledgement details and its interest, if applicable and clarity for furnaces newly applied.</p>
72	MPCB- CONSENT- 0000231487	Bharti Vidyapeeth Poona, CBD, Belapur, Sector 3, Opp. Kokan Bhavan, Navi Mumbai (M Corp.), Thane – 400614	NOT APPROVED Renewal of combined consent and BMW Authorization	-----	<p>Committee noted that HCE has applied for Renewal of combined consent and BMW Authorization for 310 beds on Total Plot Area 30000 Sq. M. with Built-up area 15023.19 Sq. M.</p> <p>Committee also noted that previous CCA was granted for 310 beds which was valid upto 31.08.2024 in Total Plot Area = 30000 sqm, Total Built up Area =15023.19 sqm. EC granted vide dtd 24.03.2015 for Plot Area 30,000 Sq. Mtr. and Total BUA 57,648.40 Sq. Mtr. HCE has not submitted BNH certificate for 310 beds and membership of CBMWTFD expired on 28.02.2025. PP has applied for D.E = 125 CMD, I.E = 25 CMD. STP and ETP provided. Provided separate BMW room with segregation. DG set is with APCS.</p>

					<p>Committee further noted following non-compliances:</p> <ol style="list-style-type: none"> 1. HCE has not submitted penal charges for delay in application. 2. HCE has not submitted valid BGs as per CCA condition 3. HCE has not submitted a valid BNH certificate nor CBMWTSDF certificate. 4. HCE has not submitted BMW annual report for year 2024. 5. HCE has not submitted details of the ETP and STP. <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of CCA for above noncompliance.</p> <p>If HCE/PP fails to submit a satisfactory reply of Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity.</p>
73	MPCB- CONSENT- 0000233023	MADHAV NETRALAYA CITY CENTRE RUN BY TRUST MADHAV NETRALAYA EYE INSTITUTE AND RESEARCH CENTRE, "PURUSHOTTAM BHAVAN", SAMAJ BHUSHAN GRIHA NIRMAN SAHAKARI SANSTHA, AJNI, NAGPUR – 440015.	APPROVED Consent to Establish (CCA)	Commissioni ng of the Unit or 5 years whichever is earlier	<p>Committee noted that HCE has applied for Consent to Establish (CCA) for setting up an Eye Care Hospital with 252 beds on Total plot area 23606.185 sq.m, Built up area 45476.33 sq.m.</p> <p>Committee also noted that HCE has obtained EC vide dtd. 23.01.2025 for Proposed Eye Institute & Research Centre for Total plot area 23606.185 sq.m and proposed Built up area 45476.33 sq.m. PP has applied for Proposed D.E = 2 CMD. I.E = Nil.</p> <p>Committee further noted that HCE has proposed to provide 100 CMD STP plant. HCE has submitted sanctions and building permission with CC. PP has submitted Airport Authority NOC. HCE has proposed to provide DG set of 82.5 KVA with acoustic enclosure.</p> <p>After due deliberation, it was decided to grant consent to establish for Eye Care Hospital with 252 beds with bank guarantee of Rs. 5.0 Lakh.</p> <p>CCA will be issued after receipt of the appropriate water budget.</p>

74	MPCB- CONSENT- 0000235384	BHARAT FORGE LTD.72/76 MUNDHWA HAVELI	APPROVED Consent to 1 st Operate	30.06.2025	<p>Committee noted that PP has applied for 1st consent to operate for Reprocess of ETP (Graphite Base) Sludge - 15 MT/M.</p> <p>Committee also noted that PP has obtained consent to operate vide dtd. 27/02/2025 which was valid upto 30/06/2025 for Forging, Coupling, Machining Components Turbocharger with phosphating activity.</p> <p>Committee further noted that in expansion industrial and domestic effluent generation shall be nil. PP has provided LPG fired Thermic Fluid Heater with stack & Electrically operated Dryer and requested to incorporate same as same was not reflected in earlier consent to establish.</p> <p>After due deliberation, it was decided to grant Consent to 1st Operate with amalgamation of both consents by imposing following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit/extend existing Bank Guarantee of Rs. 25.0 lakhs. 2. PP shall not start any activity without obtaining valid authorization under Rule 9 of Hazardous & Other Wastes (Management & Transboundary Movement) Rules, 2016 and as per SOP for utilization of Graphite containing ETP (chemical) Sludge.
75	MPCB- CONSENT- 0000236275	FERANI HOTELS PVT. LTD. INTERFACE HEIGHTS RESIDENTIAL BLDGS. A, B, C, D, E, F, G & CLUB HOUSE (PART-I) (BLDGS. A, B, C,	NOT APPROVED Consent to Operate (Part-I)	-----	<p>Committee noted that PP has applied for Consent to Operate (Part) for residential & Commercial building construction project having total plot area 1,17,208 Sq. Mtrs. and completed Part-I total construction BUA of 74270.80 SqMtr out of total construction BUA of 7,68709.79 Sq. Mtrs as per specific condition of EC dtd 13.06.2022.</p> <p>PP has obtained Revalidation of Consent to Establish dtd 01.01.2025 valid till COU or 23.07.2029 for construction project on Total Plot Area of 1,17,208 SqMtrs for total construction BUA of 7,68,709.79 SqMtrs</p>

		D, E & F - HANDED OVER TO SOCIETY)C.T.S. NO. 1406A/10 (PART) OFF MALAD LINK ROAD MALAD			<p>(including existing BUA-197955.54 Sq.mtrs which is prior to 2004) as per Environmental Clearance dated 13.06.2022 with CI of Rs 998 Cr.</p> <p>PP has obtained Environmental Clearance for expansion dtd 13.06.2022 for construction project on total plot area 117208 Sq. Mtrs. and Total Construction BUA of 768709.79 Sq. Mtrs. (i.e. for residential buildings A to F, G, Club House, Commercial Building no. 7, 11, 14, 16, 1, 4 and 15).</p> <p>SRO reported that PP had completed construction of residential buildings A to F and commercial buildings 7, 11, 14 and 16 (Total 10 buildings construction completed prior 2004 having TBUA – 1,97,955.54 Sq. Mtrs. as mentioned in EC)., . It is also noted that, all residential buildings except Building No. G (under construction) and commercial building no. 14 (Completed) observed not occupied.</p> <p>The Capital Investment is Rs 195.58 Cr. PP has paid Rs 50000. Additional consent fees is required.</p> <p>Committee also noted that PP has submitted OC dtd 27.02.2007. PP has submitted that the same are constructed prior to EIA Notification 2006. PP has provided STP & OWC.</p> <p>After due deliberation, it was decided to call PP for personal hearing along with chronology of sanction plans, OC and consents obtained certified by architect certificates</p>
76	MPCB- CONSENT- 0000236199	FERANI HOTELS PVT. LTD. INTERFACE COMMERCIAL BLDGS. 7, 11 & 16C.T.S. NO. 1406A/10 (PART), OFF. MALAD LINK	NOR APPROVED Consent to Operate (Part-II)	-----	<p>Committee noted that PP has applied for Consent to Operate(Part-II) for Commercial building construction project (IT park Buildings – 7, 11 and 16) having total plot area 117208 Sq. Mtrs. and completed Part-II total construction BUA of 92703 SqMtr out of total construction BUA of 7,68,709.79 Sq. Mtrs as per specific condition of EC dtd 13.06.2022.</p> <p>PP has obtained Revalidation of Consent to Establish dtd 01.01.2025 valid till COU or 23.07.2029 for construction project on Total Plot Area of 1,17,208 SqMtrs for total construction BUA of 7,68,709.79 SqMtrs</p>

		ROAD, VILLAGE MALAD (SOUTH), MALAD WEST MALAD			<p>(including existing BUA-197955.54 Sq.mtrs which is prior to 2004) as per Environmental Clearance dated 13.06.2022 with CI of Rs 998 Cr.</p> <p>PP has obtained Environmental Clearance for expansion dtd 13.06.2022 for construction project on total plot area 117208 Sq. Mtrs. and Total Construction BUA of 768709.79 Sq. Mtrs. (i.e. for residential buildings A to F, G, Club House, Commercial Building no. 7, 11, 14, 16, 1, 4 and 15).</p> <p>Capital Investment: Rs 161.16 Cr. Consent fees paid: Rs. 50000. Additional consent fees is required Sewage generation 287 CMD. STP Capacity- Provided 3 STPs of 600 CMD capacity. Provided OWC.</p> <p>After due deliberation, it was decided to call PP for personal hearing along with chronology of sanction plans, OC and consents obtained certified by architect certificates</p>
77	MPCB- CONSENT- 0000236111	FERANI HOTELS PVT. LTD. RAHEJA RESIDENCY (PART-II) BLDGS. S & T (PART-I)C.T.S. NO. 827A/1A & 827A/2 VILLAGE MALAD, MALAD (EAST), MUMBAI - 400 097 MALAD	NOT APPROVED Consent to Operate (Part-I)	-----	<p>Committee noted that PP has applied for Consent to Operate (Part-I) for residential construction project having total plot area 57252.10m Sq. Mtrs. and completed (Part-I) total construction BUA of 33556.66 SqMtr out of total construction BUA of 353655.0 Sq. Mtrs as per specific condition of EC dtd 24.01.2020.</p> <p>PP has obtained Consent to Establish (Part-II) dtd 14.01.2025 valid till COU or 5 Yrs for construction project on Total Plot Area of 57252.10 SqMtrs for Part-II construction BUA of 279318.79 SqMtrs out of Total Construction BUA of 3,53,655 SqMtrs as per EC granted dated 24.01.20202 with CI of Rs 746.94 C PP has obtained Environmental Clearance dtd. 24.01.20220 for construction project on total plot area of 57,252.10 SqMtr and total construction BUA of 3,53,655 Sqmtr</p> <p>The Capital Investment is Rs 133.66 Cr. Consent fees paid: Rs. 50000. Additional Fees is required, Sewage generation is 162.20 CMD. PP has provided STP of 450 CMD capacity. Provided OWC.</p>

					After due deliberation, it was decided to call PP for personal hearing along with chronology of sanction plans, OC and consent obtained certified by architect certificates.
78	MPCB- CONSENT- 0000234511	Premium Transmission Limited, Plot No.5 Premium House, Old Pune-Mumbai Highway, Chinchwad Haveli	NOT APPROVED Renewal of Consent	-----	<p>Committee noted that PP has applied for renewal of consent to operate for manufacturing Industrial & Marine Gear Boxes.</p> <p>Committee also noted that PP has obtained Consent to Operate vide dtd. 29/09/2022 which was valid upto 28/02/2025.</p> <p>After due deliberation, it was decided to issue to show cause notice for refusal of renewal of consent on following non-compliances:</p> <ol style="list-style-type: none"> 1. JVS result of STP & ETP dtd. 13/03/ 2025 exceeding consented limit. 2. Capital Investment increased by Rs. 20.38 Crs. Justification needed. 3. SRO office reported that PP carrying shot blasting activity before spray painting, however same is not reflected in earlier consent and details of APCS to same is not submitted. 4. Manufacturing process showing machining activity for conversion into component, however details treatment on coolant generated from process not submitted. 5. PP has applied consent with various furnaces however process not showing any activity related to use of furnace. Also submit details of fuel used for same. 6. Justification needed regarding type of quenching if heat treatment is carried out. In case oil quenching details of air pollution control system needed. <p>If PP fails to submit a satisfactory reply w.r.t. Show Cause Notice for refusal within 7 days from date of issuance of notice. The case shall be refused without giving any further opportunity.</p>

79	MPCB- CONSENT- 0000236929	Krishna Charitable trust, near Dhebewadi road Malkapur Karad Satara – 415110	NOT APPROVED Consent to establish for expansion	-----	<p>Committee noted that HCE has applied for Consent to Establish for expansion and BMW Authorization for additional 200 beds in existing Hospital on Plot Area -128200 Sq. M. and Total BUA- 19658.93 Sq. M.</p> <p>Committee also noted that existing CCA is granted vide dtd 10/02/2025 which is valid up to 31/08/2029 for 1125 beds on Plot Area 128200.00 Sq. M., Built-up area 19658.93 Sq. M., which is valid upto 31.08.2029. CI= Rs 377.73 crs. Now, applied for consent to establish an additional 200 beds with letter stating that same will be enhanced in the existing Hospital without any construction. Submitted valid Membership of CBMWTSDf with Karad Hospital Association is submitted for 1325 beds, valid till 28/02/2026.</p> <p>Committee further noted that PP has applied for Domestic effluent = 81 CMD. Two STPs of 500 m³/day each with MBBR technology provided. I.E = 90 CMD. HCE has provided ETP of 100 CMD. Industry is having laundry facility. HCE has provided DG Sets: 1x500 KVA & 2x250 KVA with 20 m stack and acoustic enclosures. Also provided Diesel-fired Steam Boiler with capacities of 800 & 300 Kg/hr, with stacks of 2.9 & 2.15 m respectively. HCE has submitted BGs of Rs ₹5.00 Lakhs and ₹3.25 Lakhs as per existing consent.</p> <p>After due deliberation, it was decided to call HCE/PP authority for personal hearing with entire HCE project, sanction plan and Architect certificate with completion of BUA as on and details of the ETP & STP with total effluent budget.</p>
80	MPCB- CONSENT- 0000236916	Gopani Iron & Power (India) Pvt. Ltd. Plot No. A-22 MIDC Tadali, Tal. & Dist Chandrapour	NOT APPROVED Renewal of Consent to operate	-----	<p>Committee noted that PP has applied for Consent to operate for manufacturing of Steel Billets- 75000MT/A.</p> <p>Committee also noted that PP has made another application for Sponge Iron & Power Plant vide UAN MPCB-CONSENT-0000236693. Previous consent to establish was granted vide dtd.13.10.2008 for manufacturing of Billets-75000 MT/A. This unit is located in one plot for Sponge Iron & Power Plant & Steel Billet. Previous consent was granted vide dtd. 2.03.2016 for Sponge Iron (Kiln- I, II, III & IV)-12000 MT/M and Electricity generation (WHRB & Co-generation Plant)-15</p>

				<p>Mwh Char-1800 MT/M and validity is upto 31.05.2020. Previous consent application vide UAN No. 91853 is in abeyance as industry approached Hon'ble High Court Nagpur Bench and filed case bearing no. 3987/2021 against the Board's decision of refusal as per 5th CAC meeting dtd. 3.08.2021. The same application was for steel billet and sponge iron with Power generation. PP has obtained EC dtd.19.12.2003 for Sponge Iron 12000 MT/M & Char by product-1800 MT/M & dtd.7.04.2008 for 15 MW captive power Project. However, EC for steel billet is not obtained and submitted SEIAA minutes of 19th CAC meeting dtd.27.01.2010 in which it is mentioned that it was decided to accord the EC to the Project. However, SEAC, GoM has sent proposal to MOEF as Chandrapur District has declared Critically Polluted District and expansion banned Expansion not issued EC. Hence, after 105 days, PP has assumed that EC is deemed granted. Committee further noted that PP has applied for Domestic Effluent: 1.0 CMD, Industrial effluent: 40 CMD. Provided septic tank and reportedly neutralized tank but not submitted details. Fume extraction systems provided at furnace section (Primary and secondary extraction systems). Venturi scrubber provided at induction furnace with fume extraction system & suction hood with ID Fan to all the furnaces. Water sprinklers along with the internal road, rain guns to various emission sections. The Board was issued PD on 13.11.2024 due to non-compliances for complaint based verification such as dust emission at Klin 3 & 4, damage of side cladding of conveyor belts, Emission on road from canteen to SMS and product house to T point, Tyre washing and non-provision of RCC platform for vehicles movement, dust accumulation at coal storage area and huge char stored near ETP are without dust suppression system, Submitted compliance of PD 19.11.2024. Except RCC others complied. PP has applied for consent to operate for the billet unit. However, the Board has not granted consent due to not obtaining EC for the same. Further noted following noncompliance.</p> <ol style="list-style-type: none"> 1. PP has not submitted the latest assessed C.I. certificate with unit of Rupees and balance sheet. 2. PP has not submitted justification for separate application for Billet production as both plants are operating in one Plot.
--	--	--	--	--

					<ol style="list-style-type: none"> 3. PP has not submitted production (year-wise) details from the year 2012 to date. Submit duly certified by competent authority. 4. PP has been operating SMS plant since 2012 without consent to operate and EC. 5. PP has not provided RCC platform for internal vehicle movement and not provided pucca road within premises and ESP dust is stored unscientifically. 6. PP has not submitted the status of the EC application and Hon'ble Court case. 7. PP has not submitted the details of the sanction plan, MIDC approval and BCC details with commissioning of this unit. <p>After due deliberation, it was decided to call PP for personal hearing with details of the entire project, compliance of EIA Notifications, 2006 & its further amendment, air and water pollution control system and compliance of existing EC and consent conditions and above non-compliance with Court case status.</p>
81	MPCB- CONSENT- 0000236693	Gopani Iron & Power (India) Pvt. Ltd. Plot No. A-22 MIDC Tadali, Tal. & Dist Chandrapour	NOT APPROVED Renewal of Consent to operate	-----	<p>Committee noted that PP has applied for Renewal of Consent to operate for manufacturing of Sponge Iron (Kiln- I, II, III & IV)-12000 MT/M and Electricity generation -15 Mwh (WHRB-4 Nos-12 TPH each & Co generation - AFBC Boiler-45 TPH) & Char as a By-product-1800 MT/M.</p> <p>Committee also noted that PP has made another application for Steel Billets -75000 MT/A Plant vide UAN MPCB-CONSENT-0000236916. Previous consent was granted vide dtd. 2.03.2016 for Sponge Iron (Kiln- I, II, III & IV)-12000 MT/M and Electricity generation (WHRB & Co-generation Plant)-15 Mwh Char-1800 MT/M and validity is upto 31.05.2020. PP has obtained consent to establish vide dtd.13.10.2008 for manufacturing Billets-75000 MT/A for the same plot. Industry is operating in the one premises for manufacturing Sponge Iron & Power Plant & Steel Billet. Previous consent application vide UAN No. 91853 is in abeyance as industry approached Hon'ble High Court Nagpur Bench and filed case bearing no. 3987/2021 against the Board's decision of refusal as per 5th CAC meeting dtd. 3.08.2021. The same</p>

				<p>application was for steel billet and sponge iron with Power generation. PP has obtained EC dtd.19.12.2003 for Sponge Iron 12000 MT/M & Char by product-1800 MT/M & dtd.7.04.2008 for 15 MW captive power Project. However, EC for steel billet is not obtained and submitted SEIAA minutes of 19th CAC meeting dtd.27.01.2010 in which it is mentioned that it was decided to accord the EC to the Project. However, SEAC, GoM has send proposal to MOEF as Chandrapur District has declared Critically Polluted District and expansion banned Expansion not issued EC. Hence, after 105 days, PP has assumed it is deemed EC.</p> <p>Committee further noted that PP has applied for Domestic Effluent: 13.6 CMD, Industrial effluent: 509CMD. Provided septic tank and reportedly neutralized tank but not submitted details. Neutralized effluent is reused within the factory for ash cooling & gardening. ESP provided to stack of Sponge Iron Kiln & at WHRB section, AFBC section and Bag filter provided at all transfer points of conveyors, Coal Crusher, raw material circuits, product separation circuits, kiln Product outlet area. Reportedly, Maximum Side cladding work is done at conveyor belts, RMHS area, Kiln injection belt, product belt, coal feeding belt to power plant. PP has provided fixed type of water sprinklers along with the internal road and 6.0 no's rain guns provided on ESP silo, at DRI kiln, product belt, Kiln-3 & 4, SMS area etc. Tyre washing systems provided near the main gate and RCC platform for internal vehicles movement are not maintained. The Board was issued PD on 13.11.2024 due to non-compliances for complaint based verification such as dust emission at Klin 3 & 4, damage of side cladding of conveyor belts, Emission on road from canteen to SMS and product house to T point, Tyre washing and non-provision of RCC platform for vehicles movement, dust accumulation at coal storage area and huge char stored near ETP are without dust suppression system, Submitted compliance of PD 19.11.2024. Except RCC others complied. PP has applied for separate renewal application for sponge Iron and power plant activity only. Further noted following non-compliances:</p>
--	--	--	--	---

					<ol style="list-style-type: none"> 1. PP has not submitted the latest assessed C.I. certificate and complete page of balance sheet. 2. PP has not submitted justification for separate application for Billet production as both plants are operating in one Plot. 3. PP has not submitted production details from the period January 2024 to date to verify the compliance. Submit duly certified by competent authority. 4. PP has been operating SMS plant since 2012 without consent to operate and EC. 5. PP has not submitted BG details/acknowledgment of Rs. 20 Lakh as per consent condition. 6. PP has not provided RCC platform for internal vehicle movement and not provided pucca road within premises and ESP dust is stored unscientifically. 7. PP has not submitted the status of the EC application and Hon'ble Court case. <p>After due deliberation, it was decided to call PP for personal hearing with details of the entire project, compliance of EIA Notifications, 2006 & its further amendment, air and water pollution control system and compliance of existing EC and consent conditions and above non-compliances with Court case status.</p>
82	MPCB- CONSENT- 0000236742	IKEA India Private Limited, Plot no. 15, 15a, 15b, 15c TTC MIDC Area, Thane Belapur Road, Village Turbhe and Pawane, Navi Mumbai 400703 Thane	APPROVED Renewal of Consent	28.02.2026	<p>Committee noted that PP has applied for grant of renewal of consent for retail store having total plot area is 96250 sq.mtrs. & BUA is 108400.77 sq.mtrs</p> <p>Committee also noted that PP has obtained Renewal of Consent to Operate from Board on 21/10/2024 for total plot area of 96250 Sq Mtr for construction BUA 108049 valid up to 28/02/2025. Obtained Environment clearance from MIDC on 21/08/2017 vide No DE-1/Mahape/IFMS/3194/2017. Obtained amendment in Environment Clearance from Environment Department Gom on 28/03/2019.</p>

					<p>Committee further noted that PP has provided STP with MBBR Technology. STP has a capacity of 240 CMD. Submitted a Bank Guarantee of Rs. 25 Lakh towards previous consent conditions which is valid up to 31/08/2025</p> <p>After due deliberation, it was decided to grant renewal of consent for retail store having total plot area is 96250 sq.mtrs. & BUA is 108400.77 sq.mtrs by imposing bank guarantees and standard conditions for infrastructure projects.</p>
83	MPCB- CONSENT- 0000236511	Manjri Horse Breeders Farm Pvt. Ltd. (PoAH - M/s. Joyville Shapoorji Housing Pvt. Ltd.)Old S.No. 6/1TO 6/6,7/2/1,7/2/2, 9/1,9/2 Project-Old Survey Number 6/1TO 6/6,7/2/1,7/2/2, 9/1,9/2,9/5 TO 9/20,9/23 TO 9/41,10/1 TO 10/8,10/10 TO 10/16 , New Survey Number - 6/7/9/10/1 , 6/7/9/10/2 , 6/7/9/10/3 , 6/7/9/10/4 , 6/7/9/10/5 , 6/7/9/10/6 ,	APPROVED Consent to Operate (Part-II)	31.03.2027	<p>Committee noted that Project Proponent has applied for Consent to Operate (Part-II) for residential building construction project having plot area of 165557.87 SqMtrs & completed Part-II total construction BUA of 243059.59 SqMtrs out of Total Construction BUA of 588439.68 SqMtrs as per specific condition of EC dated 22.08.2023</p> <p>PP has obtained Consent to Establish dtd. 31/12/2020 for construction project on total plot area of 1,65,557.87 SqMtrs for total Construction BUA of 376394.85 SqMtrs with CI of Rs 1221 Cr.</p> <p>PP has obtained Consent to Establish for expansion dtd 18.09.2023 valid till COU or 5 Yrs for Construction project having total plot area 1,65,557.87 SqMtrs & Construction BUA of 2,13,605.15 SqMtrs out of Total Construction BUA of 5,90,000 SqMtrs with CI of Rs 563 Cr.</p> <p>PP has obtained Consent to Operate (Part-I) dtd 12.07.2024 valid till 30.06.2026 for construction project on Total Plot Area of 1,65,557.87 SqMtrs & Construction BUA of 1,25,900.99 SqMtrs out of Total Construction BUA of 5,88,439.68 SqMtrs as per EC dated 22/08/2023 with CI of Rs 472.72 Cr</p> <p>PP has obtained Environmental clearance dtd. 27/10/2020 for Construction project on Total Plot Area of 1,65,557.87 SqMtrs & total Construction BUA of 376394.85 SqMtrs.</p>

		6/7/9/10/7 Village: Shewalwadi , Taluka-Haveli, District-Pune Haveli			<p>PP has obtained EC for expansion dtd 03.03.2023 for construction project on total plot area of 165557.87 SqMr & total construction BUA of 556525.98 SqMtrs as per specific condition with CI of Rs 1784 Cr.</p> <p>PP has obtained Corrigendum in EC vide No SIA/MH/MIS/299065/2023 dtd 22.08.2023 for change in building height and total construction BUA as 588439.68 SqMtr.</p> <p>Capital Investment is Rs 457.23 Cr. Consent fees paid: Rs 914474.00 for one term</p> <p>The sewage generation is 730 CMD. PP has provided STP of capacity 1500 CMD. PP has provided OWC</p> <p>After due deliberation, it was decided to grant Consent to Operate (Part-II) for residential building construction project having plot area of 165557.87 SqMtrs & completed Part-II total construction BUA of 243059.59 SqMtrs out of Total Construction BUA of 588439.68 SqMtrs as per specific condition of EC dated 22.08.2023 by imposing standard conditions and bank guarantee.</p>
84	MPCB- CONSENT- 0000233973	Nipro India Corporation Pvt. Ltd. Plot No. E-1/1 Plot No. E-1/1, Khandala PH-1 Industrial Area Khandala	APPROVED Consent to Establish for Expansion	Commissioning of unit or 5 Years whichever is earlier	<p>Committee noted that PP has applied for Consent to Establish for Expansion to manufacture Dialysis Machine, RO System, B-Cartridge, CL fine.</p> <p>Committee also noted that PP has obtained Consent to Operate vide dtd. 08/11/2022 which was valid upto 31/07/2025.</p> <p>Committee further noted that PP has provided ETP and STP for treatment of trade and domestic effluent. I.E. and D.E. generating from expansion shall be treated in existing ETP and STP.</p> <p>After due deliberation, it was decided to grant consent to establish expansion, by imposing the following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit/extend existing Bank Guarantee of Rs. 25 lakhs.

85	MPCB- CONSENT- 0000237353	Haier Appliances (India) Pvt. Ltd., Plot No. B-3 Ranjangaon MIDC Ranjangaon	APPROVED Consent to Establish for Expansion	Commissioning of unit or 5 Years whichever is earlier	<p>Committee noted that PP has applied for consent to establish for expansion for mfg. of TV Set, Air Fryer and Commercial Refrigeration.</p> <p>Committee also noted PP has obtained Consent to Operate vide dtd. 19/08/2024 which was valid upto 28/02/2028 for manufacturing Refrigerator, Washing Machine, Air conditioner, Water Heater, TV Set, Kitchen Appliances (Hood, Gas Hob), Microwave Oven.</p> <p>Committee further noted that PP has provided ETP and STP for treatment of trade and domestic effluent. Also, APCS provided at painting and shot blasting section.</p> <p>After due deliberation, it was decided to grant consent to establish expansion, by imposing the following conditions:</p> <ol style="list-style-type: none"> 1. PP shall submit/extend existing Bank Guarantee of Rs. 25.0 lakhs.
86	MPCB- CONSENT- 0000237299	SHREE KHIDKALESHWAR PROPERTY DEVELOPERS PVT. LTD. (Formerly known as M/s. Shree Khidkaleshwar Land Developers).-- on plot bearing Plot S. No. 5, 9, 13 to 15, 17, 18, 38 /1D, 22 to 24, 26, 29 to 34, 38 to 42, 53 & 2, 7, 11, 12, 16, 19, 28, 43 (all in parts) at Village	NOT APPROVED Consent to 1 st Operate (Part-IV)	-----	<p>Committee noted that PP has applied for consent to operate (part IV) of the total plot area 1,66,430. Sq Mtr for Total BUA- 5481.15 Sq Mtr for school building.</p> <p>Committee also noted that PP has obtained Consent to establish by the Board on 05/12/2008 for total plot area 1,64,930 Sq Mtr and total built up area 1,53,296.69 Sq Mtr.</p> <p>b. PP has obtained Consent to Operate (part) from the Board on 09/05/2024 for total plot area of 1,66,430 sq mtr for complete construction BUA 32,891.96 sq Mtr out of total construction BUA 4,39,033.11 Sq Mtr.</p> <p>Committee further noted that PP has obtained Environmental Clearance vide No. SEIAAEC-0000002103 dtd. 18/02/2020 for Total Plot Area – 1,66,430 Sq Mtr and Total Built Area – 4,39,033.11 Sq Mtrs. Provided MBBR based STP of capacity 80 CMD. PP has not submitted has not furnished any details about Bank Guarantee and have not submitted architect certificate.</p>

		Sagarli, Tal & Dist. Thane, Maharashtra Thane			<p>Committee further noted that PP have entered into an agreement vide dtd. 14.06. 2014 and 01.11.2021 with M/s. Vardhaman Property Developers for construction of U5 / Building No. 6 & 7.5. PP has obtained Approval from TMC vide letter No. V. P. No. 95/135 TMC / TDDP / TPS/40 dated 01.06.2016.</p> <p>Committee also noted that PP has applied for C to O (Part-II) for Unit 5 (Building. 6 and 7) with Total BUA area of Built-up area 38,431.28 Sq.m as per the Architect certificate dated. 18.07.2024. Whereas, as per the Amended Approved Plan from TMC vide dtd. 21/07/2021, U5/Building 6 (Stilt +3 PODIUM LVL+24 floors) with BUA area of 11,841.86 Sq.m. and U5/Building 7 (Stilt +3PODIUM LVL+24 floors) with BUA area of 11,841.86 Sq.m</p> <p>After due deliberation, it was decided to issue show cause notice as there is variation in BUA and approved plan.</p>
87	MPCB- CONSENT- 0000237480	VIKASRATNA VILASRAO DESHMUKH MANJARA SSSK LTD VILASNGAR LATUR.106,108,1 09,110,111,115,1 16,117 CHINCHOLIRAO WADI VILASNAGR, LATUR ,MAHAR4ASTRA -143531 LATUR	APPROVED Consent to 1 st Operate for Expansion	31.07.2025	<p>Committee noted that Industry has applied for consent to 1st for expansion for 90 KLPD molasses-based distillery and amalgamation with existing consent</p> <p>Committee also noted that Board has granted consent to operate on 15.11.2022 for 60 KLPD molasses based distillery which is valid upto 31.07.2025. Also, Board has granted consent to establish expansion on 06.11.2023 for 90 KLPD molasses-based distillery.</p> <p>Committee also noted that Industry has obtained EC on 27.12.2022 for total 150 KLPD distillery.</p>

					<p>Committee also noted that Industry has provided bio-methanation followed by MEE and ATFD. MEE condensate shall be treated in CPU of 1200 CMD and recycled into process/cooling tower.</p> <p>Committee also noted that Industry has provided bagasse fired boiler of 30 TPH with ESP and stack of 65 mtr.</p> <p>Committee also noted that Overall erection /construction of Plant & machinery of 90 KLPD was found completed. Online monitoring system shall be installed within a week. Industry has submitted BG of Rs 25 lakh as per consent to operate valid upto 17.07.2026.</p> <p>After due deliberation, it was decided to grant consent to 1st for expansion for 90 KLPD molasses-based distillery and amalgamation with existing consent, by imposing bank guarantee and standard conditions.</p> <p>Consent shall be issued after the verification of installation and connection of Online monitoring system.</p>
88	MPCB- CONSENT- 0000237356	R Retail Ventures Pvt. Ltd., CTS No. 4510, 4510/1, 4523 Chinchwad Haveli	APPROVED Consent to 1 st Operate (Part-I)	31.03.2027	<p>Committee noted that Project Proponent has applied for Consent to Operate (Part-I) for Residential & Commercial building Construction project on Total Plot Area of 105190 SqMtrs for Part-I Construction BUA of 70710.76 SqMtrs out of Total Construction BUA of 7,44,111 SqMtrs as per EC dated 21.07.2023</p> <p>PP has obtained Consent to Establish for expansion dtd. 24/04/2022 valid till COU or 5 Yrs for construction project on total plot area of 95,516.12 SqMtrs for Construction BUA of 19,745.90 SqMtrs as per Specific condition of EC dated 30/04/2021 CI of Rs 924 Cr.</p> <p>PP has obtained Consent to Establish for expansion dtd 07.11.2023 valid till COU or 5 Yrs for construction project on Total Plot Area of 95,516.12 SqMtrs for Total Construction BUA of 4,91,315.37 SqMtrs</p>

				<p>as per specific condition of EC dated 15/09/2022 with CI of Rs 888.44 Cr.</p> <p>PP has obtained Consent to Establish for expansion dtd 14.12.2023 valid till COU or 5 Yrs for construction project on Total Plot Area of 1,05,190 SqMtrs for Construction BUA of 2,52,794.43 SqMtr out of Total Construction BUA of 7,44,110 SqMtrs as per specific condition of EC dated 21/07/2023</p> <p>PP has obtained Environmental clearance dtd. 30/04/2021 for construction project for construction project on total plot area of 95516.12 SqMtrs & total construction BUA of 19745.9 SqMtrs with CI of Rs 924 Cr.</p> <p>PP has obtained EC for expansion dtd. 15/09/2022 for construction project on total plot area of 95516.12 SqMtrs & total construction BUA of 4,91,315.37 SqMtrs with CI of Rs 924 Cr.</p> <p>PP has obtained EC for expansion dtd. 21/07/2023 for construction project on total plot area of 1,05,190 SqMtrs & total construction BUA of 7,44,110 SqMtrs as per specific condition with CI of Rs 1250 Cr.</p> <p>The Capital Investment is Rs 118.78 Cr without cost of land. PP has paid Consent fees of Rs 1187800 for 5 term. The Sewage generation 243 CMD. PP has provided STP of 295 CMD. Provided OWC.</p> <p>Committee also noted that OA No. 10/2022(WZ) is filed by Dr. Adinath Bhujaballi Kuchanur vs MoEF&CC & Ors before Hon'ble NGT (WZ).</p> <p>After due deliberation, it was decided to grant Consent to Operate (Part-I) for Residential & Commercial building Construction project on Total Plot Area of 105190 SqMtrs for Part-I Construction BUA of 70710.76 SqMtrs out of Total Construction BUA of 7,44,111 SqMtrs as per EC dated 21.07.2023 by imposing standard conditions and BG and without prejudice to order passed or being passed in OA NO 10/2022(WZ) filed before Hon'ble NGT, Pune.</p>
--	--	--	--	---

					The consent shall be issued after submission of CA certificate in prescribed format showing capital investment of project including cost of land, within 8 days, failure of which, the consent shall be refused without further opportunity.
89	MPCB- CONSENT- 0000235550 & MPCB- BMW_AUTH - 0000053317	Watson Pharma Pvt. Ltd., Seawoods Grand Central, Tower 2, Level 10, D wing 01 to 05, Level 11, D, E & F Wing 01 to 04, Plot No. R-1, Sector – 40, Nerul, Navi Mumbai.	NOT APPROVED Renewal of combine Consent to operate & BMW authorization	-----	<p>Committee noted that PP has applied for Renewal of combined Consent to operate & BMW authorization for 149 beds of Bio-equivalence/Bio availability Study Centre for research and R & D activity for pharma set up on total plot area of 6665.31 Sq.Mtr & Total BUA of 9791.7 Sq.Mtr.</p> <p>Committee also noted that the previous CCA was granted vide dtd. 13/11/2024, valid up to 31-05-2025 for 149 beds of Bioequivalence/Bio availability study centre for research & R & D facility for pharma set up. PP is using common STP of capacity 1685 CMD of Seawood Grand Central condominium as a facility provider. PP provided one common scrubber for 5 fume hoods and a spot extractor and 3 scrubbers to 8 fume hoods with a common stack of height 10 meters as APC. Separate stack provided to ICP-MS, utility room, analytical equipment exhaust and chemical storage cabinet with 10 meters stack height.</p> <p>Committee further noted following non-compliances:</p> <ol style="list-style-type: none"> 1. PP has not submitted latest assessed capital investment certificate with appropriate Note sheets of Balance sheet. 2. PP has not provided primary ETP for treatment of trade effluent as per consent conditions. 3. PP has not justified the enhancement in scrubber numbers and exhaust with variation in the stack height without intimation to the Board. 4. PP has applied with variations in the HW quantities than the previous CCA and membership of CHWTSDF expired on 31.03.2025

					<p>5. PP has not submitted a bilateral agreement for joint responsibility for O & M of operation and deviation in JVS within 2 months as per consent conditions.</p> <p>6. PP has not submitted effluent quantity and not applied in CCA format.</p> <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of CCA for above noncompliance.</p> <p>If HCE/PP fails to submit a satisfactory reply of Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity.</p>
90	MPCB- CONSENT- 0000223644	Midea India Private Limited, Plot No. A4. Supa Parner Industrial Park Parner	APPROVED Consent to Establish Expansion	Commissioning of unit or 5 years whichever is earlier.	<p>Committee noted that Industry has applied for consent to establish for manufacture of additional GMCC Compressor Motor = 5000000 Nos/A and Welling Motors = 2000000 Nos/Y.</p> <p>Committee also noted that Board has granted consent to operate on 07.01.2024 for manufacture of GMCC Compressor Motor = 1500000 Nos/A which is valid upto 31.05.2028.</p> <p>Committee also noted that Board has also granted consent to establish for expansion on 26.02.2025 for manufacture of GMCC Compressor Motor = 2500000 Nos./Y, Refrigerator 600000 Nos./Y, Water Heater 400000 Nos./Y, Chimney 400000 Nos./Y, Hobs 300000 Nos./Y, Washing Machining 500000 Nos./Y, Induction Cooker 60000 Nos./Y, Fan 300000 Nos./Y, Microwave Oven 500000 Nos./Y, Vacuum Cleaner 500000 Nos./Y, Water Purifier 300000 Nos./Y .</p> <p>Committee also noted that Existing CI = Rs 500.85 crs. Consent to establish = Rs 563.56 crs. Proposed CI = Rs 212.35 crs.</p> <p>Committee also noted Industry has provided STP of 80 CMD for treatment of 65 CMD sewage. Proposed to provide 100 CMD STP.</p>

					<p>Industry has provided ETP with capacity of 160 CMD. Industry has also proposed to install additional ETP of 50 CMD.</p> <p>Committee also noted that Industry has proposed to provide DG set of 350 KVA, 2000 KVA, 750 KVA X 2 nos. Also going to provide Stack to Aluminum melting and Rotor main case heating.</p> <p>After due deliberation, it was decided to grant consent to establish for expansion for manufacture of additional GMCC Compressor Motor = 5000000 Nos/A and Welling Motors = 2000000 Nos/Y with condition standard conditions and bank guarantee.</p>
91	MPCB- CONSENT- 0000237388	PolyPeptide laboratories Pvt Ltd.K-28 Additional MIDC, Ambernath (E) Ambernath	APPROVED Renewal of Consent	30.04.2030	<p>Committee noted that Industry has applied for grant of plain Renewal of Consent to Operate for mfg. of Chemical products (Degaralix, Eptifibatide, Linaclotide, Vasopressin, Desmopressin, Felypressin, Octreotide, Cosmetic peptide, Custom peptides, Peptide/Amino acid-based Peptides, ACTH, Bivalirudin, Terlipressin, Oxytocin, Calcitonin, Leuprolide, Lecerilne, Somatostatin, Buserelin).</p> <p>Committee also noted that Industry has obtained Consent to operate from Board on 20/06/2016 for mfg. of chemical products. Obtained Renewal of consent to operate from Board on 26/06//2020 for mfg. of chemical products which is valid up to 30/04/2025. Obtained Environment clearance granted by Environment Dept, GoM vide No SEAC 2010/CR.847/TC-2 dtd 27/09/2011.</p> <p>Committee further noted that Industry PP has provided NRV & SCADA with respect of partly discharge to CETP and provided separate treatment for high COD. Submitted a Bank Guarantee of Rs. 10 Lakh towards previous consent conditions which is valid up to 31/08/2025.</p> <p>After due deliberation, it was decided to grant plain Renewal of Consent to Operate for mfg. of chemical products (Degaralix,</p>

					<p>Eptifibatide, Linacotide, Vasopressin, Desmopressin, Felypressin, Octreotide, Cosmetic peptide, Custom peptides, Peptide/Amino acid-based Peptides, ACTH, Bivalirudin, Terlipressin, Oxytocin, Calcitonin, Leuprolide, Lecerilne, Somatostatin, Buserelin), by imposing standard conditions and Bank Guarantee.</p> <p>Consent shall be issued after payment of additional consent fees towards increase in CI.</p>
92	MPCB- CONSENT- 0000238013	Late Krantish Nana Patil Civil Hospital, Sr No. 467/9, Sadar Bazar Road Satara	<p>NOT APPROVED</p> <p>Combined 1st consent to Operate & BMW Authorization</p>	-----	<p>Committee noted that PP has applied for combined 1st consent to Operate & BMW Authorization for 241 beds hospital on Total Plot Area – 75735.7 Sq. Mtrs., and Total Built Up Area (BUA) is 4476 Sq. Mtrs.</p> <p>Committee also noted that previous BMW Authorization was granted vide dtd.15.04.2008 with valid upto 31.10.2010. As per application, HCE is in operation since 01.01.1963. Previous CCA application UAN no. 91124 was refused by the Board on 7.11.2024 based on the non-submission of BNH certificate, CBMWTDF membership, Capital Investment CA certificate, date of construction along with BUA & requisite consent fees. Now, HCE has applied for IE- 3.0 CMD, DE – 7.0 CMD & Not provided treatment system.</p> <p>Committee further noted following non-compliances:</p> <ol style="list-style-type: none"> 1. HCE has not submitted Capital investment certificate for previous period i.e. upto 21.08.2024 to calculate penal and CCA fees for lapse period. Also Not paid the fees of lapse period and penal charges. 2. HCE has not submitted proper water budget including effluent generation. 3. HCE has not submitted membership of CBMWTDF. 4. HCE has not provided ETP and STP for the treatment of the effluent 5. HCE has not submitted details of the sanction plan and constructed BUA and present status. <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of CCA for above noncompliance.</p>

					If HCE/PP fails to submit a satisfactory reply of Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity.
93	MPCB- CONSENT- 0000237341	TATA STEEL LTD, GLOBAL WIRES INDIA, PLOT F8PLOT NO F8 TARARPUR MIDC PALGHAR	APPROVED Renewal of Consent to Operate	30.06.2026	<p>Committee noted that PP has applied for renewal of consent to operate for Steel Wire Rods/Wires/Wire Products.</p> <p>Committee also noted that PP has obtained Consent to Operate vide dtd. 11/02/2022 which was valid upto 30/06/2025 and obtained Environmental Clearance vide File No. - SIA/MH/IND1/403982/2022 dtd. 05/01/2024.</p> <p>Committee further noted that PP has provided STP and provided bag filter to PNG fired reheating furnace.</p> <p>After due deliberation, it was decided to grant Renewal of Consent to Operate by imposing following conditions.</p> <p>1. PP shall submit/extend existing Bank Guarantee of Rs. 25 lakhs.</p>
94	MPCB- CONSENT- 0000198163	Mother Dairy Fruit and Vegetable Pvt. Ltd., Gat No. 47/1, 123/A, 176 and 177 Gove & Pimpalgaon Bhiwandi	APPROVED 1st consent to Operate for expansion with amalgamation of existing Renewal of consent to Operate	31.12.2027	<p>Committee noted that, Industry has applied for 1st consent to Operate for expansion with amalgamation of existing Renewal of consent to Operate for Milk processing and dairy products to MPC Board.</p> <p>The application has been discussed and not approved in 14th CAC meeting dt: 07/01/2025 and 14/01/2025 and accordingly SCN for Refusal issued vide dt: 05/02/2025 due to following non-compliances:</p> <p>a) not obtained revalidation of consent to Establish for expansion i.e validity period of Consent to Establish –dtd. 13/03/2019 has expired and additional fees.</p> <p>b) not provided 90% SO₂ scrubbing system after issuance of directions issued vide dt: 22/11/2023 by MPC Board to MPC Board.</p>

					<p>c) not submitted valid CGWA NOC for use of ground water / bore well water for their expansion project.</p> <p>The committee further noted that, Industry has submitted Reply w.r.t. SCN for Refusal vide letter dt: 10/02/2025 as under:-</p> <ul style="list-style-type: none"> (i) Submitted additional consent fees of Rs. 260940.00 towards revalidation of consent to establish for expansion project vide dt: 21/02/2025 to MPC Board. (ii) provided and installed 90% SO₂ scrubbing system on 10/02/2024 as per interim directions issued by MPC Board and before installation of Scrubber, they are using LSHS instead of Furnace oil as fuel for their operation. (iii) submitted Renewed CGWA NOC vide dt: 26/08/2024 valid up to: 25/08/2027 for use of ground water / bore well water for their expansion project. <p>After due deliberations, it was decided to grant 1st consent to Operate for expansion with amalgamation of existing Renewal of consent to Operate for Milk processing and dairy products by imposing the following conditions:</p> <ul style="list-style-type: none"> 1. Industry shall submit Bank Guarantee of Rs. 25 Lakhs towards operation and maintenance of pollution control systems. 2. Industry shall comply with conditions stipulated in the interim directions issued by MPC Board.
--	--	--	--	--	---