

# MAHARASHTRA POLLUTION CONTROL BOARD



Minutes of 3<sup>rd</sup> Consent Appraisal Committee Meeting of 2024-2025 held on 17.05.2024 at Maharashtra Pollution Control Board, Chamber of Hon'ble Chairman, 3<sup>rd</sup> Floor, Kalpataru Point, Sion (E), Mumbai 400022

Following members of the Consent Appraisal Committee were present:

- |   |                 |
|---|-----------------|
| 1. Shri. Siddhesh Ramdas Kadam<br>Chairman, MPCB  | Chairman        |
| 2. Dr. Avinash Dhakne,<br>Member Secretary, M.P.C. Board.                                     | Member          |
| 3. Shri P. K. Mirashe,<br>Technical Advisor, MIDC   | Member          |
| 4. Dr. Nitin Goyal,<br>Principal Scientist and Head, CSIR –NEERI,                             | Member          |
| 5. Dr. Jitendra Sangewar,<br>Joint Director (WPC), M.P.C. Board, Mumbai.                      | Member Convener |
| 6. Additional Chief Secretary, Home (Transport) Dept., Mumbai - leave of absence was granted. |                 |

Following Officer of MPCB were present for the meeting:

- |   |                |
|---|----------------|
| 1. Shri V.M. Motghare<br>Joint Director (APC), M.P.C. Board, Mumbai.                        | Invitee Member |
| 2. Shri N.N. Gurav,<br>AS(T), M.P.C. Board, Mumbai.   | Invitee Member |
| 3. Dr. V.R. Thakur,<br>Principal Scientific Office, M.P.C. Board, Mumbai.                   | Invitee Member |
| 4. Shri. Shankar L. Waghmare,<br>Regional Officer (Bio Medical Waste), M.P.C. Board, Mumbai | Invitee Member |
| 5. Shri. Sujit Dholam,<br>Regional Officer (Head Quarter), M.P.C. Board, Mumbai.            | Invitee Member |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 3] placed before the committee and following decision were taken:

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
<b>Booklet No. 3</b>					
1	MPCB- CONSENT- 0000159246	Pride World City (Sector-1) S. No. 129, 131, 135 At. Charoli (Bk), Tal. Haveli, Dist. Pune.	APPROVED  Consent to Establish for Expansion	Commissioning of the project or up to 5 years whichever is earlier.	<p>Committee noted that, PP has applied for grant of Consent to Establish for Expansion of the Residential &amp; Commercial Construction project having Total plot area of 1,02,555.36 Sq.m and TBUA of 6,17,296.71 Sq.m [As per specific condition No. B(4) of EC dtd. 09/01/2023] with CI of Rs.683.19 Crs. (as per undertaking submitted by the PP).</p> <p>Committee also noted that, the case was discussed in CAC meeting held on 16/10/2023 and decided to issue Show Cause Notice for refusal of Consent to Establish for Expansion due to non-submission of valid BG as per earlier Consent condition and Environment Clearance conditions compliance report. Accordingly, Show Cause Notice was issued vide letter dtd. 01/12/2023.</p> <p>In reply, PP has submitted copies of valid BG of Rs. 10 Lacs, which is valid up to 02/09/2028. PP submitted BG on 08/09/2023. Hence, penal fees not applicable.</p> <p>Committee further noted that, PP has obtained Environmental Clearance for Expansion, proposed to provide STP &amp; OWC.</p> <p>After due deliberation it was decided to grant Consent to Establish for Expansion by imposing BG and standard conditions for Infrastructure projects.</p>
2	MPCB- CONSENT- 0000182369	Western Coalfields Limited, Sasti Open Cast Expansion Mine	NOT APPROVED  Renewal of consent to	-----	<p>Committee noted that PP has applied for renewal of consent to operate and 1st consent to operate for expansion with amalgamation for open cast coal mine-2.5 MTPA on Mine Lease area 919.69 ha.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Project, Post-Sasti, Tal-Rajura, Dist-Chandrapur	operate and 1 <sup>st</sup> consent to operate with amalgamation		<p>Committee also noted that PP has obtained EC vide dtd. 17.05.2007 to produce 2.5 MTPA within land area of 919.69 Ha and obtained EC vide dtd.13.09.2023 for expansion of Sasti OCP for increase in mine lease area from 919.69 ha to 1120.48 ha with production capacity same i.e. 2.50 MTPA. Renewal of consent to operate was valid upto 31.03.2023 for coal production- 2.0 MTPA and 1<sup>st</sup> consent to operate granted for 0.5 MTPA with validity upto 31.12.2023. PP has provided Kacha aeration pond as STP for the capacity of 600.0 CMD and discharged into nearby local nalla. Provided ETP and sedimentation tank for vehicle washing and mine water respectively.</p> <p>Committee further noted that provided mobile tankers for water sprinkling for coal transportation road and haul road dust suppression. Also provided sprinklers to the coal stack yard, weighbridge, railway siding and CHP and civil work of tyre washing system is provided. PP has applied in delay for renewal hence, penal charges require for the period 1.04.2023 to 15.10.2023 i.e. 198 days.</p> <p>After due deliberation, it was decided to issue Show Cause Notice for Refusal of consent for following non-compliance:</p> <ol style="list-style-type: none"> <li>1. PP has provided Stone pitched sedimentation tank for collection of seepages water of mining area and percolation observed from sedimentation tank finally merge to nearby natural nalla.</li> <li>2. Vehicle washing effluent is being directly discharged outside the premises through channel due to non-operation of the ETP.</li> <li>3. PP has provided Kacha aeration pond as STP, during visit it is noticed that aeration system not found in operation and domestic effluent is being directly discharged into nearby natural nalla.</li> <li>4. PP has not submitted the latest assessed capital investment in Board's prescribed format and audited balance sheet. Please note that consent fees and penal charges will be charged as per the revised submission of capital investment.</li> </ol>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>5. PP has not submitted the details of Mine lease documents and mine closure plan, Forest Clearance, if applicable.</p> <p>6. PP has not installed the CAAQMS as per consent condition.</p> <p>7. PP has not submitted the Bank Guarantees of Rs.97.0 Lakh and Rs. 35.0 Lakh as per consent conditions granted vide dtd. 9.11.2022 and 27.02.2023 with its compliance.</p> <p>8. PP has not submitted valid NOC of CGWA for grant water extraction.</p> <p>9. Tyre washing system is not provided in full-fledged manner.</p> <p>PP has not submitted water budget, effluent generation and domestic effluent in the tune of previous consent and not submitted justification for variation and membership of CHWTSDF.</p>
3	MPCB- CONSENT- 0000190369	Amphenol Interconnect India Pvt. Ltd., Plot .No.105 Bhosari MIDC Haveli	APPROVED  Renewal of Consent.	28.02.2029	<p>Committee noted that PP applied for 1st Consent to Operate for Expansion with existing Renewal of Consent.</p> <p>Committee also noted that, Existing Renewal is valid up to 28.02.2024 and obtain C to E for expansion 17.11.2022.</p> <p>Committee further noted that, PP Provided primary and tertiary ETP having 150 CMD capacity. Provided Zero liquid Discharge system ie. RO system, waste heat evaporator and Thin film dryer having capacity 200 CMD. Provided STP of capacity 100 CMD</p> <p>Industry has provided scrubber to plating section 18 nos provided with stack of height 10.0 mtr. One Thermic fluid heater for ZLD section provided operated on PNG provided with stack of ht.12 mtr.</p> <p>After due deliberation, it was decided to grant 1st Consent to Operate for Expansion with existing Renewal of Consent., by imposing following conditions:</p> <p>1. Industry shall submit/ Extend BG of Rs. 25 lakh towards compliance</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					of consent conditions and O & M of pollution control system.
4	MPCB- CONSENT- 0000190510	Pride Builder LLP S No. 129/1, 129/2, 130/1 + 2a +2b + 2c +3, 131/1 (P), 132/1, 132/2, 132/3, 132/4, 132/5, 132/6, 132/7A, 132/7B, 132/7C, 132/8, 135/1, 138, 138, 141/1, 141/2/2, Charholi Bk, Tal. Haveli, Dist. Pune.	APPROVED  1 <sup>st</sup> Consent to Operate (Part-IV) and Renewal of Consent to Operate (Part-I, II & III) and amalgamatio n of both.	31.12.2026	<p>Committee noted that, PP has applied for grant of 1st Consent to Operate (Part-IV) and Renewal of Consent to Operate (Part-I, II &amp; III) and amalgamation of both for Residential &amp; Commercial Construction project 'Pride World City" having Total plot area of 2,96,199.69 Sq.m and Construction BUA of 3,93,657.24 Sq.m out of Total construction BUA of 5,28,349.19 Sq.m. he PP).</p> <p>Committee also noted that, PP has obtained Environmental Clearance, provided STP and OWC.</p> <p>Committee further noted that, PP has submitted BG of Rs. 25 Lacs on 12/01/2024, which is valid up to 31/12/2025. Hence, penal fees not applicable.</p> <p>After due deliberation it was decided to grant 1<sup>st</sup> Consent to Operate (Part-IV) and Renewal of Consent to Operate (Part-I, II &amp; II) and amalgamation of the both by extending the existing BG and by imposing standard conditions for Infrastructure projects.</p>
5	MPCB- CONSENT- 0000191291	Finolex Cable Ltd Gat No. 341 to 344, 346,372 to 381, 384/1/B Urse Maval	APPROVED  Consent to 1st Operate (Part) & amalgamatio n with existing consent.	31.12.2027	<p>Committee noted that PP applied for Renewal of Consent for production of Captive Power Generation by DG Set, Switches &amp; Accessories, Optic Fiber, Optic Fiber Cables, Electrical &amp; Communication Cables, Co-axial Cables, PVC Compound &amp; power control cables.</p> <p>Committee also noted that, Industrial effluent is NIL. Provided STP with a capacity of 100 CMD.</p> <p>Committee further noted that, PP has provided DG Set 1.6 MW capacity with acoustic enclosure.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, Renewal of Consent., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/ Extend BG of Rs. 25 lakh towards compliance of consent conditions and O &amp; M of pollution control system.</li> <li>2. We may release BG of Rs. 25 lakh obtain against C to E.</li> </ol> <p>RO/SRO shall complete legal proposal as per law.</p>
6	MPCB-CONSENT-0000188548	A.S. Hightech LLP for Sugam & Singh SRA CHA., Plot bearing CTS No. 410 C/1 (Pt), 435, 435/1 to 147, 441 (Pt), 443 (Pt), 443/1 to 7 of Village Oshiwara, Singh Housing Colony, Opp. Ruby Hospital, S.V. Road & Raghavendra Mandir Road, Jogeshwari (West), Mumbai.	APPROVED  Consent to Establish	Commissioning of the project or up to 5 years whichever is earlier.	<p>Committee noted that, PP has applied for grant of Consent to Establish for proposed SRA project having Total plot area of 22,037.10 Sq.m and Total construction BUA of 1,94,865.25 Sq.m [as per specific condition No. B(6) of EC dtd. 07/02/2024].</p> <p>Committee also noted that, PP has obtained Environmental Clearance, proposed to provide STP and OWC.</p> <p>After due deliberation it was decided to grant Consent to Establish by imposing BG and standard conditions for Infrastructure projects.</p>
7	MPCB-CONSENT-0000132824	RASHMI AMEYA DEVELOPERS HOUSING & ESTATE REALTORS	APPROVED Consent to Establish (Expansion)	Commissioning of unit or 5 years, whichever	<p>Committee noted that PP has applied for grant of Consent to Establish (expansion) for Residential cum Commercial Building construction project total Plot Area- 474185.00 sq.m and total BUA-1298332.95 (FSI-1093785.72, NON FSI- 204547.23) sq. mtrs with CI of Rs. 1289.16 Crs.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		PVT. LTD. As per EC letter attached Gokhivare Vasai East Vasai		is earlier.	<p>Committee also noted that PP has obtained 2nd Operate (Part-II) amalgamation with existing consent to operate for Residential Cum Commercial Building Project on 27.02.2023, which was valid upto 30.06.2023. obtained amendment and expansion EC on 21.07.2023 for Total Plot Area- 466175.00 sq.m and Total BUA- 1297767.26 sq. mtrs.</p> <p>Committee further noted that PP has proposed STP of 11000 CMD with MBBR technology. PP has submitted bank guarantee of Rs. 10 lakh as per earlier consent to operate. But have not submitted bank guarantee of Rs. 25 lakh as per earlier consent to establish.</p> <p>After due deliberation, it was decided to grant Consent to Establish (expansion) for Residential cum Commercial Building construction project total Plot Area- 474185.00 sq.m and total BUA-1298332.95 (FSI- 1093785.72, NON FSI- 204547.23) sq. mtrs with CI of Rs. 1289.16 Crs., by imposing standard conditions and bank guarantee.</p> <p>Consent shall be issued after submission of bank guarantee.</p>
8	MPCB- CONSENT- 0000193105	YASHWANT DHARMARTH RUGNALAY A/P KADOLI, TAL: PANHALA, DIST: KOLHAPUR	APPROVED  Renewal of Combine Consent to operate & BMW Authorization	31.03.2029	<p>Committee noted that HCE has applied for Renewal of Combine Consent to Operate &amp; BMW Authorization 268 beds Hospital on total plot area of 4756.78 Sq.Mtr &amp; total BUA of 11,608.86 Sq.Mtr.</p> <p>Committee also noted that HCE has obtained combined consent to operate &amp; BMW authorization vide dated 21.12.2021, valid up to 31.03.2024. The IE- 2.0 CMD, DE – 8.0 CMD, however as per CPCB guidelines it is to be 96.8 CMD, for treatment of the same HCE has provided STP of capacity 20 CMD which is inadequate.</p> <p>After due deliberation, it was decided to consider the application for Renewal of Combine Consent to Operate &amp; BMW Authorization 268 beds</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Hospital on total plot area of 4756.78 Sq.Mtr &amp; total BUA of 11,608.86 Sq.Mtr by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. HCE authority shall provide ETP to treat the trade effluent within next 6 Months.</li> <li>2. HCE shall upgrade the existing STP to treat the sewage as compared to number of beds within next 3 Months.</li> <li>3. The treated effluent/sewage shall recycle to maximum extent &amp; remaining on land for gardening.</li> <li>4. HCE shall submit BGs as per HCE BG regime.</li> </ol>
9	MPCB- CONSENT- 0000195163	Datta Meghe Medical College & Shalinitai Meghe Hospital and Research Centre Wanadongri, Hing na Road, Wanadong ri, Nagpur	APPROVED  1 <sup>st</sup> combine Consent to Operate & BMW Authorization for expansion with amalgamatio n of existing consent & renewal of consent	31.03.2027	<p>Committee noted that applied for 1<sup>st</sup> Combine Consent to Operate &amp; BMW Authorization for expansion with amalgamation &amp; renewal of consent for 545 (increased) + 350 (Existing) = 895 beds Hospital on total plot area of 16,201.1 Sq.Mtr (increased) + 64,736 Sq.Mtr (existing) = 80,937.1 Sq.Mtr &amp; total BUA of 19,864.65 Sq.Mtr (increased) + 12,382.83 Sq.Mtr. (existing) = 32,247.48 Sq.Mtr.</p> <p>Committee also noted that HCE has obtained 1<sup>st</sup> Combine consent to operate &amp; BMW authorization vide dated 22.03.2021, valid up to 30.09.2024 for 350 beds hospital, IE- 25 CMD, DE – 200 CMD, however as per CPCB guidelines – 322 CMD, for treatment of the same, provided separate ETP comprising primary treatment which is further treated in STP of capacity 400 CMD based on MBBR, submitted BG of Rs. 2.5 Lakh as per HCE BG regime which is valid up to 30.09.2024 &amp; BG of Rs. 5.0 Lakh valid up to 30.11.2024.</p> <p>Committee further noted that HCE has installed 545 beds without obtaining consent to establish which attracts the penal fees. HCE is using ground water from borewell, for the same not submitted the details of CGWA NOC.</p>



Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to consider the case for 1<sup>st</sup> Combine Consent to Operate &amp; BMW Authorization for expansion with amalgamation &amp; renewal of consent for 545 (increased) + 350 (Existing) = 895 beds Hospital on total plot area of 16,201.1 Sq.Mtr (increased) + 64,736 Sq.Mtr (existing) = 80,937.1 Sq.Mtr &amp; total BUA of 19,864.65 Sq.Mtr (increased) + 12,382.83 Sq.Mtr. (existing) = 32,247.48 Sq.Mtr by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. HCE shall properly operate ETP/STP to achieve consented norms.</li> <li>2. The treated effluent/sewage shall recycle to maximum extent for secondary purposes such as HVAC cooling tower make up, toilet flushing &amp; remaining on land for gardening.</li> <li>3. HCE shall BGs as per HCE BG regime.</li> </ol> <p>Consent shall be issued after submission of details of CGWA NOC.</p>
10	MPCB- CONSENT- 0000187638	Aquapharm Chemicals Pvt. Ltd., Plot No. K- 3/1-2-3 Mahad MIDC Mahad	APPROVED  Renewal of Consent to Operate with amalgamation of existing 1st consent to operate	31.01.2026	<p>Committee noted that Industry has applied for Renewal of consent to operate for manufacturing of Specialty chemicals along with amalgamation of existing 1st consent to operate for manufacturing of Phosphoric acid.</p> <p>Committee also noted that Industry has obtained Renewal of Consent to operate dtd. 12/04/2022 valid up to 31/01/2024 for 29 specialty chemicals with C.I. of Rs.232.13 crs. Obtained 1st Consent to operate dtd. 17/12/2023 valid up to 31/08/2024 for Phosphoric acid (H3PO3) and Installation of LPG Bullet, Revamping &amp; Retrofitting of existing Plant &amp; Machinery &amp; Automation with C.I. of Rs.19.0 crs.</p> <p>Committee further noted that Industry has obtained EC dtd.8.10.2015 for mfg of Specialty chemicals. Provided ETP of capacity 57 CMD, comprising primary, secondary &amp; tertiary treatment followed by RO, MEE &amp; ATFD.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Submitted the details of the BG of Rs. 25 lakh.</p> <p>After due deliberation, it was decided to grant Renewal of consent to operate for manufacturing of Specialty chemicals along with amalgamation of existing 1st consent to operate for manufacturing of Phosphoric acid by imposing standard conditions and by imposing BG for O &amp; M of PCS and compliance of consent and Environmental Clearance with following conditions:</p> <ol style="list-style-type: none"> <li>1. The applicant shall comply with the conditions of the Environmental Clearance granted vide letter No. SEAC-2013/CR-550/TC-2 dtd. 08/10/2015.</li> <li>2. PP shall provide comprehensive treatment system of designed capacity to achieve the consented norms.</li> <li>3. PP shall submit/extend bank guarantee of Rs. 25 lakh towards O &amp; M of pollution control systems and compliance of consent conditions.</li> </ol>
11	MPCB-CONSENT-0000195649	P. D. Hinduja Hospital & MRC Veer Savarkar Marg, Mahim	APPROVED  Renewal of Combine Consent to Operate & BMW Authorization with increase in CI	31.01.2029	<p>Committee noted that HCE has applied for Renewal of Combine Consent to Operate &amp; BMW Authorization with increase in CI of 366 beds Hospital on total plot area of 3421 Sq.Mtr &amp; total BUA of 16,771 Sq.Mtr.</p> <p>Committee also noted that HCE has obtained combined consent to operate &amp; BMW authorization vide dated 16.08.2019, valid up to 31.01.2024 with CI Rs. 418.36 Crs. The IE- 30 CMD, DE – 250 CMD. HCE has provided ETP of capacity 30 CMD &amp; STP of capacity 250 CMD to treat the effluent &amp; sewage generated from hospital. As compared to earlier consent &amp; submitted CA certificate, HCE has increased CI by Rs. 163.181 Crs., accordingly, HCE has submitted separate application vide UAN No. 194629, dated 25.01.2024 with requisite fees of Rs. 3,26,360/-. The increased CI is due to renovation work, purchase of medical equipment</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>only without obtaining prior consent to establish which attracts the penal fees.</p> <p>After due deliberation, it was decided to consider the case for Renewal of Combine Consent to Operate &amp; BMW Authorization with increase in CI (by clubbing the UAN No. 194629) of 366 beds Hospital on total plot area of 3421 Sq.Mtr &amp; total BUA of 16,771 Sq.Mtr. by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. HCE authority shall properly operate STP &amp; ETP to achieve consented norms.</li> <li>2. The treated effluent/sewage shall recycle to maximum extent for secondary purposes such as HVAC cooling tower make up, toilet flushing &amp; remaining on land for gardening/Municipal Sewerage.</li> <li>3. HCE shall submit BGs as per HCE BG regime.</li> </ol> <p>Consent shall be issued after submission of penal fees towards increased CI without obtaining prior consent to establish.</p>
12	MPCB- CONSENT- 0000187426	Arshiya Limited (SEZ - FTWZ) , At: Sai Village, Tal: Panvel, Dist: Raigad - Maharashtra NA SEZ - FTWZ , At: Sai Village, Tal: Panvel, Dist: Raigad - Maharashtra Panvel	APPROVED  Renewal of Consent with increase in CI	31.01.2026	<p>Committee noted that PP has applied for renewal of consent with increase in CI is for free trade warehousing on total plot area of 68.78 Hector &amp; total BUA of 32.86 Hector for free trade warehousing with container freight station for storage of 21 Nos of goods &amp; 155 Nos of chemical &amp; mercury metal.</p> <p>Committee also noted that PP has obtained renewal of consent vide dtd. 01.01.2021 which is valid up to 31.01.2023 with CI of Rs. 653.05 Crs. PP has applied for renewal of consent under Auto renewal scheme vide UAN no. 154488, vide dated 29.11.2022 which was refused vide dated 06.11.2023. PP has obtained EC vide dated 20.09.2010 which was further</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>revalidated vide dated 07.12.2018.</p> <p>Committee further noted that the DE generation is 240 CMD &amp; IE is Nil, for treatment of sewage, PP has provided STP of capacity 200 CMD, the treated sewage is used on land for gardening purposes. PP had paid fees of Rs. 42,98,833/- along with UAN No. 154488 which was refused vide dated 06.11.2023, due to which one term fees of Rs. 14,32,940/- is forfeited &amp; balance fees of Rs. 28,65,880/- is considered for grant of renewal of consent for the period up to 31.01.2025. As compared to earlier consent &amp; submitted CA certificate, PP has increased CI by Rs. 63.42 Crs., for the same PP has not paid consent fees of Rs. 1,26,840/-. PP has submitted BG of Rs. 5.0 + 10.0 + 10.0 = 25.0 Lakh as per earlier consent towards O &amp; M of PCs and compliance of consent conditions valid up to 30.11.2025.</p> <p>After due deliberation, it was decided to consider the case for Renewal of Consent with increase in CI for free trade warehousing on total plot area of 68.78 Hecter &amp; total BUA of 32.86 Hecter for free trade warehousing with container freight station for storage of 21 Nos of goods &amp; 155 Nos of chemical &amp; mercury metal by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall comply with the MSIHC Rules, 1989.</li> <li>2. PP shall operate STP to achieve treated sewage standard for the parameter BOD – 10 mg/l.</li> <li>3. The treated sewage shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting, etc., &amp; remaining shall be on land for gardening purposes.</li> <li>4. PP shall follow the onsite emergency plan, in case of emergency.</li> <li>5. PP shall adhere to safety audit report submitted to Board office.</li> </ol>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>6. PP shall submit/extend the BG of Rs. 25.0 Lakh towards O &amp; M of PCs and compliance of consent conditions.</p> <p>Consent shall be issued after submission of additional fees and Personal Hearing regarding the project and pollution control systems.</p>
13	MPCB- CONSENT- 0000195598	Western Coalfields Limited, Gokul Open Cast Mine, 40 A Near Piraya Village, Tal-Bhiwapur, Dist-Nagpur	NOT APPROVED  Renewal of consent to operate	-----	<p>Committee noted that PP has applied for renewal of consent for open cast coal mine -1.875 MTPA on lease area 756.92 Ha.</p> <p>Committee also noted that EC granted vide dtd.13.02.2017 and C2R was valid upto 31.03.2024. PP has provided ETP and sedimentation tank for trade effluent generating from vehicle washing and mine water discharge respectively. PP has provided water sprinklers to the CHP, mobile water sprinklers at premises with tyre washing arrangement.</p> <p>Committee further noted that PP has submitted Multi unit C.I. of Rs. 280.4976 Crs and submitted that quantum of mine discharge is 2430 CMD and out of these, 1000 CMD is used for Dust suppression, 100 CMD for firefighting and for workshop 200 CMD consumed as a trade effluent. Balance water after utilization i.e. 1120.14 CMD is disposed off through sedimentation. Same water budget was submitted in the earlier application. PP has further submitted that this mine is relatively new and started on 25.05.2015 and backfilling of decoaled area and dumping on external dumps are in progress. Till date 1,45,000 sapling have been planted on land area 58 Ha &amp; proposed plantation on 18 Ha on external OB dump in the year 2024-2025. Though PP has submitted that remaining BGs of Rs.37.0 Lakh are submitted but details not submitted. Further renewal of NOC of CGWA is submitted on 4.03.2024 and submitted that procurement of CAAQMS is done and field visit for location of fixation for CAAQMS is done on 29.02.2024 and presently platform construction is under progress.</p> <p>After due deliberation, it was decided to issue Show Cause Notice for</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Refusal of consent for following non-compliance:</p> <ol style="list-style-type: none"> <li>1. PP has not installed the CAAQMS within stipulated time period i.e. 3 months as per previous consent condition.</li> <li>2. PP has not submitted the adequacy of the sedimentation tank for the mine water 1120.14 CMD. Submit design details with capacity.</li> <li>3. PP has not submitted record of submission of remaining BGs of Rs.37.0 Lakh along with acknowledgement of all BG copies submitted to Regional Office.</li> <li>4. PP has not submitted the compliance of BG conditions as per consent condition of schedule III.</li> <li>5. The JVS effluent analysis report of ETP Outlet collected on 3.06.2023 are exceeding the consented standards w.r. to parameters SS-118 mg/l and BOD 41 mg/l.</li> </ol>
14	MPCB- CONSENT- 0000196660	Umred Open Cast Mine, Western Coalfields Limited, Rev. Survey P.C. 21 & 22, Sirpur, Tal- Umred, Dist- Nagpur.	NOT APPROVED  Renewal of consent to operate	-----	<p>Committee noted that PP has applied for renewal of consent for open cast coal mine - 4.9 MTPA on lease area 944.65 Ha.</p> <p>Committee also noted that EC has granted vide dtd 11.01.2019 and C2R granted upto 31.03.2024. C.I. is reduced by Rs. 46.83 Crs and PP has justified that the decrease in C.I. for equipment such as dumpers, dozers drills etc. from this project is surveyed off. No new machinery purchased against this. Since mine is in the last phase of project.</p> <p>As per EC, life of mine was 2 years and EC validity was 1 year and PP has submitted that mine operation is in last phase with balance life of mine is 1 year without any details. ETP provided for trade effluent and sedimentation tank for mine water and STP provided for domestic sewage. PP has provided sprinklers, mist spray arrangements, tyre washing system and sweeping machine to control air pollution in mine area.</p> <p>Committee further noted following non-compliance:</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<ol style="list-style-type: none"> <li>1. PP has not submitted latest assessed C.A. certificate in Board's C.I. format and not submitted Note 3.1 and 3.2 of Balance sheet with multiunit C.I. certificate.</li> <li>2. PP has not submitted justification regarding variation in the water consumption and effluent generation as consented trade effluent was 2200 CMD and applied for 716 CMD. Consented domestic effluent was 508 CMD and now applied for 296.42 CMD.</li> <li>3. PP has not submitted details of EC validity as EC was valid for 1 year i.e. 11.01.2020 and not submitted details of mine life, since as per EC issued dtd. 11.01.2019, life of mine was for 2 years at normative capacity of 4.9 MTPA i.e. upto 11.01.2021.</li> <li>4. PP has not submitted Closure Mine Plan as submitted mine operation is in last phase with balance life of 1 year.</li> <li>5. PP has not submitted details of the biological and technical reclamation with area details.</li> <li>6. PP has not submitted BG's of Rs. 62.0 Lakh as per last consent with its compliance.</li> <li>7. PP has not submitted valid renewal of CGWA NOC.</li> <li>8. PP has not provided CAAQMS within stipulated time period as per consent condition i.e. within 3 months.</li> </ol> <p>After due deliberation, it was decided to issue Show Cause Notice for refusal of consent for above non-compliance.</p>
15	MPCB- CONSENT- 0000195787	Dinesh Opencast Project (MKD-III), Western Coalfields Limited, near Hevati village, Tal-Umred, Dist - Nagpur.	NOT APPROVED  Renewal of consent to operate	-----	<p>Committee noted that PP has applied for Renewal of consent to operate and Renewal of 1st consent to operate with amalgamation for open cast coal mine -4.5 MTPA on mine lease area 919.63 Ha.</p> <p>Committee also noted that PP has obtained EC vide dtd. 29.11.2018 and 26.05.2022. Existing consent for coal mining -4.2 MTPA was valid upto 31.03.2024 and 1st consent to operate for coal mining-0.3 MTPA was valid upto 31.03.2024. PP has provided ETP and sedimentation tank for trade</p>



Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>effluent generating from vehicle washing and mine water discharge respectively. PP has provided water sprinklers to coal transportation road, mobile water sprinklers at premises with tyre washing arrangement.</p> <p>Committee further noted the following non-compliance:</p> <ol style="list-style-type: none"> <li>1. PP has not submitted latest assessed C.A. certificate in Board's C.I. format and not submitted Note 3.1 and 3.2 of Balance sheet with multiunit C.A. certificate (if applicable).</li> <li>2. PP has not submitted justification regarding variation/enhancement in the water consumption and effluent generation as consented trade effluent was 2238 CMD and applied for 2850 CMD. Consented domestic effluent was 284 CMD and now applied D.E. quantity for 7.01 CMD.</li> <li>3. PP has not submitted adequacy of the sedimentation tank capacity 640 CMD against discharged mine water 681.98 CMD.</li> <li>4. PP has not submitted the remaining BG's of Rs. 62.0 Lakh as per consent conditions with all BG compliance as per consent conditions.</li> <li>5. PP has not submitted details of the renewal of CGWA NOC as same has expired on 9.06.2021.</li> <li>6. PP has not justified the life of mine on the grounds of EC granted dtd.26.11.2018 wherein mentioned that life of mine is 5 years (i.e. upto 26.11.2023) at normative capacity 4.2 MTPA.</li> <li>7. PP has not installed STP in the mine area within 6 months period with its BG of Rs. 5.0 Lakh as per consent condition no.16 granted vide dtd.9.11.2022</li> </ol> <p>After due deliberation, it was decided to issue Show Cause Notice for refusal of consent for non-compliance.</p>
16	MPCB-	Shivam	APPROVED	31.05.2026	Committee noted that, PP has applied for grant of 1 <sup>st</sup> Consent to Operate



Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	CONSENT-0000197105	Developers Plot bearing CTS No. 163-A(pt) of Village Akurli, Kandivali (E), Mumbai.	Consent to 1 <sup>st</sup> Operate (Part-II)		<p>(Part-II) for Residential cum Commercial Construction project with SRA Scheme having Total plot area of 63,918.35 Sq.m and Construction BUA 32,579.65 Sq.m out of TCBUA of 2,85,103.22 Sq.m.</p> <p>Committee also noted that, PP has obtained Environmental Clearance, 1<sup>st</sup> Consent to Operate (Part-I), provided STP &amp; OWC.</p> <p>Committee further noted that, PP has paid penal fees for delay in applying i.e. from the date of obtained OC.</p> <p>After due deliberation it was decided to grant 1<sup>st</sup> Consent to Operate (Part-II) by imposing BG and standard conditions for Infrastructure projects.</p>
17	MPCB-CONSENT-0000196580	Finolex Industries Limited 157, 193, 95, 202, 203, 195, 196 Ranpar-Golap, Ratnagiri Pawas Road, Ratnagiri	APPROVED  Consent to 1 <sup>st</sup> Operate for expansion with amalgamation existing consent	31.08.2027	<p>Committee noted that PP has applied for 1st Consent to Operate for expansion for manufacturing the Compounds/profiles – 92,400 MT/A, PVC pipes – 50,400 MT/A.</p> <p>Committee also noted that PP has obtained consent to establish for expansion vide dated 17.12.2018 &amp; existing renewal of consent vide dated 03.02.2023, valid up to 31.08.2027. Also, PP has obtained EC for PVC unit, desalination plant &amp; 43 MW captive power plant vide dated 08.12.2003, 08.09.2008 &amp; 09.06.2009 respectively. The DE is 144 CMD &amp; IE is 12478 CMD, for treatment of the same PP has provided 16 Nos of soak pits, the overflow of the same is further treated in ETP. PP has provided ETP with a capacity of 4080 CMD which is inadequate. The effluent generation is mainly from cooling process which is directly recycled after cooling tower.</p> <p>Committee further noted that the BG Rs. 25 lakh as per existing consent towards O &amp; M of PCs and BG of Rs. 5.0 lakh as per C to E conditions, which is submitted. PP has paid penal charges towards delay in submission</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>of application.</p> <p>After due deliberation, it was decided to consider the case for 1<sup>st</sup> Consent to Operate for expansion for manufacturing the Compounds/profiles – 92,400 MT/A, PVC pipes – 50,400 MT/A with amalgamation of existing consent &amp; by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall comply with the conditions stipulated in EC &amp; consent.</li> <li>2. PP shall promote adoption of clean coal (with ash content less than 34%) &amp; clean power generation technologies &amp; comply with the notification issued by MoEF&amp;CC for utilization of fly ash from coal or lignite based thermal power plants dated 14.09.1999 &amp; amended thereto.</li> <li>3. PP shall use the water as per the agreement made with Collector Ratnagiri on 10.02.2014 for sanctioned quota of water 5478 CMD (20,00,000 M3/A).</li> <li>4. PP shall provide FGD as per MoEF&amp;CC Notification vide dated 05.09.2022 &amp; submit the time bound programme for the provision of the same within one Month.</li> <li>5. PP shall submit/extend BG of Rs. 25.0 Lakh towards O &amp; M of PCs and compliance of consent conditions.</li> </ol>
18	MPCB- CONSENT- 0000198019	Starion HK India Pvt. Ltd Plot No. A-65 Plot No. A-65, Ranjangaon Industrial Area Phase-III, Karde MIDC, Taluka - Shirur ( Pune)	APPROVED  Consent to 1 <sup>st</sup> Operate	31.05.2025	<p>Committee noted that PP applied for 1<sup>st</sup> Consent to Operate.</p> <p>Committee also noted that, they have provided ETP of capacity 1 CMD in the form of primary &amp; tertiary treatment with ZLD system.</p> <p>Committee further noted that, previously Board has issued SCN for Refusal on 21.03.2024 they have not completed installation of plant &amp; machinery. They have not provided ZLD System as per C to E condition and Not</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		412210 Shirur			<p>obtained CHWTSDF Membership.</p> <p>PP submitted a reply of same with CHWTSDF membership and completed installation of plant and machinery with ZLD system.</p> <p>After due deliberation, it was decided to grant 1<sup>st</sup> consent to operate with following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/ Extend BG of Rs. 25 lakh towards compliance of consent conditions and O &amp; M of pollution control system.</li> </ol>
19	MPCB- CONSENT- 0000197618	Shivam Developers Plot bearing CTS No. 163-A(pt) of Village Akurli, Kandivali (E), Mumbai.	APPROVED  Revalidation of Consent to Establish	Commissioning of the project or up to 5 years whichever is earlier.	<p>Committee noted that, PP has applied for grant of Revalidation of Consent to Establish for proposed Residential cum Commercial Construction project with SRA Scheme having Total plot area of 63,918.35 Sq.m and Total construction BUA 2,85,103.22 Sq.m (as per specific condition No. VIII).</p> <p>Committee also noted that, PP has obtained Environmental Clearance, proposed to provide STP &amp; OWC.</p> <p>Committee further noted that, PP has paid penal fees for lapse of 2456 days for applying.</p> <p>After due deliberation it was decided to grant Revalidation of Consent to Establish by imposing BG and standard conditions for Infrastructure projects.</p>
20	MPCB- CONSENT- 0000193349	AM/NS KHOPOLI LTD - DONVAT COMPLEX 71,74 Village Donvat,	NOT APPROVED  Renewal of	-----	<p>Committee noted that it is resubmission case which was discussed in 2<sup>nd</sup> CAC dated 30.04.2024. PP has applied for renewal of consent to operate for manufacturing of CR Coils – 10,00,000 MT/A, Galvanized coils/sheet - 5,00,000 MT/A, Colour coated sheets - 1,50,000 MT/A, Precision tubes- 75,000 MT/A, Electro Discharge Texturing (EDT) of work rolls Electro</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Tal- Khalapur, Dist - Raigad Khalapur	Consent		<p>Chrome Deposition (ECD) of work roll 50 No/D.</p> <p>Committee also noted the non-compliances and regarding the same Board has issued show cause notice on 09/05/2024 for non-compliances and accordingly PP has uploaded reply on 14/05/2024 and personal hearing is pending.</p> <p>After due deliberation, it was decided to call PP for Personal Hearing.</p>
21	MPCB- CONSENT- 0000197796	KOLTE PATIL I VEN TOWNSHIPS (PUNE) LTD. S. No, 126/1 (P), 131/8, 131/9, 131/10, Sector “ R-35, B-1, C- 1 & C-2, Village. Jambhe Marunji, Nere, Tal. Mulshi, Dist. Pune.	APPROVED  1st Consent to Operate (Part-X)	30.06.2026	<p>Committee noted that, PP has applied for grant of 1<sup>st</sup> Consent to Operate (Part-X) for Sector- R-35, B-1, C-1 &amp; C-2 in the “Life Republic” Integrated Township project having Total plot area of 15,81,344.18 Sq.m and Construction BUA of 14,903.52 Sq.m out of Total Construction BUA of 25,00,000 Sq.m (As per EC dtd. 18/06/2022).</p> <p>Committee also noted that, PP has obtained Environmental Clearance, provided STP and OWC.</p> <p>After due deliberation it was decided to grant 1<sup>st</sup> Consent to Operate (Part-X) by extending the existing BG and standard conditions for Infrastructure projects.</p>
22	MPCB- CONSENT- 0000197704	KOLTE PATIL I VEN TOWNSHIPS (PUNE) LTD. S. No, 124 (P) and other, Sector “ R-10, BMU/CR No. 58/20-21, Village. Jambhe Marunji, Nere, Tal. Mulshi, Dist.	APPROVED  1st Consent to Operate (Part-XI)	30.06.2026	<p>Committee noted that, PP has applied for grant of 1<sup>st</sup> Consent to Operate (Part-XI) for Sector- R-10, BMU/CR No. 58/20-21 in the “Life Republic” Integrated Township project having Total plot area of 15,81,344.18 Sq.m and Construction BUA of 1,87,490.80 Sq.m out of Total Construction BUA of 25,00,000 Sq.m (As per EC dtd. 18/06/2022).</p> <p>Committee also noted that, PP has obtained Environmental Clearance, provided STP and OWC.</p> <p>After due deliberation it was decided to grant 1<sup>st</sup> Consent to Operate (Part-XI) by extending the existing BG and standard conditions for Infrastructure</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Pune.			projects.
23	MPCB- CONSENT- 0000196575	Western Coalfields Ltd, Amalgamated Inder and Kamptee Deep Open Cast Mine Project, Village-Tekadi, Tal-Parseoni , District-Nagpur	NOT APPROVED  Renewal of consent to operate	-----	<p>Committee noted that PP has applied for renewal of consent for renewal of consent for deep open cast coal mine-3.2 MTPA within the Mine Lease area of 857.60 Ha.</p> <p>Committee also noted that, PP has obtained EC vide dtd. 8.06.2020 and Renewal of consent was valid upto 31.03.2024. Sedimentation tank is provided for mine water and ETP provided for vehicle washing effluent. Disposal of the sedimentation mine water is in Kanha River and treated effluent from workshop is recycled for washing purposes. Mixed sprinklers, Fixed water sprinklers, mobile mist water sprinklers provided with black topped road for coal transported. Tyre washing system installation and coal transportation by closed coal pipe conveyor belt system work is in progress and will be completed upto April, 2024 and Dec.2024 respectively.</p> <p>Committee further noted that, PP has proposed to complete work of planation on 40 Ha on OB by Oct.2024, CAAQMS upto March 2024, Construction of additional one more Sedimentation Tank by August, 2024. Proposed to expedite the execution of the work w.r.t MOU of WCL with VIDC (Vidarbha Irrigation Development Corporation) side for maximum mine water discharge water utilization.</p> <p>After due deliberation, it was decided to issue Show Cause Notice for Refusal of consent for following non-compliance:</p> <ol style="list-style-type: none"> <li>1. PP has Mine water discharge into kanhan river.</li> <li>2. PP has failed to provide STP for treatment of domestic effluent as per consent condition No. 12 and not justified the rational water budget for 700 manpower and domestic effluent reduced from 685 CMD to 18 CMD which is not justifiable on the grounds of non-residential colony as PP has possessed previous consent for 685 CMD.</li> </ol>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>3. PP has not submitted adequacy of the sedimentation tank provided for mine discharge water and ETP for effluent generation from workshop and not justified the reduction in IE by 248 CMD.</p> <p>4. PP has failed to provide CAAQMS within 3 months period as per consent conditions.</p> <p>5. PP has failed to provide Tyre washing system at mine entry and exit within 3 months period as per consent conditions.</p> <p>6. PP has not obtained valid NOC from CGWA within 3 months as per consent conditions.</p> <p>7. Annual balance sheet, latest assessed Multiunit Capital investment Certificate is not submitted.</p> <p>8. PP has not Deployed mechanized sweepers which are automated suction sweeper for cleaning the coal dust from road.</p> <p>9. PP has not submitted the acknowledgement copies of the BG submission of Rs. 82.0 Lakh to Regional Office, Nagpur.</p>
24	MPCB-CONSENT-0000198551	Roma Builders Pvt. Ltd. "One Hiranandani Park", Survey No. 99/2 Pt [99/B(Pt)] at Village Kolshet, Ghodbunder Road, Thane (W)	APPROVED  Consent to Establish (Expansion)	Commission of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for consent to Establish (Expansion) with plot area 1,05,550.00 Sq. M and for additional BUA of 66549.382 Sq. M (Existing BUA 1,13,557.198 Sq. M+ additional BUA of 66549.382 Sq. M = Total BUA of 1,80,106.583 Sq.M) with CI of 353.46 Crs</p> <p>Committee also noted that PP has obtained CTE for Plot area 1,05,550 Sq. M and BUA of 1,13,557.198 Sq.M with CI 1249.14 Cr dtd. 17.03.2020. Consent to 1st Operate Total Plot Area of 1,05,550.00 Sq. Mtrs for construction BUA of 1,13,557.198 Sq. Mtrs with 1041.11 Cr. obtained EC (Expansion) dtd. 11/10/2023 for plot area 1,05,550.00 Sq. M &amp; BUA of 1,80,106.583 Sq.M (FSI – 91,136.909 Sq.M + Non FSI 88,969.674 Sq.M) with CI of 1041.11 Cr.</p> <p>Committee further noted that PP has completed construction of total 08 No. buildings and shops, found occupied. PP has uploaded Architect certificate dtd. 23/02/2024 mentioning that Project has been completed and they have</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>completed Total construction of 1,80,106.58 Sq.M. Provided STP of 590 KLD consisting on MBBR technology, submitted bank guarantee of Rs. 25 lakh as per earlier consent conditions. Penal charges are applicable from date of revised CC of increased FSI.</p> <p>After due deliberation, it was decided to grant consent to Establish (Expansion) with plot area 1,05,550.00 Sq. M and for additional BUA of 66549.382 Sq. M (Existing BUA 1,13,557.198 Sq. M+ additional BUA of 66549.382 Sq. M = Total BUA of 1,80,106.583 Sq.M) with CI of 353.46 Crs., by imposing bank guarantee and standard conditions.</p> <p>Consent shall be issued after submission of penal charges.</p>
25	MPCB- CONSENT- 0000201086	Babasaheb Ambedkar Vaidyakiya Pratishthan sanchalit Dr.Hedgewar Hospital Garkheda Parisar,Near Gajanan Maharaj Mandir,Aurangab ad (M Corp.),Aurangab ad	APPROVED  Combined Consent & BMW Authorization , Consent to Establish	Commissio ning of unit or 5 years whichever is earlier	<p>Committee noted that HCE has applied for Consent to Establish for expansion for additional 193 beds Hospital on total plot area of 16,200 Sq.Mtr &amp; total BUA of 16,723.45 Sq.Mtr.</p> <p>Committee also noted that HCE has obtained combine consent to operate &amp; BMW authorization vide dated 30.01.2020, valid up to 30.06.2024 for 304 beds hospital with CI Rs. 138.699 Crs. IE- <math>8 + 0.5 = 8.5</math> CMD, DE – 110 CMD instead of 70 CMD (existing) + 70 CMD (proposed) = 180 CMD. HCE has provided combine treatment facility for treatment of trade effluent &amp; sewage, however, design details of STP is not submitted. HCE has not submitted proper water budget in respect of number of beds. JVS result of STP outlet dated 24.01.2024 is not meeting with consented parameter BOD – 160 mg/l against 30 mg/l. HCE has provided combine STP for treatment of effluent &amp; sewage generated from existing as well as proposed expansion, however, it needs to upgrade the same. HCE has obtained BNH certificate for existing &amp; additional beds vide dated 15.02.2024, valid up to 31.03.2025. HCE has obtained CBMWTSDF membership.</p>



Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to consider the case for Consent to Establish for expansion for additional 193 beds Hospital on total plot area of 16,200 Sq.Mtr &amp; total BUA of 16,723.45 Sq.Mtr.</p> <ol style="list-style-type: none"> <li>1. HCE shall upgrade the existing STP to treat the sewage generated from additional beds within next 3 Months.</li> <li>2. HCE shall provide separate ETP to treat the effluent generated from hospital within next 3 Months.</li> <li>3. HCE shall submit BG of Rs. 5.0 Lakh towards compliance of consent conditions.</li> <li>4. By forfeiting the BG of Rs. 1.0 Lakh towards JVS exceedance &amp; obtain double amount to form the sum of Rs. 2.0 Lakh towards O &amp; M of STP.</li> </ol>
26	MPCB- CONSENT- 0000200764	Bharat Petroleum Corporation Limited. (Mumbai - Uran LPG Pipeline)	APPROVED  Consent to 1 <sup>st</sup> Operate for expansion with amalgamation of existing consent	17.05.2025	<p>Committee noted that PP has applied for 1<sup>st</sup> Consent to operate for expansion for LPG transportation through pipeline – 1500 MT/d.</p> <p>Committee also noted that PP has obtained renewal of consent vide dated 29.07.2020, valid up to 17.05.2025 &amp; Consent to Establish for expansion vide dated 15.06.2022. PP has obtained EC/CRZ vide No. 10-30/2007-IA-III, dated 06.09.2007 which is amended vide letter dated 18.03.2011 towards non-applicability of CRZ due to re-route the pipeline.</p> <p>After due deliberation, it was decided to consider the case 1<sup>st</sup> Consent to operate for expansion with amalgamation of existing consent for LPG transportation through pipeline – 1500 + 2000 = 3500 MT/d by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall adhere to the onsite &amp; offsite emergency plan.</li> <li>2. PP shall comply with the conditions stipulated in EC/CRZ vide dated 06.09.2007 which is amended vide letter dated 18.03.2011.</li> </ol>



Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
27	MPCB- CONSENT- 0000201515	B. G. CHITALE 172 BHILAWADI RAILWAY STATION PALUS	APPROVED  Renewal of Consent.	30.04.2029	<p>Committee noted that PP applied for Renewal of Consent for mfg. Pasteurization Milk and Milk Product without change in earlier consented production quantity.</p> <p>Committee also noted that, Provided separate collection tank in main premises with Bar Screening. After that, the effluent goes to main ETP which consist of equalization tank, anaerobic digester, dissolved air floatation unit (DAF System), Aeration tank, Diffused aeration having 02 nos. tank and 244 nos. of diffusers to each tank), 02 nos. of clarifier and treated water storage tank. They have also installed 60 CUM/Hr biogas turbinated.</p> <p>Committee further noted that, the industry is having 8.0 TPH &amp; 10.0 TPH LSHS Boiler with dust collection system and 45.0 meter combine stack. The unit has provided LSHS Fire air pre heater system with 22 meter stack height and dust collector as APC system. JVS result are within limit.</p> <p>After due deliberation, Renewal of Consent., by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/ Extend BG of Rs. 25 lakh towards compliance of consent conditions and O &amp; M of pollution control system.</li> </ol>
28	MPCB- CONSENT- 0000200940	Oriental Aromatics & Sons Limited Plot No.-FS-43, Additional MIDC Mahad, Dist.- Raigad.	APPROVED  Consent to 1 <sup>st</sup> Operate (Part)	30.04.2029	<p>Committee noted that Industry has applied for consent to 1st Operate (Part) for manufacturing of 14 products Specialty Chemicals &amp; Chemicals Intermediates (Total production quantity -7725 MT/A).</p> <p>Committee also noted that Industry has obtained consent to establish vide no. dtd. 21.12.2021 for total production quantity -1,21,625.5 MT/A (Total 273 nos. of products) &amp; Captive power plant-0.75 MW. obtained EC on</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>09.06.2022.</p> <p>Committee further noted that Industry has provided ETP with a capacity of 115 CMD followed by RO, MEE, UF and ATFD found working. Treated effluent is recycled 100% into the process. Penal charges calculated Rs. 6,67,397/- for non-submission of BG of Rs.25.0 lacs as per C to E (21.12.2021 to 12.03.2024 total days-812) Industry has paid the penal charges on 03.04.2024.</p> <p>After due deliberation, it was decided to grant consent to 1st Operate (Part) for manufacturing of 14 products Specialty Chemicals &amp; Chemicals Intermediates (Total production quantity -7725 MT/A), with standard conditions and bank guarantee.</p> <p>Consent shall be issued after verification report regarding completion of equipments and online monitoring system.</p>
29	MPCB-CONSENT-0000201919	Terna Speciality Hospital and Research Centre Nerul Plot No.12, Sector -22, Opp. Nerul Railway station. Phase II, Nerul (W), Navi Mumbai	<p>NOT APPROVED</p> <p>1st Combine Consent to Operate &amp; BMW Authorization for expansion &amp; amalgamation with existing</p>	-----	<p>Committee noted that HCE has applied for 1<sup>st</sup> Combine Consent to Operate &amp; BMW Authorization for expansion &amp; amalgamation with existing consent for 300 + 400 = 700 beds Hospital on total plot area of 40,005 Sq.Mtr &amp; total BUA of 15,037 Sq.Mtr.</p> <p>Committee also noted that renewal of combine consent to operate &amp; BMW Authorization vide dated 30.07.2022, valid up to 31.08.2025 and consent to establish for expansion for additional beds 300 Nos vide dated 03.03.2024. The IE- 5.0 CMD, DE – 108 + 180 = 288 CMD. HCE has provided ETP/STP having capacity 180 CMD to treat the effluent generated from hospital. HCE has not upgraded/provided STP to treat the sewage</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
			consent		<p>generated from additional 300 beds.</p> <p>After due deliberation, it was decided not to consider the case &amp; issue SCN for refusal of consent due to non-provision of STP to treat the sewage generated from increased beds and Personal Hearing towards non-compliances.</p>
30	MPCB- CONSENT- 0000201061	CEAT Ltd., Plot No. G-2, Additional Ambernath MIDC, Tal. Ambernath, Dist. Thane	APPROVED  1 <sup>st</sup> Consent to operate with amalgamation of exiting consent	30.09.2026	<p>Committee noted that PP has applied for 1st Consent to operate for expansion (Part) for manufacturing of Automotive Tyres of Different Sizes (Tractor, Radial and off-Road Tyre Radial)-14600 MT/A.</p> <p>Committee also noted that PP is having existing consent to operate with validity upto 30.09.2026 for Automotive Tyres of Different Sizes (Tractor, Radial and off-Road Tyre Radial) – 25550 MT/A. Revalidated C to E for expansion has obtained vide dtd. 15.07.2021 for Automotive Tyre of Different Size- 160 MT/Day i.e. 58400 MT/A. Now applied for part 1 consent to operate for 14600 MT/A. Provided ETP with RO and MEE system to reuse effluent for utility services and ash quenching. STP provided.</p> <p>Committee further noted that, PP has provided 2 boilers with bag filters and dust collectors with common stack. Dust collectors are provided to Master/final mixer, fume extractor, Auto Chemical Day Bin Dust Collector, Carbon Conveying System at RMS to various air emission sources in the process. Also provided CAAQMS. PP has complied with the Interim Directions dtd.15.12.2023 and same has verified by the Board official on 23.01.2024. PP has submitted justification regarding trade effluent as, at the time of C to E, trade effluent quantity was on the basis of estimation and now the date is on the basis of considering operation for the total production quantity 110 MT/day. PP has submitted EPR Registration from CPCB vide dtd. 31.07.2023 as a producer as under HOW (M&amp; TM) Amended Rules, 2022.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>After due deliberation, it was decided to grant 1st consent to operate for expansion (Part) along with amalgamation of existing consent Automotive Tyres of Different Sizes (Tractor, Radial and off-Road Tyre Radial) -40150 MT/A by imposing standard and following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall comply with the EPR Registration conditions issued by CPCB vide No. CPCB/ WMIII/ PROD/ WTEPR/ MH/31.03.2023/0000223 dtd.31.07.2023.</li> <li>2. PP shall operate ETP to achieve consented norms &amp; treated effluent shall 100% recycle to achieve ZLD.</li> <li>3. PP shall submit/extend BG of Rs. 25.0 Lakh towards compliance of consent conditions.</li> </ol> <p>Consent shall be issued after obtaining forfeiture details of Rs.1.0 Lakh as per Interim Direction issued vide dtd.15.12.2023.</p>
31	MPCB- CONSENT- 0000195775	BOM 2 & BOM 3 47/2 (Part), 48/2 (Part), 49/2 (Part) Dighe, Thane Belapur Road Navi-Mumbai THANE	APPROVED  Consent to Establish	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for consent to establish for Data Centre activity having total plot area 172354sqm and BUA 3,90,772sqm. (8 No of buildings) with CI of Rs. 3000 Crs.</p> <p>Committee also noted that PP has obtained environment clearance on 08/02/2024 for plot area 172354sqm and BUA 3,90,772 sqm. Open plot.</p> <p>Committee further noted that PP has proposed water consumption is 5 CMD and effluent generation is 4.5 CMD. Proposed to install STP of 12 CMD with MBBR technology. Treated water will be used for flushing. Proposed to provide 65 nos. of D.G. sets of capacity 1250.0 KVA.</p> <p>After due deliberation, it was decided to grant consent to establish for Data Centre activity having total plot area 172354 sqm and BUA 3,90,772sqm. (8 No of buildings) with CI of Rs. 3000 Crs., by imposing standard conditions, and bank guarantee.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
32	MPCB- CONSENT- 0000203362	Indian Oil Corporation Ltd Gut No 338/1,339,358,359,3602,340 A/P Akolner Tal & Dist Ahmednagar Nagar	APPROVED  Establish for expansion	Commissioning of unit or 5 years whichever is earlier	<p>Committee noted that PP has applied for Consent to Establish for expansion for construction of sump tank having capacity 20 KL.</p> <p>Committee also noted that PP has obtained renewal of consent to operate vide dated 2310.2023, valid up to 30.06.2026 &amp; EC vide dated 29.10.2018 for expansion of isolated storage terminal with additional storage tanks within existing facility. The Domestic Effluent: 2.0 CMD &amp; industrial effluent is Nil from expansion, for treatment domestic effluent Septic tank with soak pit is proposed to provide.</p> <p>After due deliberation, it was decided to consider the case for construction of sump tank having capacity 20 KL after submission of BG of Rs. 25.0 Lakh as per existing consent.</p>
33	MPCB- CONSENT- 0000203303	Bharat Petroleum Corporation Limited Survey No: 8/6, Village BHENDKHAL Uran LPG Terminal Survey No Uran	APPROVED  Plain Renewal of consent	20.05.2029	<p>Committee noted that PP has applied for Renewal of Consent to operate for refilling of LPG cylinders &amp; bulk dispatch in tank lorries, wagons – 2,60,417 MT/M, receipt of refrigerated propane, butane &amp; LPG from JNPT jetty to Uran LPG plant through 12.5 Km pipeline (storage &amp; dispatch) – 2 x 8000 MT cryogenic tanks.</p> <p>Committee also noted that PP has obtained renewal of consent to operate vide dated 14.08.2019, valid up to 20.05.2024. The Domestic Effluent is 19 CMD &amp; Industrial Effluent is 9.0 CMD. PP has provided septic tank followed by soak pit which is inadequate &amp; provided ETP of capacity 10 CMD for treatment of trade effluent. Also, as per earlier consent, BG of Rs. 5.0 Lakh + Rs. 2.0 Lakh is imposed, out of this Rs. 5.0 Lakh is submitted, valid up to 20.05.2025.</p> <p>After due deliberation, it was decided to consider the case for Plain Renewal of Consent to operate for refilling of LPG cylinders &amp; bulk dispatch in tank lorries, wagons – 2,60,417 MT/M, receipt of refrigerated propane, butane &amp; LPG from JNPT jetty to Uran LPG plant through 12.5 Km pipeline (storage &amp; dispatch) – 2 x 8000 MT cryogenic tanks by imposing following</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall adhere to the onsite &amp; offsite emergency plan.</li> <li>2. The petroleum products should be transported through the pipeline which should be absolutely leak proof.</li> <li>3. PP shall provide STP to treat the sewage generated from the industry within next 6 Months.</li> <li>4. PP shall submit/extend the BG to form the sum of Rs. 25.0 Lakh towards O &amp; M of PCs and compliance of consent conditions.</li> </ol>
34	MPCB- CONSENT- 0000203903	IPCA Laboratories Ltd. At Post Hingni, Tal.-Seloo, Dist.- Wardha At. Post Hingni, Seloo	NOT APPROVED  Renewal of Consent to Operate	-----	<p>Committee noted that PP has applied for Renewal of consent to Operate for manufacturing of 2-Ethyl Hexyl Nitrate (Fuel Additives) 7200 MT/A. Previous Renewal of consent to operate granted vide dtd. 8.10.2006 granted up to 31.12.2006. Existing Consent to Establish for Expansion granted vide dtd. 17/12/2023 valid up to COU or up to 5 year whichever is earlier for 17 API products with C.I. of Rs.553.0 crs.</p> <p>Committee also noted that Industry has obtained Environmental Clearance granted dtd.27.08.2021 for 17 API products- 4470 MT/A which is amended vide dated 24.03.2024. Unit is not in operation since, 2007.</p> <p>Committee further noted that Industry has obtained EC, 2-Ethyl Hexyl Nitrate (Fuel Additives) is not mentioned. However, PP has obtained Renewal of consent for 2-Ethyl Hexyl Nitrate (Fuel Additives)-7200 MT/A vide dtd. 8.10.2006 and EIA notification is enforced from 14.09.2006. Considering renewal case granted in 2006 and now applied quantity is same. As per NCLT Order dtd. 22.01.2020 para (III) the dues including the statutory dues owed to the Central Government, any State Government, or any local authority, if not part of the resolution plan, shall stand extinguished and no proceedings in respect of such dues for the period prior to the date on which the Adjudicating Authority grants its approval.</p> <p>After due deliberation, it was decided to issued show cause notice as unit</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					is not in operation since 2007 and applicability of Environment Clearance of renewal product.
35	MPCB- CONSENT- 0000204637	Evonith Value Steel Limited 144,205,143,145, 146,162,147,272, 206,207,204,159, 205 Bhugaon Link Road, Wardha.	APPROVED  Renewal of Consent	31.05.2028	<p>Committee noted that PP has applied for Renewal of Consent to operate with CI of Rs. 1157.01 Crs. for the manufacturing of Oxygen gas – 200 Ton/d, Nitrogen gas – 6500 M3/hr, cold roll coils &amp; sheets – 18,750 MT/M, Galvanized coils &amp; sheets – 18,750 MT/M.</p> <p>Committee also noted that PP has obtained renewal of consent to operate granted by Board vide dated 02.02.2022, valid up to 31.05.2024 which amended for change in name vide dated 16.03.2023 &amp; EC vide dated 19.02.2016.</p> <p>Committee further noted that the Domestic Effluent is 135 CMD &amp; Industrial Effluent is 17 CMD, for the same PP has provided STP a capacity of 720 CMD, the treated sewage is used on land for gardening purpose, sewage generated from other unit is being treated in this STP and provided ETP of capacity 300 CMD which comprises equalization tank, neutralization tank, flocculation tank, clarifier, intermediate storage tank, ion exchangers &amp; multi-stage sand filter, treated water tank. The JVS result of ETP outlet dated 28.07.2023, 23.11.2023 is not meeting with consented parameters such as TDS, SS, BOD &amp; JVS result dated 18.04.2024 is well within limit. PP has provided scrubber to pickling section, ARP as an air pollution control system. The JVS result of stack attached to pickling scrubber, Reheating furnace, ARP new &amp; old dated 26.07.2023 is not meeting the parameter acid mist, TPM.</p> <p>Committee also noted that Board office has issued PD vide dated 04.12.2023 due to non-compliances such as PP has failed to stop discharge of leachates generated from ETP premises, old sludge drying</p>



Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>beds in to Bhangarpur nala, non-provision of dedicated closed shed along with leachate collection system for storage of ETP sludge, red oxide, non-provision of adequate capacity of ARP which leads to sludge generation is more than consented quantity, failed to remove ETP sludge deposited in nearby nala of ARP, failed to provide OCEMS to ETP. Accordingly, PP has submitted the compliance report which is verified by Board officials vide dated 11.04.2024. PP has submitted BG of Rs. 25 Lakh, valid up to 30.09.2024 for O &amp; M of PCs and compliance of consent conditions &amp; BG of Rs. 5.0 Lakh, valid up to 31.12.2024.</p> <p>After due deliberation, it was decided to consider the case for Renewal of Consent to operate with CI of Rs. 1157.01 Crs. for the manufacturing of Oxygen gas – 200 Ton/d, Nitrogen gas – 6500 M3/hr, cold roll coils &amp; sheets – 18,750 MT/M, Galvanized coils &amp; sheets – 18,750 MT/M by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall operate ETP scientifically to achieve consented norms &amp; recycle the treated effluent in process to the maximum extent.</li> <li>2. PP shall operate the air pollution control system scientifically to achieve emission standards.</li> <li>3. PP shall comply with conditions stipulated in EC vide dated 19.02.2016.</li> <li>4. By forfeiting proportionate BG of Rs. 5.0 Lakh towards JVS exceedance &amp; top with double amount to form the sum of Rs. 25 Lakh towards O &amp; M of PCs and compliance of consent &amp; EC conditions.</li> </ol> <p>Consent shall be issued after submission of additional consent fees.</p>
36	MPCB-	HYUNDAI	NOT	----	Committee noted that PP applied for applied for consent to establish for



Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	CONSENT-0000206628	MOTOR INDIA LTD., A-16, MIDC Talegaon Industrial Area, Phase - II Expansion Near Foriculture Park, Maval, Talegaon, Umbare Navalakh, Pune Maval	APPROVED  Consent to Establish for expansion.		<p>expansion for manufacturing vehicles.</p> <p>Committee also noted that, PP will provide STP of 1450 CMD capacity. The treated sewage will be disposed to CETP. Industrial Effluent generation of the unit will be 1100 CMD. PP has proposed to treat the same in the CETP Talegaon Industrial Area with the name of M/s. Hydroair Tectonics (PCD) Ltd.</p> <p>Committee further noted that, Presently provided 60 stacks for DG &amp; process stack. PP has proposed to provide Top-coat Booth and flash-off, RTO-exhaust, Spray booth sludge pit exhaust duct- with stack of 32 Mtrs .</p> <p>PP requested to give some time to make changes in application form.</p> <p>After due deliberation, after considering request of PP application is kept abeyance for changes in application and technical presentation/Personal Hearing.</p>
37	MPCB-CONSENT_AMMENDMENT-0000011586	Gharda Chemicals Limited, D-1/2, B-1/7, MIDC, Lote Parshuram, Tal. Khed, Dist Ratnagiri,	APPROVED  AMMENDMENT	-----	<p>Committee noted that Industry has applied for amendment in sewage generation, e-waste, STP and SO2 standards.</p> <p>Committee also noted that sewage generation from 5 CMD. E-waste generation as 1.0 MT/A. For treatment of sewage 5 CMD STP. Standard of SO2 generation 3181 kg/day rather than 150 kg/day.</p> <p>After due deliberation, it was decided to grant amendment in sewage generation, e-waste, STP and SO2 standards.</p>
38	MPCB-CONSENT_AMMENDMENT-	Gharda Chemicals Limited. D-1/2, B-1/7, MIDC, Lote	APPROVED  AMMENDMENT	-----	<p>Committee noted that Industry has applied for amendment in by-product to product list, Sewage quantity &amp; disposal, Sulphur content of HSD and LDO</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
	0000011599	Parshuram, Tal. Khed, Dist Ratnagiri.	T (Partly)		<p>to 1% &amp; 1.8%, stack height, hazardous waste quantity &amp; disposal pathway.</p> <p>Committee also noted that By-Products having Purity and Sale value those are not intended to be produced but gets produced in the production process of the intended finished products are generated during the manufacturing of finished products are listed as by-products in the issued consent to Establish these are now shifted to Product list. Sewage generation is 5CMD shall be transferred to the existing STP located at Unit 1. Stack height (S-23) for D.G. Set change from 10 meters to 7 meters. Change in Hazardous waste quantity and disposal path.</p> <p>After due deliberation, it was decided to grant amendment in sewage generation 5 CMD shall be transferred to the existing STP located at Unit 1. Stack height (S-23) for D.G. Set change from 10 meters to 7 meters. Change in Hazardous waste quantity and disposal path.</p> <p>It was also decided not to consider the change of amendment in by-product to product list, as industry should apply separately for same in by-product committee.</p>
39	MPCB- CONSENT_ AMMENDM ENT- 0000013237	Lubrizol India Private Limited Plot Nos.: C- 93, C-93 Part, C-GEN-20,20A,20B, C-GEN-20,20A,20B Part T.T.C Industrial Area, Thane-	APPROVED  AMMEDMEN T	-----	<p>Committee noted that Industry has applied for change in Hazardous waste disposal path &amp; addition of Sodium Hydrogen Sulphide Solution (Up to 35%) in Hazardous Waste category.</p> <p>Committee also noted that Industry wants to include disposal path as Co-Processing through authorized pre-processor. Rest of the conditions of earlier consent issued will remain same.</p> <p>After due deliberation, it was decided to grant amendment in Hazardous</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
		Belapur Road, Turbhe, Navi Mumbai, Dist.-Thane.			waste disposal path & addition of Sodium Hydrogen Sulphide Solution (Up to 35%) in Hazardous Waste category
40	MPCB-CONSENT-0000186753	Mazda Colours Ltd., Plot No. 121/1, 121/2, MIDC Dhatav Roha, Dist-Raigad.	APPROVED Autorenewal Application	31.12.2028	<p>Committee noted that case was discussed in 19th CAC Meeting of 2023-24 (Booklet No. 20) dtd. 27.12.2023 and it was decided to issue show cause notice for following non-compliances:</p> <p>1. PP has submitted C.A. certificate for CI of Rs. 186.8628 Crs However, as per balance sheet of the industry is Rs. 259.1115 Crs which is enhanced by Rs. 88.1015 Crs i.e. by 51.5%.</p> <p>Committee also noted that PP not submitted Annexure -C in line of prescribed format of Auto renewal scheme. PP not submitted compliance of Interim Directions vide dtd. 2.11.2023 with various conditions like improvement in MEE, to apply for amendment in EC for the product/by products as per consent, HW amendment, to provide SCADA etc.</p> <p>PP has not submitted an analysis report of Total Organic Carbon, Cu Metal and Hazardous waste from IIT/NEERI and ICT as per consent conditions. After due deliberation, it was decided to issue show cause notice for above non-compliances.</p> <p>Committee further noted that PP submitted reply on 14.02.2024 stating that CA certificate submitted was multi-unit and CI of this unit is 186.8628 Crs. PP uploaded Annexure-C. PP has submitted the reply to Interim Direction on 21.11.2023. Industry has carried out analysis from ICT, Mumbai for Total Organic carbon, Cumetal &amp; hazardous waste and report submitted, they got it from ICT, Mumbai because IIT and NEERI did not respond to Industry request.</p> <p>After due deliberation, it was decided to grant renewal of consent by imposing standard conditions and bank guarantee.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
41	MPCB- CONSENT- 0000193710	Adani Power Maharashtra Ltd. (Gondkhari Underground Coal Mine)  At Village Gondkhari Tal. Kalmeshwar Dist. Nagpur	APPROVED  Consent to Establish	Commissioning of the Unit or 5 years, whichever is earlier	<p>Committee noted that, PP has applied for consent to Establish for proposed Gondkhari Underground Coal Mine (Kampeete Coalfield)-2.0 MTPA through excavation by mechanized Longwall (Retreating) with caving method as per Block allotment of the mining lease area (MLA) of 862.0 Ha.</p> <p>Committee also noted that, PP has obtained approved mine plan from Ministry of Coal, GoI vide letter dtd.9.01.2023. Final approval of the Forest Clearance is yet not obtained under the Forest (Conservation) Act, 1980 for diversion of 87.351 ha of forest land and PP has applied for non-forestry purposes vide dated 06.01.2023. Forest Conservation Division, GoI has Approved In-principal/Stage I approval vide dtd. 2.01.2024 . PP has applied for mining lease, However, yet not granted and PP has submitted undertaking stating as approval of mine lease will be submitted after approval of Government. PP has obtained EC vide dtd. 2.02.2024 subject to submission of the Stage-I Forest Clearance for 87.351 ha of forest land. Proposed ETP and STP for effluent treatment.</p> <p>Committee further noted that, PP has proposed water sprinkling at underground mining and surface operations and on road. Concrete roads proposed. Transportation of coal vehicles will be covered with tarpaulin. The underground mine working area will be provided ventilation and proposed to provide tyre washing system with online monitoring system. PP has submitted that Land possession is under process and will submit the report before 30.04.2024. However, submitted letter on 16.05.2024 and stated that mining will be done in a lease hold area of 862.0 Ha. Out of which only 21.31 Ha of land area will be required to establish the mine entries including inclines and ventilation shaft and other infrastructure.</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Further, stated that they have already possessed 6.28 Ha of land and the remaining 15.03 Ha of land will be possessed by 25.05.2024, for which no land documents submitted.</p> <p>After due deliberation, it was decided to grant consent to establish for underground coal mine-2 MTPA by imposing standard conditions of mine and following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall comply with the conditions of the Environmental Clearance granted by MoEFCC, GoI vide NO. IA-J-11011/46/2022-IA. II(M) dtd. 2.02.2024.</li> <li>2. PP shall obtain the approval for the mining lease from the competent authority and till that PP shall not take any effective steps towards establishment of the project.</li> <li>3. PP shall obtain the final approval of Forest clearance for 87.351 Ha for the forest land involved in the mining lease area from the competent authority. Till to obtain the final forest clearance, PP shall not take any effective steps towards the Project execution.</li> <li>4. PP shall install an online continuous monitoring system as per CPCB guidelines &amp; data to be transmitted directly from Data Logger to Board server.</li> <li>5. PP shall obtain necessary NOCs/permissions from the other departments before starting the Project work of the mine.</li> <li>6. PP shall submit the land possession record to the Regional Office, Nagpur and till to submission of the same, PP shall not take any effective steps towards establishment of the project.</li> <li>7. PP shall submit the BG's as per BG regime of mining and towards installation of Pollution control systems and towards compliance of the consent and Environmental clearance.</li> </ol>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					Consent shall be issued after receipt of the additional fees.
42	MPCB- CONSENT- 0000195113	MOIL Limited, (Formerly Manganese Ore (India) Ltd.), Dongri Buzurg Manganese Ore Mine, P.O-Dongri Buzurg ,Tal- Tumsar, Dist- Bhandara	APPROVED  Renewal of Consent to operate	29.02.2028	<p data-bbox="1066 363 2141 435">Committee noted that, PP has applied for renewal of consent for Manganese Ore Mine-420000 MT/A on total mine lease area-173.80 HA.</p> <p data-bbox="1066 491 2141 898">Committee also noted that, PP has obtained EC vide letter dtd.20.07.2007. Previous C to O was valid upto 31.03.2024. Provided ETP and STP for effluent treatment. PP has provided water sprinkling on the road with one water cannon. Tyre washing facility and CAAQM are provided. HW disposal is not regularly disposed. PP has requested to not consider the mud sludge in the consent as it is saleable. Board has issued SCN vide dtd. 29.02.2024 and same has replied by PP. This office was called information of the discrepancies regarding quantity of sewage, justification for C.I., lease approval and forest clearance, HW disposal details and APCS to the crusher.</p> <p data-bbox="1066 954 2141 1361">Committee further noted that, PP has replied to the discrepancies and submitted the justification for enhancement in C.I. for up gradation of road, boundary wall, RWH, purchase of vehicles, machinery and statutory payment, etc, submitted revised water budget and effluent, mining lease details. Submitted the copy of MOEFCC letter dtd. 12.11.2014 regarding forest clearance. Also submitted only wet screening is performed and for dust suppression at crushing and mineral stock water sprinkling and fog canon. HW details submitted. Out of total land, 46.25 H land area has permissible mining lease with validity up to 3.03.2028. PP has justified that Total occupied mining lease area is only 173.80 Ha.</p> <p data-bbox="1066 1417 2141 1455">After due deliberation, it was decided to grant renewal of consent for</p>

Sr. No	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
					<p>Manganese Ore Mine-420000 MT/A on total mine lease area-173.80 HA by imposing standard conditions of the mine and following conditions:</p> <ol style="list-style-type: none"> <li>1. The applicant shall comply with the conditions of the Environmental Clearance granted by MOEF&amp;CC, Gol vide letter No. J-11015/232/2007-IA-II(M) dtd. 20.07.2007.</li> <li>2. The applicant shall comply with the conditions of the Forest Clearance granted by a competent Authority time to time.</li> <li>3. PP shall carry out over burden dump management as per CPCB guidelines.</li> <li>4. PP shall submit the BG as per the BG regime of mines.</li> <li>5. PP shall strictly dispose of the Hazardous waste as per Hazardous and Other Wastes (M &amp; T) Rules, 2016. For the compliance of the same, BG of Rs. 5.0 Lakh shall be submitted.</li> </ol> <p>Consent shall be issued after obtaining the BG forfeiture of Rs. 5.0 Lakh as per last consent.</p>

The meeting is ended with vote of thanks.