

# **MAHARASHTRA POLLUTION CONTROL BOARD**



Minutes of 2<sup>nd</sup> Consent Appraisal Committee Meeting of 2025-2026 held on 20.05.2025 at Maharashtra Pollution Control Board, Conference Hall, 4<sup>th</sup> Floor, Kalpataru Point, Sion (E), Mumbai 400022

Following members of the Consent Appraisal Committee were present:

- |   |                 |
|---|-----------------|
| 1. Shri. Siddhesh Ramdas Kadam<br>Chairman, MPCB  | Chairman        |
| 2. Dr. Avinash Dhakne,<br>Member Secretary, M.P.C. Board.                                     | Member          |
| 3. Shri P. K. Mirashe,<br>Technical Advisor, MIDC.  | Member          |
| 4. Dr. Nitin Goyal,<br>Principal Scientist and Head, CSIR –NEERI.                             | Member          |
| 5. Shri Shankar L. Waghmare,<br>Joint Director (WPC), M.P.C. Board, Mumbai.                   | Member Convener |
| 6. Additional Chief Secretary, Home (Transport) Dept., Mumbai - leave of absence was granted. |                 |

Following Officer of MPCB were present for the meeting:

- |  |                 |
|--|-----------------|
| 1. Shri Ravi B. Andhale<br>Joint Director (APC), M.P.C. Board, Mumbai.                 | Invitee Member  |
| 2. Dr. V.R. Thakur,<br>Principal Scientific Office, M.P.C. Board, Mumbai.              | Invitee Member  |
| 4. Shri. Sujit Dholam,<br>I/c Regional Officer (Head Quarter), M.P.C. Board, Mumbai.   | Invitee Member  |
| 5. Shri. Nandkumar Gurav (Rtd. AS(T))<br>Technical Advisor, CTPR, M.P.C. Board, Mumbai | Invitee Members |

Chairman of the committee welcomed the members of the committee and allowed proceeding of the meeting to start.

The meeting thereafter deliberated on the fresh agenda items [Booklet No. 2] placed before the committee and following decision were taken:

Sr. No.	Application Unique Number	Industry name and Address	Decision on grant of consent	Consent granted Up to	Remarks / Discussion
<b>Booklet no 2</b>					
1	MPCB-CONSENT-0000194410	Western Coalfields Limited, Ukni Opencast Mine669 Near Ukni village Wani	NOT APPROVED  Renewal of consent to operate	-----	<p>Committee noted that PP has applied for renewal of consent for open cast coal mine -2.2 MTPA on the mine lease area 940 Ha.</p> <p>Committee also noted that case was discussed in the CAC meeting held on dtd. 30.07.2024 and it was decided to issue Show Cause Notice for Refusal of consent for observed non-compliances. Accordingly, SCN was issued.</p> <p>Committee further noted that PP has submitted reply w.r.t. Show Cause Notice. From reply committee observed that existing ETP is not operational, PP not provided Tyre washing system with trade effluent treatment, not provided CAAQM Station and Not submitted all B.G.'s as per consent condition etc.</p> <p>After due deliberations, it was decided to call PP for personal hearing along with compliance consent condition.</p>
2	MPCB-CONSENT-0000189571	Project - Godrej Greens by M/s Dreamworld Landmarks LLP.S.no.31(P),32(P),33(P),34(P),37(P)and 40(P) Undri Haveli	NOT APPROVED  Renewal of Consent to Operate (Part-II)	-----	<p>Committee noted that Project Proponent has applied for Renewal of Consent to Operate (Part-II) for Residential Construction project on Total Plot Area of 1,22,547 SqMtrs for Construction BUA of 1,05,034.34 SqMtrs out of Total Construction BUA of 2,49,367.09 SqMtrs as per EC granted dated 16/02/2018.</p> <p>PP has obtained Revalidation of Consent to Establish dtd 23.12.2021 valid till COU or 16.02.2025 for construction project having Total Plot Area of 122547 SqMtrs &amp; Total Construction BUA of 168892.56 out of Total Construction BUA of 2,49,367.09 SqMtrs as per EC dated 16/02/2018. PP has applied for revalidation of C to E vide UAN No 233053</p>

					<p>PP has obtained Renewal of Consent to Operate (Part-I) dtd 07.03.2019 valid till 31.05.2019 for Residential construction project on Total Plot Area of 1,22,547 SqMtrs for Construction BUA of 80474.44 SqMtrs out of Total Construction BUA of 2,49,367.09 SqMtrs as per EC granted dated 16/02/2018 with CI of Rs 246.63 Cr.</p> <p>PP has obtained Consent to Operate (Part-II) dtd 01.08.2023 valid till 28.02.2024 for Residential Construction project on Total Plot Area of 1,22,547 SqMtrs for Construction BUA of 1,05,034.34 SqMtrs out of Total Construction BUA of 2,49,367.09 SqMtrs as per EC granted dated 16/02/2018 with CI of Rs 409.10 Cr</p> <p>PP has obtained Environmental clearance dtd 16.02.2018 for construction project on Total Plot Area of 1,22,547 SqMtrs for total Construction BUA of 2,49,367.09 SqMtrs as per specific condition.</p> <p>PP has provided STP &amp; OWC.</p> <p>After due deliberation, it was decided to issue Show Cause Notice for refusal of Consent for following non compliances:</p> <ol style="list-style-type: none"> <li>1. PP has not obtained renewal of Consent to Operate (Part-I) dtd 07.03.2019 which was valid till 31.05.2019.</li> </ol>
3	MPCB- CONSENT- 0000203408	Godrej Properties Ltd., Plot bearing C.T.S. No. 216 A & C (Pt) of Ador Welding, J.B. Advani Mills, Opp Asian Paints Factory, L.B.S. Road, Bhandup, Mumbai.	APPROVED  Consent to Establish	Commissioning of the project or five years whichever is earlier	<p>Committee noted that Project Proponent has applied for Consent to Establish for Residential &amp; Commercial Construction project having total plot area 27112.90 SqMtr. &amp; total construction BUA of 173725.50 SqMtr</p> <p>PP has obtained EC dtd 18.06.2015 for Construction project having total plot area 27539.90 SqMtr. &amp; total construction BUA of 1,22,587.10 SqMtr</p> <p>PP has obtained PP has applied for amendment &amp; expansion in EC for total BUA of 1,73,725.50 SqMtr. PP has submitted ToR dtd 29.02.2024</p>

					<p>PP has proposed STP of 825 CMD and OWC.</p> <p>Committee also noted that PP has submitted concession approval dtd 20.02.2024 from BMC for total BUA of 163847.21 SqMtr.</p> <p>After due deliberation, it was decided to grant Consent to Establish for Residential &amp; Commercial Construction project having total plot area 27112.90 SqMtr. &amp; total construction BUA of 163847.21 SqMtr with the condition to obtain EC and not to take any effective steps towards the construction without obtaining Environmental Clearance and other standard conditions and bank guarantee.</p>
4	MPCB- CONSENT- 0000211629	Vilasrao Deshmukh Government Medical College and Hospital Main Road Latur, Latur, Latur (M CI), Latur	NOT APPROVED  1 <sup>st</sup> Combined Consent & BMW Authorization	-----	<p>Committee Noted that HCE has applied for 1<sup>st</sup> Combined Consent &amp; BMW Authorization for 700 beds Hospital on total plot area of 10,921 Sq.Mtr &amp; total BUA of 79,337 Sq.Mtr.</p> <p>Committee also noted that, this case was discussed in CAC meeting dated 30.07.2024 and it was decided to issue SCN for refusal for EC, ETP, CCA applicable fees and accordingly, SCN for refusal of CCA was issued on 19.08.2024. Previously agenda was submitted as HCE was not replied.</p> <p>Committee further noted that meantime HCE was uploaded reply on 20.12.2024 as EC not obtained and correspondence made to PWD in this regard. Separate ETP is not provided however, combine STP is provided with capacity of 250 CMD. HCE has made correspondence on 3.10.2024 regarding fees to Director, Medical Education for guidance and after getting a reply same will be paid and submitted letter communicated to commissioner Medical Education and Research Mumbai for fees, EC and appointment of Technical consultant.</p> <p>After due deliberation, it was decided to call HCE/PP authority for personal Hearing for EC details, ETP, fees &amp; penal charges and compliance of SCN.</p>

5	MPCB- CONSENT- 0000203860	Jakraya Sugar Limited, Gat No. 70,71,72,73,74, Gat No. 70,71,72,73,74, Watwate, Tal. - Mohol, Dist - Solapur Mohol	APPROVED  Consent to establish for expansion	Commissioning of unit or 5 Years whichever is earlier	<p>The committee noted that the Project proponent has applied for Consent to Establish for. expansion for manufacturing electric power co generation 15 MW to their Sugar Unit of 4900 TCD and 11 MW cogen unit.</p> <p>Industry has Previous Renewal of Consent vide 26/10/2023 valid for period up to 31.07.2024 for Sugar Unit of 4900 TCD and 11 MW co-generation unit.</p> <p>The committee noted that, industry has obtained Environmental Clearance granted vide letter No. S F. NO. J-11011/314/2012- IA II (I) dtd. 14.07.2020</p> <p>Committee noted that, Industrial effluent generation is 10:00 CMD after primary ETP same will be recycled and for domestic effluent septic tank and soak pit will be provided treated water will be disposed on land for gardening within premises and Industry proposed to install New boiler of 70 TPH capacity will be installed with stack height of 72 mtr existing sugar unit stack wet scrubber system is provided.</p> <p>After due deliberations, it was decided to grant Consent to Establish for expansion for proposed 15 MW co-generation unit /electric power unit to their Sugar Unit of 4900 TCD by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall Submit Bank Guarantee of Rs. 10 Lakhs towards compliance of Consent conditions.</li> </ol>
6	MPCB- CONSENT- 0000203872	Jakraya Sugar Ltd. (Distillery Unit)Gat No. 61/1/A, 64/1, Gat No. 61/1/A, 64/1,	APPROVED  Consent to establish for expansion	Commissioning of unit or 5 Years	<p>The committee noted that the Project proponent has applied for Consent to Establish for installation of coal fired boiler of capacity 10 TPH for their 200 KLPD molasses-based distillery project.</p>

		Tal. - Watwate, Tal. - Mohol, Dist - Solapur Mohol		whichever is earlier	<p>Industry has Previous Renewal of Consent vide 23/11/2023 valid for period up to 31.08.2024 for 200 KLPD molasses-based distillery project.</p> <p>Committee noted that, Industry has obtained Environmental Clearance granted vide letter No. S F . NO. J-11011/314/2012- IA II (I) dtd. 14.07.2020.</p> <p>Committee further noted that, Coal 2500 kg/hr will be used as fuel and stack of 30 mtr height will be provided with wet scrubber system as a Air Pollution Control System.</p> <p>After due deliberations, It was decided to grant of Consent to Establish for installation of coal fired boiler of capacity 10 TPH to MPC Board, for their 200 KLPD molasses-based distillery project, by imposing following conditions:</p> <p>1. Industry shall Submit Bank Guarantee of Rs. 10 Lakhs towards compliance of Consent conditions.</p>
7	MPCB- CONSENT- 0000206694	Godrej Properties LtdC.T.S.No.51/B (old C.T.S.No. 51 (part),52, 52/1 to 17) of village Vikhroli Restaurant Building in • The Trees• Project C.T.S.No.51/B (old C.T.S. No. 51 (part),52, 52/1 to 17) of village Vikhroli, Vikhroli	APPROVED  Consent to Operate (Part-I)	30.04.2026	<p>Committee noted that Project Proponent has applied for Consent to Operate(Part-I) for Restaurant building Construction project on Total Plot Area of 1,38,402 SqMtrs for Construction BUA of 15,249.04 SqMtrs out of Total Construction BUA of 4,02,358.27 SqMtrs as per EC dated 13/06/2022</p> <p>PP has obtained Consent to Establish dtd 16.11.2022 valid till COU or 5 Yrs for construction project on Total Plot Area of 1,38,402 SqMtrs for Construction BUA of 15,249.04 SqMtrs out of Total Construction BUA of 3,87,109.23 SqMtrs.</p> <p>PP has obtained Environmental clearance for expansion dtd 13.06.2022 for construction project on Total Plot Area of 1,38,402 SqMtrs &amp; total Construction BUA of 4,02,358.27 SqMtrs as per specific condition with CI of Rs 1525 Cr.</p>

		(E), Mumbai 400079. Mumbai			<p>Sewage generation 28 CMD. PP has provided STP of 30 CMD. Provided OWC.</p> <p>After due deliberation, it was decided to grant Consent to Operate (Part-I) for Restaurant building Construction project on Total Plot Area of 1,38,402 SqMtrs for Construction BUA of 15,249.04 SqMtrs out of Total Construction BUA of 4,02,358.27 SqMtrs as per EC dated 13/06/2022 by imposing standard conditions and bank guarantee.</p>
8	MPCB- CONSENT- 0000217810	Jakraya Sugar Ltd. (Distillery Unit) Gat No. 61/1/A, 64/1 Gat No. 61/1/A, 64/1, Tal. - Watwate, Tal. - Mohol, Dist - Solapur Mohol	NOT APPROVED  Renewal of Consent to Operate	-----	<p>Committee noted that, Industry has applied for Renewal of Consent to Operate for 200 KLPD Molasses / Sugar Cane juice-based distillery Unit amalgamation with 1<sup>st</sup> Consent to Operate for 50 KLPD Ethanol plant.</p> <p>Committee also noted that, The application has been discussed and not approved in 14<sup>th</sup> CAC meeting dt: 07/01/2025 and 14/01/2025 and Personal Hearing / technical presentation was held on dt: 04/03/2025 before Hon'ble Chairman in presence of HOD's of M.P.C Board, and accordingly SCN for Refusal of Consent to Operate has been issued vide dt: 28/04/2025 due to following non- compliances:</p> <ul style="list-style-type: none"> <li>a) The industry has not submitted the Bank Guarantee of Rs. 50 Lakhs as per Consent conditions to MPC Board.</li> <li>b) The industry has not submitted Bank Guarantee of Rs. 5 Lakhs as per compliance of Consent to establish conditions to MPC Board.</li> <li>c) The industry has not yet installed RPC (Rotary particle Collector) for upgradation of Air Pollution Control System as per interim direction issued by MPC Board.</li> <li>d) Industry has not operationalized the STP as per interim direction issued by MPC Board.</li> </ul> <p>Commie further noted that, Industry has submitted Reply of SCN for Refusal Renewal of Consent to Operate vide dt: 02/05/2025 for</p>

					<p>200 KLPD Molasses / Sugar Cane juice-based distillery Unit amalgamation with 1<sup>st</sup> Consent to Operate for 50 KLPD Ethanol plant as under :-</p> <ol style="list-style-type: none"> <li>1. Industry has submitted Renewed Bank Guarantee of Rs. 50 Lakhs vide dt: 02/05/2025 valid up to: 31/12/2030.</li> <li>2. Industry has submitted Bank Guarantee of Rs. 5 Lakhs towards compliance of consent conditions vide dt: 02/05/2025 valid up to: 31/08/2026.</li> <li>3. Industry has placed work order for the design, erection and commissioning of RPC ( Rotary Particulate Collector) for upgradation of Air Pollution Control system. The design and civil foundation work is completed for installation of RPC and erection work is under progress as per work order. Erection work will be completed before start of crushing season 2025-2026 without fail.</li> </ol> <p>The committee further noted that, industry has not completed instantiation work of upgradation of Air Pollution Control system by provision of RPC (Rotary Particulate Collector) and industry has not started operation of RPC (Rotary Particulate Collector system industry has not carried out evaluating design adequacy studies of air pollution control systems. pollution control system and industry has not carried out evaluating design adequacy studies for STP Plant provided as per interim directions issued by MPC Board.</p> <p>After due deliberations, it was decided to issue final refusal of Renewal of Consent to operate for Renewal of Consent to Operate for 200 KLPD Molasses / Sugar Cane juice-based distillery Unit amalgamation with 1<sup>st</sup> Consent to Operate for 50 KLPD Ethanol plant, due to following non-compliances:</p> <ol style="list-style-type: none"> <li>1. Industry has not completed installation work of upgradation of Air Pollution Control system by provision of RPC (Rotary Particulate Collector) and industry has not started operation of RPC (Rotary Particulate Collector system.</li> </ol>
--	--	--	--	--	---



					<p>2. Industry has not carried out evaluating design adequacy studies of air pollution control systems. pollution control system</p> <p>3. Industry has not carried out evaluating design adequacy studies for STP Plant provided as per interim directions issued by MPC Board.</p>
9	MPCB- CONSENT- 0000216963	Joyous Housing Limited, CTS. No. 383 (pt.), 1/389, 390, 397, & 413 (pt.) Tardeo Division, K, Khade MArg, Mahalxmi-w, Mumbai Mumbai	APPROVED  Consent to Operate (Part-I)	31.05.2026	<p>Committee noted that Project Proponent has applied for Consent to Operate (Part-I) for Cluster Development Scheme Construction project having total plot area 74537 sq.mt. &amp; completed Part-I total construction BUA of 87720.3 SqMtr out of total construction BUA of 2,98,146.48 Sq.mtr.</p> <p>Committee also noted that the case was discussed in 15th Consent Appraisal Committee meeting held on held on 24.01.2025 and show cause notice for refusal of consent was issued.</p> <p>Committee noted the reply submitted by PP as follows.</p> <p>(i) PP has obtained EC dtd 21.09.2006 for construction project having total plot area of 74537 sq.mt. &amp; total construction BUA of 2,98,146.48 Sq.mtr. PP has further applied for revalidation of EC and received SEIAA Minutes on 28<sup>th</sup> Jan 2014 stated that as per MoEF notification dtd. 24.08.2013, no revalidation of EC required.</p> <p>(ii) PP has obtained OC on 23.05.2012. PP will submit building wise CA certificate and will pay the penal fees.</p> <p>(iii) PP is in process to pay lapse consent fee since 2013.</p> <p>(iv) PP has submitted Bank Guarantee as per C to E and 12 % interest on the same.</p> <p>Committee also noted that PP has obtained revalidation of Consent to Establish on 09.01.2025 which was valid till 25.04.2026.</p>

					<p>PP has submitted Minutes of SEAC-II meeting held on 5<sup>th</sup> to 8<sup>th</sup> May 2025 wherein the proposal for EC for expansion for proposed total construction BUA of 10,70,110.67 SqMtr.</p> <p>After due deliberation, it was decided to grant Consent to Operate (Part-I) for Cluster Development Scheme Construction project having total plot area 74537 sq.mt. &amp; completed Part-I total construction BUA of 87720.3 SqMtr out of total construction BUA of 10,70,110.67 SqMtr by imposing standard conditions and BG.</p> <p>The consent shall be issued after obtaining valid EC, payment of penal fees and lapse consent fees.</p>
10	MPCB- CONSENT- 0000216453	Jakraya Sugar Limited (Sugar Unit) Gat No. 70,71,72,73,74, Gat No. 70,71,72,73,74, Watwate, Tal. - Mohol, Dist - Solapur Mohol	NOT APPROVED  Renewal of Consent to Operate	-----	<p>Committee noted that Industry has applied for Renewal of Consent to Operate for 4900 TCD Sugar unit and 11 MW Co gen unit.</p> <p>Committee also noted that, the application has been discussed and not approved in 14<sup>th</sup> CAC meeting dt: 07/01/2025 and 14/01/2025 and Personal Hearing / technical presentation was held on dt: 04/03/2025 before Hon'ble Chairman in presence of HOD's of M.P.C Board, and accordingly SCN for Refusal of Consent to Operate has been issued vide dt:28/04/2025 due to following non- compliances:</p> <ol style="list-style-type: none"> <li>1. The industry has not submitted the Bank Guarantee of Rs. 25 Lakhs as per Consent conditions to MPC Board.</li> <li>2. The industry has not yet installed RPC (Rotary particle Collector) for upgradation of Air Pollution Control System as per interim direction issued by MPC Board.</li> <li>3. Industry has not operationalized the STP as per interim direction issued by MPC Board.</li> <li>4. The JVS results of ETP/CPU outlet for ETP outlet sample collected on 28/11/2024 exceeding the consented limits.</li> </ol>

				<p>Committee further noted that, Industry has submitted Reply of SCN for Refusal of Renewal of Consent to Operate for 4900 TCD Sugar unit as under:-</p> <ul style="list-style-type: none"> <li>(i) Industry has submitted Renewed Bank Guarantee of Rs. 25 Lakhs vide dt: 02/05/2025 valid up to: 31/07/2030.</li> <li>(ii) Industry has placed work order for the design, erection and commissioning of RPC (Rotary Particulate Collector) for upgradation of Air Pollution Control system. The design and civil foundation work is completed for installation of RPC and erection work is under progress as per work order. Erection work will be completed before start of crushing season 2025-2026 without fail.</li> <li>(iii) As per interim directions issued by MPC Board, they have installed STP Plant at Sugar Unit for treatment of domestic sewage &amp; STP plant is in operation.</li> <li>(iv) The Results of JVS samples of ETP/CPU outlet exceeding the prescribed standards due to start of crushing season ETP /CPU biomass is slightly disturbed.</li> </ul> <p>The committee further noted that, industry has not completed instantiation work of upgradation of Air Pollution Control system by provision of RPC (Rotary Particulate Collector) and industry has not started operation of RPC (Rotary Particulate Collector system industry has not carried out evaluating design adequacy studies of air pollution control systems. pollution control system and industry has not carried out evaluating design adequacy studies for STP Plant provided as per interim directions issued by MPC Board</p> <p>After due deliberation, it was decided to issue final refusal of Renewal of Consent to Operate for 4900 TCD Sugar unit and 11 MW Co gen unit, due to following non-compliances:</p>
--	--	--	--	--

					<ol style="list-style-type: none"> <li>1. Industry has not completed installation work of upgradation of Air Pollution Control system by provision of RPC (Rotary Particulate Collector) and industry has not started operation of RPC (Rotary Particulate Collector system)</li> <li>2. Industry has not carried out evaluating design adequacy studies of air pollution control systems. pollution control system.</li> <li>3. Industry has not carried out evaluating design adequacy studies for STP Plant provided at sugar unit as per interim directions issued by MPC Board.</li> <li>4. Industry has not properly carried out O &amp; M of Effluent Treatment Plant resulting exceedance of JVS results of ETP/CPU outlet for ETP outlet sample dt: collected on 28/11/2024 exceeding the consented limits.</li> </ol>
11	MPCB- CONSENT- 0000223880	Mahadhan Agritech Limited, Plot No. K-1,K-1 (Part-1), K-1 (Part-2) MIDC Taloja Panvel	APPROVED  Consent to Establish (Expansion)	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP as applied for Consent to Establish (Expansion) for additional quantity of Water-Soluble Fertilizer (WSF) (Physical mixing &amp; blending only)- 3600 MT/A. with CI of Rs. 8.46 Crs.</p> <p>Committee also noted that, the case was discussed in 1st CAC meeting dated 16.04.2025 and it was decided to issue SCN for Non-compliance and SCN was issued on 06.05.2025 and Industry has submitted reply on 07.05.2025.</p> <p>Which is as Following: -</p> <ol style="list-style-type: none"> <li>1. You have completed installation work of Plant &amp; Machinery for the total production quantity of 7200 MT/A, without obtaining consent to establish for additional 3600 MT/A. - They have submitted application for a CTE for a capacity of 7200 MT/A (MPCBCONSENT-0000147988 dated 09.09.2022). However, MPCB issued a CTE for 3600 MT/A by order dated 02.02.2023. Therefore, we request you to amend the CTE issued to us from 3600 MT/A to 7200 MT/A.</li> </ol>

					<p>2. You have not submitted any document plan and timeline towards adhering to the clean fuel transition policy and yet to submit the transition plan. -They have submitted long- and short-term plan on 14.06.2024 to Regional Officer. They have already successfully completed initial trials with clean fuels (Biomass pellets) blending to an extent of 7% and are now procuring additional quantities of biofuels for future consumption.</p> <p>3. Also, NOx emissions from stripper and ammonia slip from the Prill tower combine to form the haze which reduces visibility. -There NOx and Ammonia emissions are within the MPCB prescribed limits as stated in the CTO. They have conducted a study titled “Adequacy of Pollution Control Systems” by the IIT Mumbai team The study clearly establishes that the Air Pollution Control (APC) Systems designed and provided were adequate. Ambient air quality issues, such as haze (which reduces visibility), are outcomes of climatic conditions and various local activities in the region Therefore, the haze in the region cannot be attributed to the ammonia stripper.</p> <p>4. You have not obtained permission from Technical Committee regarding Calcium Phosphate is shown as Product, however, the said material manufactured by treated trade effluent generated from Ammonium Nitro Phosphate Plant with Calcium Sulphate and as per the H&amp;OW Rule, material formed after treatment of wastewater categorized as Hazardous Waste (35.1). -They have immediately stopped selling “Calcium Phosphate” as a product and are now storing it in our Hazardous Waste Godown. They will be disposing of it to an MPCB-approved TSDF site.</p> <p>5. You are mixing ETP Sludge with the products as a filler material without adopting CPCB SOP and obtaining the authorization under Rule 9 of HOWM rules. -They have stopped using the ETP sludge in NPK manufacturing. Instead, we are disposing of it at the MPCB-approved TSDF</p>
--	--	--	--	--	---

					<p>site. ETP sludge will continue to be disposed of at the MPCB approved TSDF site.</p> <p>After due deliberation, it was decided to grant Consent to Establish (Expansion) for additional quantity of Water-Soluble Fertilizer (WSF) (Physical mixing &amp; blending only)- 3600 MT/A, by imposing bank guarantee, standard conditions and penal charges.</p> <p>Consent shall be issued after obtaining 5-times penal charges towards installation of unit without obtaining consent to establish.</p>
12	MPCB- CONSENT- 0000226145	Divisional Railway Hospital Bhusawal RPD ROAD, BHUSAWAL, Bhusawal City, Jalgaon	<p>NOT APPROVED</p> <p>Combined Consent to establish &amp; BMW Authorization</p>	-----	<p>Committee noted that HCE has applied for Combined Consent to establish &amp; BMW Authorization for 250 Beds hospital on total plot area of 28,622 Sq. Mtr &amp; total BUA of 7,978 Sq.mtr.</p> <p>Committee also noted that this case was discussed in the CAC meeting dtd. 11.02.2025 and it was decided to issue Show Cause Notice for refusal for non-compliance such as non-submission of layout plan / architect certificate for hospital building completion, water budget, Details of STP &amp; ETP, present status of HCE and membership of CBMWTDF and BNHR Certificate. Accordingly Show Cause Notice for above noted noncompliance was issued on 21.03.2025.</p> <p>Committee further noted that HCE has uploaded documents of floor plan without sanction plan and an Architect certificate. HCE has not submitted an appropriate effluent quantity to the tune of beds and water consumption as water consumption is 152.5 CMD and effluent shown as 24 CMD. HCE has submitted 4 MLD STP is provided without any details &amp; location and operational feasibility with total effluent quantum. Membership of CBMWTDF is submitted. From the above, the Reply of SCN is not in line with SCN for refusal of CCA and non-satisfactory as HCE has not submitted requisite information.</p>

					After due deliberation, it was decided to call HCE/PP authority for personal Hearing for sanctioned layout, details of BUA with Architect certificate, factual effluent generation in comparison with water consumption, trade effluent details, Present status of HCE, STP details.
13	MPCB- CONSENT- 0000225084	Balkrishna Industries Ltd., F- 19 & 20, Gut No. 62, 65 & 66 Waluj Gangapur	APPROVED  Renewal of Consent to operate	31.12.2027	<p>Committee noted that PP has applied for Renewal of Consent to operate for manufacturing of Tyre &amp; Tube Manufacturing- 6800 T/M.</p> <p>Committee also noted this case was discussed in the CAC meeting dtd. 13.03.2025 and it was decided to issue SCN for refusal of consent for non-compliance such as non-submission of latest C.I., plant installation capacity and consented capacity details, justification in the stack's variation and height, HW &amp; Non HW details and BG details.</p> <p>Committee further noted that PP replied to the SCN with revised C.I. and justified that the plant has installed full capacity of production i.e. 6800 T/M along with pollution control devices. Due to market conditions, existing production was 3900 T/M and planned to ramp upto consent quantity. PP has submitted the factual stack details W.r. to consented stacks and APCS. Submitted information regarding HW and Non HW which is in line with consented quantity. BG submission record of Rs. 25 Lakh and Rs. 2.0 Lakh submitted, From the record submission, BG interest is not applicable.</p> <p>After due deliberation, it was decided to consider the case for Renewal of Consent to operate for manufacturing of Tyre &amp; Tube Manufacturing- 6800 T/M.by imposing standard conditions and BG of Rs. 25.0 Lakh towards &amp; M of PCS and compliance of consent conditions.</p> <p>Consent shall be issued after receipt of the requisite fees.</p>

14	MPCB- CONSENT- 0000226116	MAHADHAN AGRITECH LIMITED, Plot Nos. K-1, K-1 (Part-1), K-1 (Part-2) MIDC Taloja Panvel	APPROVED  Consent to 1 <sup>st</sup> Operate (Expansion)	31.03.2026	<p>Committee noted that PP as applied for Consent to 1st Operate (Expansion) for additional quantity of Water-Soluble Fertilizer (WSF) (Physical mixing &amp; blending only)- 3600 MT/A. with CI of Rs. 8.46 Crs.</p> <p>Committee also noted that, the case was discussed in 1st CAC meeting dated 16.04.2025 and it was decided to issue SCN for Non-compliance and SCN was issued on 06.05.2025 and Industry has submitted reply on 07.05.2025. which is as following: -</p> <ol style="list-style-type: none"> <li>1. You have completed installation work of Plant &amp; Machinery for the total production quantity of 7200 MT/A, without obtaining consent to establish for additional 3600 MT/A. - They have submitted application for a CTE for a capacity of 7200 MT/A (MPCBConsent-0000147988 dated 09.09.2022). However, MPCB issued a CTE for 3600 MT/A by order dated 02.02.2023. Therefore, we request you to amend the CTE issued to us from 3600 MT/A to 7200 MT/A.</li> <li>2. You have not submitted any document plan and timeline towards adhering to the clean fuel transition policy and yet to submit the transition plan. -They have submitted long- and short-term plan on 14.06.2024 to Regional Officer. They have already successfully completed initial trials with clean fuels (Biomass pellets) blending to an extent of 7% and are now procuring additional quantities of biofuels for future consumption.</li> <li>3. Also NOx emissions from stripper and ammonia slip from the Prill tower combine to form the haze which reduces visibility. -There NOx and Ammonia emissions are within the MPCB prescribed limits as stated in the CTO. They have conducted a study titled "Adequacy of Pollution Control Systems" by the IIT Mumbai team The study clearly establishes that the Air Pollution Control (APC) Systems designed and provided were adequate. Ambient air quality issues, such as haze (which reduces visibility), are outcomes of climatic conditions and various local activities</li> </ol>
----	---------------------------------	---	--	------------	---



					<p>in the region Therefore, the haze in the region cannot be attributed to the ammonia stripper.</p> <p>4. You have not obtained permission from Technical Committee regarding Calcium Phosphate is shown as Product, however, the said material manufactured by treated trade effluent generated from Ammonium Nitro Phosphate Plant with Calcium Sulphate and as per the H&amp;OW Rule, material formed after treatment of wastewater categorized as Hazardous Waste (35.1). -They have immediately stopped selling "Calcium Phosphate" as a product and are now storing it in our Hazardous Waste Godown. They will be disposing of it to an MPCB-approved TSDF site.</p> <p>5. You are mixing ETP Sludge with the products as a filler material without adopting CPCB SOP and obtaining the authorization under Rule 9 of HOWM rules. -They have stopped using the ETP sludge in NPK manufacturing. Instead, we are disposing of it at the MPCB-approved TSDF site. ETP sludge will continue to be disposed of at the MPCB approved TSDF site.</p> <p>After due deliberation, it was decided to grant Consent to 1<sup>st</sup> Operate (Expansion) for additional quantity of Water-Soluble Fertilizer (WSF) (Physical mixing &amp; blending only)- 3600 MT/A, by imposing bank guarantee, standard conditions and penal charges.</p> <p>Consent shall be issued after obtaining 5 times penal charges towards installation of unit without obtaining consent to establish.</p>
15	MPCB- CONSENT- 0000227869	Santoshi Mata Bahuuddeshiy Saikshanik Sanstha, Aai Ayurved Hospital And Research Centre Sr No.	NOT APPROVED  Combined Consent to Establish &	-----	<p>Committee noted that HCE has applied for Combined Consent to establish &amp; BMW Authorization for proposed development of Hospital and Research Centre Building (330 beds) on total plot area of 66200 Sq.Mtr. (Possession -61,419 Sq.mtr) &amp; total BUA of 7,258.15 Sq.mtr. However, building approval plan is for BUA-26,631 Sq. M.</p>

		114/1 114/3, Ghotsai Kalyan Dist. Thane	BMW Authorization		<p>Committee also noted that this case was discussed in CAC meeting dtd. 13.03.2025 and it was decided to issue SCN for non-compliance such as non-obtaining of EC, A wing work started without CCA &amp; EC, Non-submission of C.I. details, ETP/STP details, compliance of previous refusal, Approved layout, CC and Architect certificate. Accordingly, SCN for refusal of CCA was issued on 23.04.2025.</p> <p>After due deliberation, it was decided to call HCE/PP authority for personal Hearing with compliance of Show Cause Notice points.</p>
16	MPCB- CONSENT- 0000229447	SWAMI RAMANAND TEERTH RURAL MEDICAL COLLEGE & HOSPITAL AMBAJOGAI Morewadi Road Ambajogai	NOT APPROVED  Combined Consent to operate & BMW Authorization	-----	<p>Committee noted that HCE has applied for 1st Combine Consent to operate &amp; BMW Authorization for 518 beds hospital on total plot area of 82081 Sq.Mtr &amp; total BUA of 57930 Sq.mtr.</p> <p>Committee also noted that this case was discussed in the CAC meeting dtd.13.03.2025 and it was decided not to consider the case and issue SCN for non-compliance such as non-submission of EC, construction details, sanctioned layout with architect certificate &amp; completion of BUA and proposed BUA. Non provision of ETP &amp; STP, C.I. for to calculate penal and CCA fees &amp; Valid membership. Accordingly, SCN for refusal of CCA was issued on 23.04.2025.</p> <p>Committee further noted that HCE has replied to the SCN and submitted that that this Govt. medical college &amp; Hospital is established in 1975 hence EC is not required. Though sanction plan is uploaded but same is without BUA details and another sanction plan is for Blood Bank with BUA 663.78 Sq. M. However, Architect certificate for completion of BUA and proposed BUA is not submitted. The proposal of ETP and STP is submitted to concern Authority. CBMWTDF membership is submitted. Govt GR regarding restructuring of CCA fees are effective from 21.08.2024. Hence earlier fees &amp; penal i.e. upto 21.08.2024 are applicable. However, HCE has replied that this is Govt HCE and as per GR</p>

					<p>dtd. 21.08.2024, fees are not applicable and there is no need for capital investment. HCE has submitted that they have not received a scrutiny letter, however, it is generated on the portal on 21.01.2025.</p> <p>In view of the above, HCE has not provided ETP &amp; STP, from the reply to it does not reveal the applicability of EC as details of BUA is not mentioned at actual as per EIA Notification, 2006 &amp; its amendment and not submitted C.I. hence this office is unable to calculate the fees and penal charges for lapse period i.e. upto 21.08.2024 and HCE has not paid any fees and penal charges for the lapse period.</p> <p>After due deliberation, it was decided to issue final refusal of CCA as HCE has not submitted satisfactory reply of Show Cause Notice after giving sufficient time and non-submission of requisite information as above with fees and penal charges upto 21.08.2024 and decided to issue final refusal order.</p>
17	MPCB- CONSENT- 0000228096	Omkar Realtors & Developers Pvt. Ltd. CTS No. 811A/7 (pt), 812, 813, 814A/1 to 814A/4, 821, 824, 825 (pt) & 844 of village Malad (East). CTS No. 811A/7 (pt), 812, 813, 814A/1 to 814A/4, 821, 824, 825 (pt) & 844 of village Malad(East), â€™P/Nâ€™™ Ward	APPROVED  Revalidation of Consent to Establish	Commissioning of the project or 15.12.2029 whichever is earlier	<p>Committee noted that Project Proponent has applied for Revalidation of Consent to establish for SRA building Construction project on Total Plot Area of 59598.9 SqMtrs &amp; remaining total construction BUA of 313644.97 SqMtr out of total construction BUA of 6,78,938.78 Sq.Mtrs as per EC dated 18.09.2018 as per EC dtd 16/02/2018</p> <p>PP has obtained Revalidation of Consent to Establish dtd. 19/02/2022 valid till 15/12/2024 for construction project on Total Plot Area of 59,598.9 Sq.Mtrs &amp; for construction BUA of 4,21,430.71 Sq.Mtrs out of total construction BUA of 6,78,938.78 Sq.Mtrs as per EC dated 18.09.2018 with CI of Rs 1359 Cr</p>

		of M.C.G.M, Mumbai for Janubhoye S.R.A. C.H.S. (Ltd), Rajiv S.R.A. C.H.S.(Ltd.), Khot Pragati S.R.A. C.H.S. (Ltd.), Shree Shiv Kokan S.R.A. CHS (Ltd.), Aikyavardhak S.R.A. CHS (Ltd.), Shiv Sahyadri S.R.A. C.H.S. (Ltd.), Malad (E) P/N ward of M.C.G.M., Mumbai. Borivali			<p>PP has obtained Consent to Operate (Part-II) with amalgamation of Renewal of Consent to Operate(Part-I) dtd 14/05/2025 valid till 31/10/2025 for construction project on Total Plot Area of 59,598.90 SqMtrs for Construction BUA of 365293.80 SqMtrs out of Total Construction BUA of 6,78,938 SqMtrs as per EC dated 18/09/2018</p> <p>PP has obtained Environmental clearance dtd. 18/09/2018 for construction project on Total Plot Area of 59,598.90 SqMtrs &amp; Total Construction BUA of 6,78,938 SqMtrs</p> <p>The Sewage generation will be 3287 CMD. PP has provided 02 STP's of 1250.0 CMD and 585.0 CMD Provided OWC.</p> <p>After due deliberation, it was decided to grant Revalidation of Consent to establish for SRA building Construction project on Total Plot Area of 59598.9 SqMtrs &amp; remaining total construction BUA of 313644.97 SqMtr out of total construction BUA of 6,78,938.78 Sq.Mtrs as per EC dated 18.09.2018 subject to obtain details of BG as per C to R Part-I &amp; II and by imposing standard conditions and BG</p>
18	MPCB- CONSENT- 0000229099	GKN Driveline (India) Ltd., Gat No.16/18A/4, Plot No.4 Village- Lonikand Haveli	NOT APPROVED  Renewal of Consent	-----	<p>Committee noted that PP applied for renewal of Consent to Operate for manufacturing of Drive Shaft (CV Joints), Cage-Child Part, Inner Race Child Pa, Tripod-Child Part, FOR-Child Part, Shaft-Child Par, Tripod Assembly-Child Part, Tulip- Child Part, BJ Assembly - Sub Assembly.</p> <p>Committee observed following non-compliances</p> <ul style="list-style-type: none"> <li>Manufacturing process shows chemical surface treatment and use of various acids like hydrochloric acid, nitric acid, however PP has not provided scrubber to surface treatment &amp; same is not reflected in consent.</li> <li>The manufacturing process shows induction hardening activity, however hardening furnace not reflected in consent.</li> </ul>

					<ul style="list-style-type: none"> <li>Manufacturing process shows Tempering process, however details of tempering furnace not reflected in consent.</li> <li>Details of the air pollution control system at the grinding section are needed.</li> <li>RO Reject is again taken to ETP inlet. MEE not provided.</li> </ul> <p>After due deliberations, it was decided to issue show cause notice for refusal for above observed non-compliances.</p>
19	MPCB- CONSENT- 0000227654	SKF India Limited S. No. 159 to 162,169,186, Chinchwad Haveli	APPROVED  Consent to 1 <sup>st</sup> Operate with Renewal of Consent to Operate and amalgamation	28.02.2030	<p>Committee noted that PP has applied for 1<sup>st</sup> Consent to Operate with Renewal of Consent to Operate and amalgamation of both consents.</p> <p>Committee also noted that case was discussed in the 1<sup>st</sup> CAC Meeting (Part-II) of 2025-26 (Booklet No. 1) dtd. 17.04.2025 and it was decided to issue Show Cause Notice. Accordingly, SCN was issued.</p> <p>Committee noted that PP has submitted reply with respect to SCN and submitted justification towards treatment system for coolant generated from grinding machines, details of pollution control mechanism at grinding and oil quenching section, also submitted latest JVS result with justification.</p> <p>After due deliberations, it was decided to grant 1<sup>st</sup> Consent to Operate with Renewal of Consent to Operate and amalgamation imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit / extent Bank Guarantee of Rs. 25.0 lakhs towards Operation and Maintenance of Pollution Control System and Compliance of Consent Conditions.</li> </ol>
20	MPCB- CONSENT- 0000230157	Indo Rama Synthetics (I) Ltd.A-31 Plot No.	NOT APPROVED	-----	<p>Committee noted that, Industry has applied for 1st Consent to operate with expansion of production of Draw Texturized Yarn–</p>

		A-31 MIDC Industrial Area Butibori, Nagpur 441122 Hingana	1 <sup>st</sup> Consent to Operate expansion amalgamation with Renewal of Consent to Operate	<p>10670 MT/M (4020+6650) &amp; Polyester chips – 24320 MT/M (4350+19970)</p> <p>Committee also noted that, industry has obtained C to E for Expansion vide dt: 28/09/2023 for Draw Texturized Yarn–6650) &amp; Polyester chips –19970) by imposing condition - Subject to obtain EC for Expansion project before operate and Industry has obtained Renewal of Consent to Operate vide dt: 28/09/2023 for mfg . of Polyester Filament Yarn and Draw Textured yarn, Polyester Staple Fiber and Polyester Chips etc. valid up to: 31/03/2026</p> <p>The committee noted that, The application has been discussed in 17 th CAC meeting dt: 13/03/2025 After due deliberation, it was decided to refer to this application for 1st Consent to operate with expansion before the technical committee of HOD for applicability of Environmental clearance.</p> <p>Committee also noted that, the application placed before Meeting of Technical committee of HOD on vide dt: 30/04/2025, detailed presentation of on mfg. process of products which proposed to manufacture in expansion project were briefed by project proponent before Tech committee of HOD , during meeting Technical Advisor, MIDC, suggested that, the project proponent proposed to carry out expansion in products which are not covered under EIA notification 2006 and After due deliberation, it was decided to put forth this comments / opinion of technical committee of HOD before CAC meeting.</p> <p>After due deliberation, it was decided to call the project proponent for personal hearing / Technical presentation on mfg. process of products which proposed to manufacture in expansion project along with details of raw material /process flow involved in proposed activity.</p>
--	--	--	---	--

21	MPCB- CONSENT- 0000213255	UltraTech cement Ltd. Pune Bulk Terminal 153/173 Village: Peth (Naygaon), Tal: Haveli, Dist: Pune.	APPROVED  1 <sup>st</sup> Consent to Operate and amalgamation with Existing Consent to Operate	31.03.2027	<p>Committee noted that PP applied for 1st consent to operate and amalgamation with existing consent to operate for operation of Silo unit of capacity 6000 MT for storage of cement.</p> <p>Committee also noted that PP has obtained consent to operate vide dtd. 20/01/2025 which was valid upto 31/03/2027 for Railway Siding Facility and Packing of Cement (Bag + Loose) - 2190000 MT/A. Also obtained CTE for Expansion vide dtd.17/07/2023.</p> <p>Committee also noted that case was discussed in the 1st CAC Meeting (Part-II) of 2025-26 (Booklet No. 1) dtd. 17.04.2025 and it was decided to issue Show Cause Notice. Accordingly Show Cause Notice was issued.</p> <p>Committee further noted that PP has submitted reply w.r.t. SCN and reported that due to new silo total capacity of packing of cement (Bag + Loose) shall not exceed existing consented limit i.e. 2190000 MT/A. PP also submitted details towards total C.I. and status of B.G. submission.</p> <p>After due deliberations, it was decided to grant 1<sup>st</sup> Consent to Operate and amalgamation with existing Renewal of Consent to Operate imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit / extent Bank Guarantee of Rs. 25.0 lakhs towards Operation and Maintenance of Pollution Control System and Compliance of Consent Conditions.</li> </ol>
22	MPCB- CONSENT- 0000231281	Mahindra & Mahindra Ltd., Plot No. F-1 to F-7, MIDC Area, Hingna Road, Hingna, Nagpur	APPROVED  Consent to Establish for Expansion	Commissioning of the Unit or 5 years, whichever is earlier	<p>Committee noted that PP has applied for Consent to Establish for Expansion for proposed Modernization of plant by replacing old machinery to modern machineries, construction of warehouse, ongoing small projects like Repair of Roads, building and changing in layout for ergonomic without change in production, waste generation and pollution.</p>

					<p>Committee also noted that his case was discussed in the CAC, meeting dtd. 16.04.2025 and it was decided to not consider the case and issue SCN for refusal of consent for non-compliances such as details of existing and proposed BUA, sanction plan, justification for enhancement in trade effluent by 37.73 CMD, details of the recycling of treated effluent with use in process and CETP membership as per consented condition and BG submission.</p> <p>Committee further noted that this office has issued SCN for refusal of consent and replied that BUA will remain the same as per existing unit. It is proposed to reconstruct the warehouse by demolishing the existing warehouse without change in its original BUA and not the part of modernization and requested to keep existing BUA. PP submitted reply stating that trade effluent will not be generated in the modernization. PP has submitted that treated effluent is feed into centralized RO system and utilized in the paint shop upto 100% and there is no need to send CETP. However, membership is obtained if required.</p> <p>After due deliberation, it was decided to consider the case for Consent to Establish for Expansion for proposed Modernization of plant by replacing old machinery to modern machineries, demolition and construction of warehouse without change in existing BUA, ongoing small projects like Repair of Roads, building and changing in layout for ergonomic without change in production, waste generation and pollution by imposing following and standard conditions and BG.</p> <ol style="list-style-type: none"> <li>1. If the proposed Total construction Built up Area (BUA) for proposed Modernization of plant by replacing old machinery to modern machineries, demolition and construction of warehouse exceeds more than 20,000 Sq. M. then the Project Proponent shall obtain Environmental Clearance as per EIA Notification, 2006 and its further amendments.</li> </ol>
--	--	--	--	--	---



					<p>2. PP shall submit BG of Rs. 25.0 Lakh towards compliance of consent conditions.</p> <p>Consent shall be issued after receipt of the details of existing BUA of the unit and BUA of warehouse and submission of record of BG and its interest.</p>
23	MPCB- CONSENT- 0000231844	GOVERNMENT MEDICAL COLLEGE AND HOSPITAL AKOLA 41/11,12,13,14/1, 14/2 AND 42/3/2,7/2, NEAR ASHOK VATIKA COLLECTOR OFFICE ROAD AKOLA AKOLA.	NOT APPROVED  1st Combined Consent to operate & BMW Authorization for increase in beds	-----	<p>Committee noted that HCE has applied for 1st Combined Consent to operate &amp; BMW Authorization for an increase in beds from 500 to 840 Beds hospital with path lab, Blood Bank, X-ray, sonography centre and laundry on total plot area of 1600 Sq. Mtr &amp; total BUA of 1200 Sq.mtr.</p> <p>Committee also noted that this case was discussed in the CAC meeting dtd.13.03.2025 and it was decided not to consider the case and issue SCN for Refusal of CCA for noncompliance such as non-submission of sanctioned layout, Built up area and Plot area, Expansion in beds from 500 nos to 840 beds without C to E and has not renewed CCA/ BMW Authorization, Water budget, Non provision of ETP &amp; STP, untreated laundry effluent disposed into drain, membership of CBMWTF is for 719 beds and applied for 840 beds, Non submission of BNHR certificate and not made payment for CCA and penal charges for lapse period.</p> <p>Committee further noted that HCE has not replied to SCN after giving sufficient time and not submitted requisite information to date and not made payment for CCA and penal charges for lapse period i.e. upto 21.08.2024.</p> <p>After due deliberation, it was decided to issue the final refusal order of CCA as HCE has not submitted a reply to Show Cause Notice after giving sufficient time and not made payment for CCA and penal charges for lapse period.</p>

24	MPCB- CONSENT- 0000232311	Macrotech Developers LtdKhoni.29 TO 173 Antarli 28 TO 42 Kalyan Kalyan	APPROVED  Renewal of Consent	31.01.2027	<p>Committee noted that PP has applied for grant of plain renewal of consent to operate (Part), for total plot area 246655.34 Sq. Mtr. and BUA 4,24855.91 sq mtr. out of Total BUA =1125218 Sq. Mtr.</p> <p>Committee also noted that PP has obtained Renewal of Consent to operate by board on 25/07/2024 for total plot area 246655.34 Sq Mtr for construction BUA 424855.91 sq mtr out of total construction BUA of 1125218 sq Mtr. Also obtained consent to establish expansion by Board on 29/10/2024 for total plot area 999813 sq mtr for construction BYA 2008427.65 sq mtr out of total construction BUA 15840057.57 Sq Mtr.</p> <p>Committee further noted that PP has obtained Environmental Clearance by Gol MoEF, vide No EC22B039MH136484 dtd 26/02/2022. Provided STP Capacity – 5400 CMD. Submitted BG of Rs. 25 Lakh Bank Guarantee.</p> <p>After due deliberation, it was decided to grant plain renewal of consent to operate (Part), for total plot area 246655.34 Sq. Mtr. and BUA 4,24855.91 sq mtr. out of Total BUA =1125218 Sq. Mtr., by imposing standard conditions and bank guarantee.</p>
25	MPCB- CONSENT- 0000223067	Integrated Township “Splendour Country” New 266, 1037, 1040, 1043 to 1045, 1046/1, 1046/2 Village - Agalambe , Taluka Haveli Gat No. New 266, 1037, 1040, 1043	NOT APPROVED  Consent to Establish	-----	<p>Committee noted that Project Proponent has applied for Consent to establish for integrated township building Construction project on Total Plot Area of 28,54,847 SqMtrs &amp; total construction BUA of 15,00,991.90 SqMtr</p> <p>The Sewage generation will be 4481 CMD. PP has proposed STP. Proposed OWC.</p> <p>After due deliberation, it was decided to issue Show Cause Notice for refusal of consent due to following noncompliance:</p> <p>(i) PP has not submitted details of application for Environmental Clearance.</p>

		to 1045, 1046/1, 1046/2 Village - Agalambe , Taluka Haveli, Gat No. 241 to 246, 248, 403, 408, 411, 413, 414, 417, 420, Village - Khadakwadi , Taluka Haveli, Gat No. 19 to 22, 29 to 54, 467 (P), 506, 507, 514, 515 (P), 516, 541 (P), 542 (P), 547 to 552, 582,583, 595, 596, 601 to 630, 633 to 639, 641, 642, 661 Village - Mandvi Bk. , Taluka Haveli, Gat No. 15 to 23, 25 to 32, Village - Katawadi, Taluka Mulshi, Pune. Mulshi			
26	MPCB- CONSENT- 0000233721	Sigma Electric Manufacturing Corporation Pvt. Ltd. Unit-I, Gat No 154/1, 155/1 Mahalunge Village, Chakan-	NOT APPROVED  Renewal of Consent to Operate	-----	Committee noted that PP has applied for renewal of consent to operate for manufacturing Electrical Wiring Accessories in Copper, Aluminium Alloys & Electrical Wiring Accessories and Fittings for Home appliances in Zinc Alloys.  Committee also noted that case was discussed in 1st Consent Appraisal Committee meeting held on 17/04/2025 and it was

		Talegaon Road, MIDC Chakan Khed			<p>decided issue show cause notice for refusal of consent for various observed non compliances. Accordingly, SCN for refusal was issued on dtd. 05/05/2025.</p> <p>Committee further noted that PP has not submitted a reply with respect to SCN for refusal.</p> <p>After due deliberation, it was decided to call PP for Technical Presentation w.r.t. above reference.</p>
27	MPCB- CONSENT- 0000232833	AIRPORTS AUTHORITY OF INDIA PUNE AIRPORT PUNE AIRPORT HAVELI	APPROVED  Renewal of Consent to Operate	31.01.2030	<p>Committee noted that PP has applied for renewal of consent to operate for Pune Airport Terminal Building/Civil Enclave Construction Project by Airport Authority of India.</p> <p>Committee also noted that Airport Authority has provided Sewage Treatment Plant (STP) for treatment of domestic effluent. PP also provided Organic Waste Converter.</p> <p>After due deliberation, it was decided to consider the case for Renewal of Consent to Operate by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit/extend B.G of Rs.25 lakhs towards compliance of Consent Conditions.</li> <li>2. PP shall provide plastic bottle recycling vending machine within airport premises.</li> </ol> <p>Consent shall issue after payment of additional consent fee.</p>
28	MPCB- CONSENT- 0000234347	Expansion of Singhori Opencast Coal Mine Project of M/s Western Coalfields Ltd., Nagpur Area Survey of India	APPROVED  Renewal of Consent to Operate	31.03.2030	<p>Committee noted that PP applied for renewal of consent to operate for Coal Mining – 1.2 MTPA (Mine Lease Area- 423.91 ha).</p> <p>Committee also noted that PP obtained consent to operate vide 26/09/2024 which was valid upto 31/03/2025 and obtained Environmental Clearance vide File No. J-11015/67/2006-IA-II(M) dtd. 21/08/2023</p>

		Topo sheet no. 55-O/3 Village Singhori Parseoni			<p>Committee further noted that PP has requested for exemption as they have installed the second CAAQMS by 10/10/2024 before given deadline i.e. 26/11/2024.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit Bank Guarantee's as per earlier consent.</li> <li>2. PP shall ensure time bound compliance of conditions as imposed as per BG regime.</li> </ol>
29	MPCB- CONSENT- 0000232061	Expansion of Gondegaon Extension Opencast Coal Mine Project of M/s Western Coalfields Ltd., Nagpur AreaPlot no/Survey No 174/1 & 174/2 Village Gondegaon Pin Code-441404 Parseoni	APPROVED  Renewal of Consent to Operate	31/03/2030	<p>Committee noted that PP applied for renewal of consent to operate for Coal Mining – 3.5 MTPA &amp; Sand Segregation plant (from external OB dumps) - 2000 m3/day (Mine Lease Area-791.40 ha).</p> <p>Committee also noted that PP obtained consent to operate vide dtd. 26/07/2023 which was valid upto 31/03/2025 and obtained Environmental Clearance vide File No. J-11015/106/2009-IA. II(M) dtd. 14.03.2018, 28.03.2019 and J-11015/106/2009-IA. II(M) (for reducing the ML area from 845.74 ha to 791.40 ha) dated 09.03.2020. Amendment in EC for inclusion of Sand segregation plant vide No.J-11015/106/2009-IA.II(M) dated 09.02.2021.</p> <p>Committee noted that PP has now applied consent with reduces sewage generation i.e. 230 CMD for which sewage treatment plant is provided.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit Bank Guarantee's as per earlier consent.</li> </ol>

					2. PP shall ensure time bound compliance of conditions as imposed as per BG regime.
30	MPCB- CONSENT- 0000234733	Expansion of Saoner Underground Coal Mine Project of M/s Western Coalfields Ltd., Nagpur Area0105 (Old) / 74-75 (New) Waghoda Gram Panchayat Village Borgaon Saoner-441107	APPROVED  Renewal of Consent to Operate	31/03/2030	<p>Committee noted that PP applied for renewal of consent to operate for under Ground Coal Mining – 1.0 MT/A (Mine Lease Area-2871.39 ha).</p> <p>Committee also noted that Committee also noted that PP obtained consent to operate vide dtd. 11/08/2021 which was valid upto 30/03/2025 and obtained Environmental Clearance vide File No. J-11015/332/2008-IA. II(M) dtd. 22/10/2010.</p> <p>Committee further noted that PP not submitted all B.G.'s as per B.G. Regime for coal mine.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit Bank Guarantee's as per earlier consent.</li> <li>2. PP shall ensure time bound compliance of conditions as imposed as per BG regime.</li> </ol>
31	MPCB- CONSENT- 0000232663	Easy Homes Solutions Pvt. Ltd.4 (pt), 5 (pt), 6 (pt) & 7 (pt) Salt Pan Division, Sion Pratiksha Nagar, Shastri Nagar, C â€“ Division, F/N	NOT APPROVED  Consent to Operate  (Part-I)	-----	<p>Committee noted that Project Proponent has applied for Consent to Operate(Part-I) for SRA Building Construction project on Total Plot Area of 12,120.01 SqMtrs for Total Construction BUA of 1,59,894.14 SqMtrs as per specific condition No. B (5) EC granted dated 12/04/2023</p> <p>PP has obtained Consent to Establish for Expansion dtd 24/12/2023 valid till COU or 5 Yrs for SRA building construction project on Total Plot Area of 12,120.01 SqMtrs for Total Construction BUA of 1,59,894.14 SqMtrs as per specific condition of EC dated 12/04/2023 with CI of Rs 996 Cr.</p>

		Ward, Mumbai 400 022			<p>PP has obtained Environmental clearance dtd. 26/06/2013.</p> <p>PP has obtained Environmental clearance dtd. 12/04/2023 for Construction project on Total Plot Area of 12,120.01 SqMtrs &amp; Total Construction BUA of 1,59,894.14 SqMtrs as per specific condition.</p> <p>Sewage generation 152 CMD. PP has provided STP. Proposed OWC.</p> <p>After due deliberation, it was decided to issue Show Cause Notice for refusal of consent due to following noncompliance.</p> <ul style="list-style-type: none"> <li>(i) PP has completed part project and given possession without Consent to Operate.</li> <li>(ii) It is reported that PP has not provided OWC. Wet waste is being disposed to MCGM.</li> </ul>
32	MPCB- CONSENT- 0000235322	Kranti Agrani Dr. G. D. Bapu Lad Sahakari Sakhar Karkhana Ltd., 514, 511,2953,2945,29 54 Kundal Palus	APPROVED  Consent to establish for expansion	Commissioning of the unit or five years which is earlier	<p>The committee noted that the industry has applied for Consent to establish for expansion for Sugar Unit from 8500 TCD to 11,500 TCD) (additional 3000 TCD) to MPC Board.</p> <p>Industry has obtained Renewal of Consent to operate vide dt: 25/11/2024 valid for period up to 31.07.2027 for 8500 TCD Sugar unit and 19.7 MW cogeneration unit</p> <p>Committee noted that, Industry has obtained Environmental clearance vide dtd. 01.03.2018 for 8500 TCD Sugar Unit and industry has applied for Environmental clearance for expansion project – TOR received for proposed expansion project., however industry has not obtained Environmental clearance for expansion project and applied for Environmental clearance</p> <p>Committee also noted that, Proposed Industrial Effluent generation is 300 M3/D, Existing generating Industrial Effluent is 850 M3/D for that industry has provided existing ETP consisting Primary, Secondary &amp; Filtration System and Industry has installed existing</p>

					<p>Bagasse fired Boilers total 4 Nos among that 2 Nos Boiler having capacity of 35 TPH each &amp; 50 TPH, separate Venturi type wet Scrubber provided as an APCs with common stack height of 60 Mtr. Industry has installed existing Bagasse fired Boiler having capacity of 80 TPH, ESP provided as an APCs with separate stack height of 75 Mtr. And industry has Submitted BG of Rs. 25 Lakhs towards compliance of O &amp; M of PCS vide dt: 22/08/2024 valid up to 31/12/2027 to MPC Board.</p> <p>After due deliberations, it was decided to grant Consent to Establish for expansion for Sugar Unit from 8500 TCD to 11,500 TCD) ( additional 3000 TCD ) by imposing following conditions:</p> <ol style="list-style-type: none"> <li>Industry shall Submit Bank Guarantee of Rs. 25 Lakhs towards Consent conditions</li> <li>Industry shall obtain an Amendment in Environmental Clearance for proposed expansion project for Sugar Unit from 8500 TCD to 11,500 TCD capacity from competent authority and industry shall not to take effective steps till obtain Amendment in Environmental Clearance for proposed expansion project from Competent authority.</li> </ol>
33	MPCB- CONSENT- 0000234817	Mohanrao Shinde Sahakari. Sakhar. Karkhana. Ltd.335, 333, 241, 350/3, 1010 Arag Miraj	APPROVED  Consent to establish for expansion	Commissioning of the unit or five years which is earlier	<p>The committee noted that, the industry has applied for Consent to establish for expansion for Sugar Unit from 4000 TCD to 7500 TCD) (an additional 3500 TCD) and 13 MW Co gen unit to MPC Board.</p> <p>Industry has obtained Renewal of Consent to operate vide dt: 09/12/2024 valid for period up to 31.07.2026 for 4000 TCD Sugar unit and 15 MW cogeneration unit</p> <p>Committee noted that, Industry has obtained Environmental clearance for expansion project vide dt: 01/02/2024 for expansion project for Sugar Unit from 4000 TCD to 7500 TCD) (an additional 3500 TCD ) and 13 MW Co gen unit</p>



					<p>The Committee also noted that, Proposed Industrial Effluent generation is 215 M3/D, Existing generating Industrial Effluent is 350 M3/D for that industry has provided existing ETP consisting Primary, Secondary &amp; Filtration System and Industry has proposed to install new Bagasse fired Boiler having capacity of 110 TPH, proposed to provide ESP as an APCs with separate stack height of 62 Mtr and Industry has Submitted BG of Rs. 25 Lakhs towards compliance of consent conditions and O &amp; M of PCS valid up to 30/11/2026 to MPC Board.</p> <p>After due deliberations, it was decided to grant Consent to Establish for expansion for Sugar Unit from 4000 TCD to 7500 TCD) (additional 3500 TCD) and 13 MW Co gen unit by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall Submit Bank Guarantee of Rs. 25 Lakhs towards Consent conditions and EC conditions.</li> </ol>
34	MPCB- CONSENT- 0000235888	Godrej Residency Pvt. Ltd., C.S no. 1906 Plot bearing C.S no. 1906 of Byculla division, M.A. Road, E-ward, Mumbai Mumbai	APPROVED  Revalidation of Consent to Establish with expansion	Commissioning of the Project or five years whichever is earlier	<p>Committee noted that Project Proponent has applied for Revalidation of Consent to Establish with expansion &amp; change in name for Residential building Construction project on Total Plot Area of 19434.10 SqMtrs for total Construction BUA of 284679.84 SqMtrs</p> <p>Board has granted Revalidation of Consent to Establish granted to M/Neelkamal Realtors Tower Pvt. Ltd, dtd 15.06.2023 valid till COU or 10.02.2025 for construction project on Total Plot Area of 19434.10 SqMtrs for Construction BUA of 86470 SqMtrs</p> <p>Committee also noted that Environmental clearance granted to M/s.Neelkamal Sumer Realtors Tower Pvt. Ltd dtd 30.10.2007 for construction project on total plot area of 19216 SqMtr and total BUA of 86470 SqMtr. The EC granted to M/s.Neelkamal Realtors Tower Pvt. Ltd dtd 11.09.2017 for expansion of residential construction project on Total Plot Area of</p>

					<p>19434.10 SqMtrs &amp; total Construction BUA of 288597.64 SqMtrs with CI of Rs 1200 Cr. The same is transferred to M/s. Godrej Residency Pvt. Ltd vide Letter dtd 22.11.2023</p> <p>Committee also noted that PP has applied for amendment of EC for total Construction BUA of 288597.64 SqMtrs to 284679.84 SqMtrs</p> <p>Sewage generation 544 CMD. PP has proposed STP of 545 CMD. Proposed OWC.</p> <p>PP has paid penal fees of Rs 185425 as 12 % interest on BG for late submission</p> <p>After due deliberation, it was decided to grant Revalidation of Consent to Establish with expansion &amp; change in name for Residential building Construction project on Total Plot Area of 19434.10 SqMtrs for total Construction BUA of 284679.84 SqMtrs subject to obtain revised EC and by imposing standard Conditions and Bank Guarantee.</p>
35	MPCB- CONSENT- 0000232809	MIRC ELECTRONICS LTD226 226P 234C 236 237AB 239 240 TO 242 244 TO 251 VILLAGE KUDUS BHIWANDI WADA ROAD WADA	NOT APPROVED Renewal of Consent to Operate	....	<p>Committee noted that PP has applied for renewal of consent for manufacturing of Set Top Box, Tuners, Air Conditioners, Washing Machines, Plastic Injection Molded Parts, EPS Shape Molded Parts, LCD/LED Television.</p> <p>Committee also noted that PP has provide sewage Treatment Plant (STP) for treatment of sewage and provided dust collector to 2 nos of LSHS fired boiler with common stack of height 36 mtrs.</p> <p>After due deliberation, it was decided to put up case after verification regarding nil effluent generation even use of boiler in process and compliance w.r.t. EPR (Extended Producer Responsibility) for packaging material.</p>

36	MPCB- CONSENT- 0000229871	LUXORA INFRASTRUCTURE PVT. LTD. Mouza- Pipla, Nagpur, Maharashtra	APPROVED  Consent to 1 <sup>st</sup> Operate (Part)	31.01.2026	<p>Committee noted that PP has applied for grant of Consent to 1<sup>st</sup> Operate (Part) for Building and construction project for BUA 28047.75 m2 out of total BUA 5,80,000 m2</p> <p>Committee also noted that PP has obtained revalidation of Consent to establish from board on 04/11/2022 for total plot area of 151109.86 sqm for construction BUA 75560 Sq.m. out of total construction BUA 610646.20 Sq mtr.</p> <p>Committee further noted that PP has obtained Environmental Clearance by Gol MoEF, vide No SIA/MH/INFRA2/474794/2024 dtd 09/12/2024. Provided STP Capacity – 400 CMD provided with MBBR Technology. Submitted Bank Guarantees.</p> <p>After due deliberation, it was decided to grant Consent to 1<sup>st</sup> Operate (Part) for Building and construction project for BUA 28047.75 m2 out of total BUA 5,80,000 m2., by imposing standard conditions and bank guarantee.</p>
37	MPCB- CONSENT- 0000233053	Dreamworld Landmarks LLP (Godrej Properties Ltd)S. No. 31(P), 32 (P), 33 P), 34(P), 37(P) & 40(P) Undri Haveli	NOT APPROVED  Revalidation of Consent to establish	-----	<p>Committee noted that Project Proponent has applied for Revalidation of Consent to establish for building Construction project on Total Plot Area of 122547 SqMtrs &amp; total construction BUA of 249367.09 SqMtr as per EC dtd 16/02/2018.</p> <p>PP has obtained Revalidation of Consent to Establish dtd. 23/12/2021 valid till 16/02/2025 for construction project on total plot area of 122547 SqMtr and total construction BUA of 168892.56 SqMtr out of total construction BUA of 2,49,367.09 SqMtrs as per EC dated 16/02/2018.</p> <p>PP has obtained Consent to Operate (Part-II) valid till 28.02.2024 for construction project on Total Plot Area of 1,22,547 SqMtrs for Construction BUA of 1,05,034.34 SqMtrs out of Total Construction BUA of 2,49,367.09 SqMtrs as per EC dated 16/02/2018. Applied for renewal of consent vide UAN No 0000189571.</p>

					<p>PP has obtained Renewal of Consent to Operate (Part-I) dtd 08.10.2023 valid till 31.05.2025 for construction project on Total Plot Area of 1,22,547 SqMtrs for Construction BUA of 80,474.44 SqMtrs out of Total Construction BUA of 2,49,367.09 SqMtrs as per EC dated 16/02/2018 with CI of Rs 246.63 SqMtr</p> <p>PP has obtained Environmental Clearance dtd. 16/02/2018 for construction project on total plot area of 1,22,547 SqMtrs for Total Construction BUA of 2,49,367.09 SqMtrs.</p> <p>Sewage generation 862 CMD. PP has proposed 4 STPs of total 1382 CMD based on MBBR. Proposed OWC.</p> <p>After due deliberation, it was decided to issue Show Cause Notice for refusal of Consent for following non compliances:</p> <ol style="list-style-type: none"> <li>1. PP has not obtained renewal of Consent to Operate (Part-I) dtd 07.03.2019 which was valid till 31.05.2019.</li> </ol>
38	MPCB- CONSENT- 0000221868	Prestige Mulund Reality Pvt Ltd at CTS No. 19/1 to 19/13 of Village Mulund, (W), Situated Near Veena Nagar Off L.B.S. Marg. Tal. Kurla CTS No. 19/1 to 19/13 CTS No. 19/1 to 19/13 of Village Mulund, (W), Situated Near Veena Nagar Off L.B.S. Marg. Tal. Kurla KURLA	APPROVED  Consent to Establish for expansion	Commissioning of the project or five years whichever is earlier	<p>Committee noted that Project Proponent has applied for Consent to Establish for expansion with change in name in building Construction project on Total Plot Area of 132383.2 SqMtrs &amp; total construction BUA of 8,48,768.88 SqMtr as per EC dtd 12/11/2024</p> <p>Board has granted Revalidation of Consent to Establish granted to M/s. Ariisto Developers Pvt Ltd. dtd. 25/11/2022 valid till COU or 5 Yrs for construction project on total plot area of 1,59,280 SqMtrs for Total Construction BUA of 6,32,990.66 SqMtrs as per EC dated 11/03/2016</p> <p>PP has obtained Environmental Clearance dtd 12/11/2024 for building Construction project on Total Plot Area of 132383.2 SqMtrs &amp; total construction BUA of 8,48,768.88 SqMtr</p> <p>Sewage generation 4343 CMD. PP has proposed 6 STPs of 1240 CMD , 620 CMD, 650 CMD, 90 CMD, 370 CMD and 380 CMD capacity based on MBBR. PP has proposed OWC.</p>

					After due deliberation, it was decided to grant Consent to establish for expansion with change in name in building Construction project on Total Plot Area of 132383.2 SqMtrs & total construction BUA of 8,48,768.88 SqMtr as per EC dtd 12/11/2024 with overriding effect on earlier C to E after obtaining BG and 12% interest and by imposing standard conditions.
39	MPCB- CONSENT- 0000236001	SFS Group India Pvt Ltd - EOU378/387/388/ 389 Urawade Mulshi	NOT APPROVED  Renewal of Consent	-----	<p>Committee noted that PP has applied for renewal of consent to operate for Auto &amp; Industrial components by Heat treatment, Black oxidizing, Descaling by Glass beads &amp; Auto Industrial Component (without phosphating, picking, painting and any other surface treatment.</p> <p>Committee observed following non-compliances.</p> <ul style="list-style-type: none"> <li>• JVS result of STP outlet dtd. 21/03/2025 found exceeding consented limit BOD – 479.0 mg/l against 30 mg/l and COD – 1301.5 against 100 mg/l.</li> <li>• JVS result of ETP outlet dtd. 21/03/2025 found exceeding consented limit BOD – 1850.0 mg/l against 30 mg/l and COD – 6507.5 against 100 mg/l.</li> <li>• C.I. increased by Rs. 56.89 Crs justification needed as scrutiny reply saying C.I. increased towards modification works, tools and tackles of machineries which related to production and not paid additional fee as per SRO office link.</li> <li>• PP not uploaded details of scrubbing system at provided at black oxidizing system and details of acid fume extractor at CNC Turning Machine 1 &amp; 2 which is mentioned in consent.</li> </ul> <p>After due deliberation, it was decided to issue show cause notice for refusal for observed non-compliances.</p>
40	MPCB- CONSENT- 0000225876	Horizon Projects Pvt Ltd S. No. 17/1,	APPROVED	31.01.2026	Committee noted that PP has applied for renewal of Consent to operate for cluster – 4 – Educational Building (School) for

		17/2.....109(Pt) , 134/1, 134/2 MY CITY - School, Diva Manpada road, off Kalyan Shil road, Dombivali (E), 400612 Kalyan	Renewal of Consent to Operate		<p>Completed construction BUA of 11654.11 sqm out of Total Construction BUA of 1,42,278.83 Sq.Mtrs. CI Rs. 35.71/- Crs.</p> <p>Committee also noted that PP has obtained Renewal of 1st Consent to Operate from the Board on 13/07/2023 is valid till 28/02/2024 for Completed construction BUA of 105419.13 SqMtrs out of Total Construction BUA of 1,42,278.83 Sq.Mtrs. Obtained revalidation of Consent to establish from Board on 19/08/2024 for Total plot area 5,23,650 sq mtr for construction total BUA of 2,65,615.85 out of total construction BUA 1597875.53 sq mtr.</p> <p>Committee further noted that PP has obtained Environmental Clearance by Environment Dept, GoI vide No EC22B039MH180856 dtd. 24/11/2022. Provided STP Capacity – 165 CMD provided with MBBR Technology. Bank Guarantee not submitted.</p> <p>After due deliberation, it as deiced to grant renewal of Consent to operate for cluster – 4 – Educational Building (School) for Completed construction BUA of 11654.11 sqm out of Total Construction BUA of 1,42,278.83 Sq.Mtrs. by imposing standard conditions and Bank guarantee.</p> <p>Consent shall be issued after submission of bank guarantee and penal charges against it and penal charges of for delay in application.</p>
41	MPCB- CONSENT- 0000236647	Anheuser Busch InBev India Limited (FOSTER	APPROVED	Commissioning of unit or 5 years,	Committee noted that Industry has applied consent to establish for expansion for production of beer production by 7730 MT/A.

		UNIT)PLOT NUMBER M 99 MIDC WALUJ GANGAPUR	Consent to Establish (Expansion)	whichever is earlier.	<p>Committee also noted that the Board has granted consent to operate on 07.05.2022 for manufacture of beer = 40800 MT/A which is valid upto 30.11.2026.</p> <p>Committee further noted that, Industry has provided existing ETP of 710 CMD capacity with primary, secondary, tertiary, ultra-filtration. Existing 50% effluent sent to CETP. STP capacity 20 CMD. Industry has provided two boilers (8 TPH &amp; 10 TPH) with common 45 m stack, bag filter and cyclone dust collector.</p> <p>After due deliberation, it was decided to grant Consent to Establish for Expansion by imposing bank guarantee and standard conditions.</p>
42	MPCB- CONSENT- 0000227175	Persipina Developers Pvt. Ltd., Bhokarpada, Taluka-Panvel & Talegaon Panshil, Taluka-Khalapur 1. ITP Plot no. PU 01 - Fire Station Gut no. 24/1/22 (Old Survey no. 77/2 Part, 28/1 Part, 28/2 Part) at Village Bhokarpada. 2. ITP Plot no. EA 06 - Ebony Commercial building Gut no. 24/1/12 (Old Survey no. 68/1 Part, 69/2 Part,	APPROVED  Consent to Establish (Expansion)	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for consent to establish (part-III) for proposed residential building construction project of Fire Station, Ebony Commercial Building, Sector D for total plot area 1779913 Sq M. &amp; total built up area 589139.348 Sq M.</p> <p>Committee also noted that PP has obtained consent to establish (Part-I &amp; Part-II) for integrated township project with total plot area 1779913 sq. mtr &amp; total construction BUA 388740.365 sq. mtr. out of total construction BUA 8285593.81 sq. mtr. Obtained Environmental Clearance on 30/05/2023 vide No. EC23B039MH127084 for total plot area 94010 sq. mtr. and total BUA 8285593.81 Sq. mtr.</p> <p>Committee further noted that PP has provided STP with MBBR technique. STP has a capacity of 1450 CMD. submitted BG of Rs. 25 Lakh.</p>

		74/4/B2 Part, 74/2, 75) at Village - Panshil, Taluka - Khalapur, Dist. Raigad Taluka- Panvel & Taluka- Khalapur			After due deliberation, it was decided to grant of consent to establish (part-III) for proposed residential building construction project of Fire Station, Ebony Commercial Building, Sector D for total plot area 1779913 Sq M. & total built up area 589139.348 Sq M. by imposing standard conditions and Bank Guarantee.
43	MPCB- CONSENT- 0000237831	Kalyani Transmission Technologies Pvt. Ltd., Plot No. A - 7, MIDC Baramati, Tal: - Baramati, Dist: - Pune Baramati	NOT APPROVED  Consent to Operate	-----	<p>Committee noted that PP has applied for 1<sup>st</sup> consent to operate + Renewal of Consent with amalgamation of both unit for Automotive Forgings – 1445000 No/M, Non-Automotive Forgings - 75000 No/M &amp; Aluminum Forging and Machining - 580000 No/M.</p> <p>Committee observed following non-compliances.</p> <ul style="list-style-type: none"> <li>• SRO office observed that PP has installed plant and machinery under expansion and ready for commissioning prior to obtain consent to establish for expansion from the Board.</li> <li>• PP has applied consent to establish for expansion without shot blasting unit, however SRO office observed that PP has installed 2 nos of shot blasting unit.</li> <li>• PP has applied consent to establish for expansion with 1 nos Heat treatment furnace, however installed 4 nos of Heat treatment furnace.</li> <li>• PP not submitted details of the provision of noise pollution control arrangement at forging hammering section as per earlier submission.</li> <li>• In existing to consent to operate consent 06 Nos. of Induction Heater &amp; 02 nos. of forging hammer is not reflected.</li> <li>• PP has applied consent with C.I. of Rs. 209.28 Crs, however attached C.A. certificate showing C. I. of Rs. 147.18 Crs justification needed.</li> </ul>



					<ul style="list-style-type: none"> <li>PP has not uploaded a balance sheet and justification towards an increase in C.I. of Rs. 29.28 Crs if applied C.I. is considered.</li> </ul> <p>After due deliberation, it was decided to issue show cause notice for refusal for above mentioned non-compliances</p>
44	MPCB- CONSENT- 0000235394	PNP Maritime Services Pvt Ltd, Old Survey 247 / New Gut No. 346 PNP Port, Dharmatar Creek Alibag	NOT APPROVED  Consent to Operate	-----	<p>Committee noted that PP applied for 1st consent to operate [Part-II] for the operation of jetty for additional material handling capacity- 3.0 MTPA [Existing 5 MTPA + Additional - 3 MTPA= 8 MTPA] increase in CI with amalgamation of existing consent.</p> <p>Committee observed following non-compliances.</p> <ol style="list-style-type: none"> <li>1) JVS analysis of STP Outlet dtd. 21/03/2025 exceeding parameter BOD- 170 mg/l against BOD – 10 mg/l &amp; COD – 368.0 mg/l against 50 mg/l.</li> <li>2) PP has provided STP having capacity 10 CMD for treatment of total sewage of 13.8 CMD sewage.</li> <li>3) Details of APCs at Clinker, Dolomite, Limestone, Pyroxenite, Iron ore, Cement, Slag, Rock Phosphate, Bauxite, minerals handling section not submitted.</li> <li>4) Details of treatment mechanism for spillage &amp; accident discharge at Liquid Cargo handling section not submitted.</li> </ol> <p>After due deliberation, it was decided to issue show cause notice for refusal for observed non-compliances.</p>
45	MPCB- CONSENT- 0000237151	Eaton Industrial Systems Pvt. Ltd., Plot No. B-33 MIDC Ranjangaon Shirur	NOT APPROVED  Renewal of Consent to Operate	-----	<p>Committee noted that PP has applied for Renewal of Consent for manufacturing Gears, Shafts, Synchro XY Shifter and Torque Product &amp; Transmission - 4,6,9 and 10 Speed Transmission.</p> <p>Committee observed following non-compliances.</p>

					<ul style="list-style-type: none"> <li>• PP has applied consent for additional products XY Shifter and Torque Product without obtaining consent to establish for same.</li> <li>• Capital investment increased by Rs. 56.79 Crs. PP reported that C.I. increased due to building/premises development and modification works, tools and tackles of machineries.</li> <li>• Details of change in buildup area after building/premises development needed.</li> <li>• PP has not submitted details of air pollution control system at metal surface treatment section and painting section.</li> <li>• PP not submitted product wise manufacturing process.</li> <li>• Details whether cyaniding is a type of heat treatment process involved &amp; details type of quenching for same.</li> <li>• PP provided primary treated effluent into domestic effluent and disposal is on land for gardening.</li> <li>• PP has not uploaded Board Resolution as per consent condition.</li> </ul> <p>After due deliberation, it was decided to issue show cause notice for refusal for observed non-compliances.</p>
46	MPCB- CONSENT- 0000235582	Pravara Medical Trust's Eknath Hospital, Akegaon Road, Shevgaon, Tal. Shevgaon, Dist. Ahilyanagar - 414502.	APPROVED  Renewal of Combined Consent to Operate & BMW Authorization	30.04.2027	<p>Committee noted that HCE has applied for plain Renewal of Combined Consent to operate &amp; BMW Authorization for 250 beds Hospital with laundry activity on total plot area of 43,200 Sq.Mtr. &amp; total BUA of 9,990 Sq.mtr.</p> <p>Committee also noted that the previous CCA was valid upto 30.04.2025 for 250 beds hospital on 43,200 Sq.Mtr. &amp; total BUA of 9,990 Sq.mtr. Trade effluent is increased from 12.0 CMD to 50.0 CMD and DE has decreased from 78 CMD to 40CMD. Justification for the same is not submitted. STP provided of capacity 40 CMD.</p> <p>Committee further noted that HCE has not upgraded STP and not provided separate ETP for trade effluent within 3 months as per</p>

					<p>CCA condition. Hospital has provided separate storage for BMW. Hospital has provided ward wise colour coded bins for segregation of BMW. HCE has not submitted Original BG submission details.</p> <p>After due deliberation, it was decided to consider the case for Renewal of Combined Consent to operate &amp; BMW Authorization for 250 beds Hospital with laundry activity on total plot area of 43,200 Sq.Mtr. &amp; total BUA of 9,990 Sq.mtr.by imposing standard conditions of HCE and following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE shall upgrade STP of sufficient capacity to the tune of effluent generation from 250 beds and shall provide separate ETP for trade effluent within 3 months period. For the compliance of the same, BG of Rs. 1.0 Lakh shall be submitted.</li> <li>2. BG of Rs. 50,000 is forfeited for non-upgradation of STP and non-provision of ETP as per previous CCA.</li> <li>3. HCE shall submit the BG as per BG regime of HCE.</li> </ol> <p>CCA shall be issued after receipt of the correct water budget, BG submission record with its BG interest, if applicable.</p>
47	MPCB- CONSENT- 0000235973	HATSUN AGRO PRODUCT LIMITED- Sr. No. 64/1,64/2, 64/3,64/4, 64/5,65, 212/1, 212/2, 218/1, 218/2, 219/1, MANGALWEDA- JATH ROAD, SHIRASHI VILLAGE Mangalweda	NOT APPROVED  Renewal of Consent to Operate	-----	<p>Committee noted that, the industry has applied for Renewal of Consent to Operate for Milk Processing and dairy Products (Integrated Project) to MPC Board.</p> <p>Committee noted that, Industry has obtained Renewal of Consent to Operate vide dt: 19/03/2021 valid up to: 28/02/2025 Milk Processing and dairy Products and C.I. of Unit as per application – Rs. 271.02 Crs. And pervious CI is Rs. – 153.18 Crs. (increase if CI of 117.84 Crs)</p> <p>The committee also noted that industry has provided effluent treatment plant of capacity 900 CMD comprising of primary-(equalization tank, screen chamber, fat trap, DAF and buffer tank),</p>

					<p>secondary- (activated sludge process, UASBR, Hopper bottom tank), Tertiary (PSF, ACF), sludge drying beds, sludge decanter and provided wood fired 5 TPH boiler with multi cyclone dust collector followed with stack height of 30 mtr attached and Industry has provided 2 Nos of DG set of capacity 500 KVA each and 1 Nos of DG set of capacity 1010 KVA with hts of 30 mtr stack.</p> <p>The committee further noted that, industry Submitted Bank Guarantee of Rs. 5 Lakhs towards O &amp; M of PCS which was valid upto 28/02/2027.</p> <p>After due deliberations, it was decided to issue SCN for Refusal of Renewal of Consent to Operate due to following non-compliances:-</p> <ol style="list-style-type: none"> <li>1. Industry has not submitted additional consent fees /penal charges towards increase in CI from Rs. 153.18 Crs to Rs. 271.02 Crs MPC Board.</li> <li>2. Industry has not submitted justification /clarification regarding increase in capital investment by. (increase if CI of 117.84 Crs).</li> <li>3. Industry has not obtained plastic EPR under Brand owner category under Plastic Rules.</li> <li>4. Industry not submitted details of disposal of treated effluent on land irrigation purpose.</li> </ol>
48	MPCB- CONSENT- 0000238140	MAHARASHTRA INDUSTRIAL TOWNSHIP LIMITEDREFER PLOT NO.S ATTACHED BIDKIN INDUSTRIAL AREA PAITHAN	APPROVED  Consent to Establish (Expansion)	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has Applied for grant of Consent to Establish (expansion) for Development of mega industrial park project.</p> <p>Committee also noted that PP has obtained Environmental Clearance from Govt of India, MoEF New Delhi, vide No F.No.21-69/2012-IA-III dtd. 21/02/2017. Obtained Consent to Establish from the Board on 26/02/2020 for development of Bidkin Industrial area on total plot area of 3179.10 Hector.</p>

					<p>Committee further noted that PP has provided STP capacity 11 MLD &amp; CETP capacity 13 MLD is completed. PP has not submitted bank guarantee as per earlier consent to establish.</p> <p>After due deliberation, it was decided to grant Consent to Establish (expansion) for Development of mega industrial park project, with standard conditions and bank guarantee.</p>
49	MPCB- CONSENT- 0000237280	Dighi Port Limited Village-Dighi Dighi Port Limited Shrivardhan	APPROVED  Consent to Establish for Expansion	Commissioning of unit or 5 year whichever is earlier	<p>Committee noted that PP applied for consent to establish (expansion) for Ship Maintenance, Ship Repairing, Ship Breaking Activity.</p> <p>Committee also noted that PP has obtained Environmental Clearance vide F. No. 10-8/2005-IA.111 dtd. 30/09/2005 and amendment on dtd. 27/01/2022 for existing activity. Committee further noted proposed expansion attract Environmental Clearance for Ship Breaking Activity.</p> <p>Committee noted that PP has provided sewage treatment plant (STP) for treatment of domestic effluent.</p> <p>After due deliberation, it was decided to grant consent to establish expansion by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit Bank Guarantee of Rs. 25 Lakhs towards compliance of consent conditions.</li> <li>2. PP shall obtain Environmental Clearance for proposed expansion activity.</li> </ol>
50	MPCB- CONSENT- 0000238277	TATA STEEL LIMITED PLOT NO.F-7/1,	APPROVED  Renewal of Consent	31.05.2030	<p>Committee noted that PP has applied for renewal of consent to operate for Steel Wire Products –27000 MT/A and Regenerated Acid – 23500 MT/A.</p>

		TARAPUR INDISTRIAL AREA, MIDC BOISAR TARAPUR PALGHAR			<p>Committee also noted that PP has obtained earlier consent to operate vide 15/09/2022 which was valid upto 31/05/2025.</p> <p>Committee further noted that PP has provided ETP to achieve ZLD and STP for treatment of trade effluent and domestic effluent. Provided scrubber at ARP Plant.</p> <p>After due deliberations, it was decided to grant renewal of consent to operate by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit/ extend existing Bank Guarantee of Rs.25 Lakhs towards compliance of consent conditions and O&amp;M of PCS.</li> <li>2. PP shall ensure compliance of Ministry of Environment, Forest and Climate Change Notification dtd. 7th June 2024 for Metallurgical industries (ferrous &amp; nonferrous).</li> </ol>
51	MPCB- CONSENT- 0000238324	INOX AIR PRODUCTS PVT LTD PLOT NO B93 MANGAON MANGAON	APPROVED  Renewal of Consent	31.03.2026	<p>Committee noted that PP has applied for grant of renewal of consent to operate with increase in production quantity of Liquid Nitrogen by 10 MT/M, Liquid Oxygen by 400 MT/M &amp; Liquid Argon by 35 MT/M in the existing plant &amp; machinery without increase in pollution load.</p> <p>Committee also noted that PP has obtained Consent to Operate from the board on 26.06.2020. Provided ETP with capacity of 5.0 CMD. Provided Natural gas fired 02 nos H2 generators with stack</p> <p>Committee further noted that PP has not submitted details regarding previous Bank Guarantee.</p> <p>After due deliberation, it was decided to grant renewal of consent to operate with increase in production quantity in the existing plant</p>

					<p>&amp; machinery without increase in pollution load, by imposing standard conditions and bank guarantee.</p> <p>Consent shall be issued after submission of bank guarantee as per earlier consent and penal charges against it.</p>
52	MPCB- CONSENT- 0000238579	ORIENTAL YEAST INDIA PVT LTD PLOT NO. A-4 KHANDALA MIDC PHASE I KHANDALA	APPROVED  Renewal of Consent to Operate	30.04.2030	<p>The Committee noted that industry has applied for plain Renewal of Consent to Operate for the manufacturing mfg. of: Yeast (Y30- Yeast, Crumble Yeast, Dry Yeast &amp; Distiller's Yeast- 36000 MT/A, and Co-Gen Power- 4.67 MW.</p> <p>Committee noted that, Industry has installed ETP of 3000 CMD capacity. ETP comprises of Primary, Secondary and Tertiary treatment followed by advance treatment like RO and MEE and provided stack of 65 mtr. height each is provided to Common (Boiler 30 TPH &amp; 12 TPH) along with ESP (Electrostatic Precipitator) as an APC's and submitted Bank Guarantee of Rs. 25 Lakhs vide dt: 26/08/2022 which is valid up to: 31/12/2025.</p> <p>The committee also noted that, the application has been discussed in 1<sup>st</sup> CAC meeting held on vide dt: 2025-2026 vide dt: 17/04/2025 and decided to keep the case in abeyance and put up in next CAC after SRO verification report on compliance report on interim directions issued by MPC Board</p> <p>The committee further noted that, SRO Satara MPC Board has submitted their verification report w.r.t. interim directions vide email letter dt: 15/05/2025 as under:</p> <ol style="list-style-type: none"> <li>Industry has engaged 4 four vehicles registered with RTO and all the vehicles are equipped with GPS tracking system ( MH-11BK 0279 and MH-50N 3862) and ( MH04 6030 and MH14 KA 9131)</li> <li>Industry used to track vehicles on every trip when vehicle being loaded with slop and industry has communicated to this SRO office the details of tracking vehicles,</li> </ol>

					<p>c) Industry used to send slop /vinasse to their two vendors namely :- M/s. NS Enterprise Gat, no. A/p, Indoli Tal: Karad Dist: Satara , they have obtained Consent vide dt: 17/11/2023 mfg. organic compost valid up to: 30/11/2026</p> <p>d) Industry used to send slop /vinasse to their two vendors namely:: - M/s. prominent vision India Pvt Ltd. , they have obtained Consent vide dt: 04/01/2024 mfg. organic fertilizers valid up to: 31/05/2025</p> <p>e) Industry has submitted Bank Guarantee of Rs. 2 Lakhs on 13/03/2025 which is valid up to: 25/02/2026. As per compliance of interim directions issued by MPC Board.</p> <p>After due deliberations, it was decided to grant Renewal of Consent to Operate for the manufacturing mfg. of: Yeast (Y30- Yeast, Crumble Yeast, Dry Yeast &amp; Distiller's Yeast- 36000 MT/A, and Co-Gen Power- 4.67 M, by imposing following terms and conditions as under :-</p> <ol style="list-style-type: none"> <li>1) Industry shall submit Bank Guarantee of Rs. 25 Lakhs towards compliance of consent conditions</li> <li>2) Industry shall comply conditions stipulated in interim directions issued by MPC Board vide dt: 21/02/2025</li> <li>3) Industry shall explore possibility for provision of DDGS dryer plant.</li> </ol>
53	MPCB- CONSENT- 0000230180	DP World Multimodal Logistics Private Limited, Sr. No. 40,41,42,43,44,46 ,47,51,71, Village- Khopla, Tal-Uran Dist.Raigad	NOT APPROVED  Amendment in consent to operate	-----	<p>Committee noted that PP has applied for an amendment in consent to operate for Custom Bonded Container Freight Station (CFS) - 144000 TEUs/A For Import and Export of containerized cargo Need for corrections.</p> <p>Committee also noted that the existing consent to operate granted is valid upto 31.05.2033 under Orange Category for total built-up area 17213.057 Sq.m for Import &amp; Export of Containerized Cargo for the warehousing, storage and handling of Custom Bonded Container Freight Station (CFS). Applied IE is nil. DE is 20 CMD</p>



					<p>and Provided septic tank. DG Set of capacity 600 KVA, 450 KVA, 125 KVA and 200 KVA with stack.</p> <p>Committee further noted non-compliance such as non-submission of latest assessed capital investment certificate with balance sheet and not justified the enhancement in C.I. by Rs. 259.3027 crs, non-submission of details of the activity w.r. to applicability of EC as per EIA Notification, 2006 at as amendment, permission of PESO and not submitted commissioning of the storage of HW chemicals. Original BG submission and quantity of the storage of HW chemicals and threshold limit in line with MSIHC Rules, 1989, ETP provisions for any accidental issue and compliance of consent conditions report.</p> <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of consent for above non-compliances.</p> <p>If PP fails to submit a satisfactory reply to Show Cause Notice for refusal of consent within 7 days from issuance of SCN, the case will be refused without giving any further opportunity and final refusal order will be issued.</p>
54	MPCB- CONSENT- 0000230721	Acme Housing India Pvt. Ltd., Gut No. 61/1, 61/2, Chitalsar- Manpada Thane	APPROVED  Consent to 1 <sup>st</sup> Operate (Part-5)	28.02.2028	<p>Committee noted that PP has applied for Consent to 1<sup>st</sup> Operate (Part-5) for MMRDA Building No. 6 – Gr/Shops+22 floor for BUA 14951.74 Sq Mtr out of total constr239uction BUA 3,83,199.01 Sq Mtr.</p> <p>Committee also noted that PP has obtained Re-validation of Consent to Establish with expansion from the board on dtd. 12/04/2021 for residential &amp; commercial construction project on total plot area 54500 Sq.Mtrs. for remaining construction BUA 192953.50 Sq.Mtrs. out of total construction BUA 383199.01</p>

					<p>Sq.Mtrs. PP has obtained Consent to Operate Part-1, Part-2, Part-3 &amp; Part-4 time to time from the board on 24/02/2014, 25/03/2019, 14/03/2019 and 25/11/2019 respectively.</p> <p>Committee further noted that PP has obtained Environmental Clearance by Environment Dept, GoM vide letter No. SEAC-2010/CR.33/TC-2 dated 20/03/2016. Provided STP Capacity – 1550 CMD provided with MBBR Technology. Submitted Bank Guarantee of Rs. 25 Lakh towards compliance of previous consent condition valid upto 31/01/2025.</p> <p>After due deliberation, it was decided to grant of Consent to 1<sup>st</sup> Operate (Part-5) for MMRDA Building No. 6 – Gr/Shops+22 floor for BUA 14951.74 Sq Mtr out of total construction BUA 3,83,199.01 Sq Mtr.by imposing standard conditions and Bank Guarantee.</p>
55	MPCB- CONSENT- 0000239341	SURANJAN HOLDINGS & ESTATE DEVELOPERS PRIVATE LIMITED, C.T.S No. G/626, G/164-A(pt) F - Wing , Slum Rehabilitation Scheme Narli Agripada SRA CHSL, C.T.S No. G/626, G/164- A(pt) of village Bandra, 18th Road, Khar (W),	APPROVED  Consent to Operate (Part-III)	30.04.2027	<p>Committee noted that Project Proponent has applied for Consent to Operate (Part-III) for SRA building Construction project having total plot area 14184.10 sq.mt. &amp; Part-III total construction BUA of 11693.04 Sq.mtr out of total construction BUA of 89793.85 SqMtr as per specific condition of EC dtd 26/11/2024</p> <p>PP has obtained Revalidation of Consent to Establish with expansion dtd 24.12.2023 valid till COU or 5 Yrs for construction project on total plot area of 14,184.10 SqMtrs for Construction BUA of 12,026.07 SqMtrs out of Total Construction BUA of 86,223.61 SqMtrs as per specific condition No. B(4) EC dated 23/02/2023 with CI of Rs 36.38 Cr.</p> <p>PP has obtained Renewal of Consent to Operate (Part-I &amp; II) dtd 08.10.2023 valid till 31.10.2029 for construction project on Total Plot Area of 14,184.10 SqMtrs &amp; total Construction BUA of</p>

		Mumbai 400052 Mumbai		<p>78100.91 SqMtrs out of Total Construction BUA of 89,280.26 SqMtrs as per EC dated 03/12/2016</p> <p>PP has obtained Consent to Establish for expansion dtd 19/12/2024 valid till COU or 24.12.2029 for Construction project having total plot area 14184.10 sq.mt. &amp; remaining total Construction BUA 12026.17 Sq.mtr out of total construction BUA of 90126.98 SqMtr with of Rs 11.8 Cr</p> <p>PP has obtained Environmental clearance dtd. 03/12/2016 for SRA scheme construction project on total plot area of 14,184.10 SqMtrs &amp; Total Construction BUA of 89,280.26 SqMtrs with CI of Rs 816.0 Cr</p> <p>PP has obtained EC for expansion dtd 23.02.2023 for construction project on total plot area of 14,184.10 SqMtrs &amp; Total Construction BUA of 86,223.61 SqMtrs as per specific condition with total CI of Rs 825 Cr</p> <p>PP has obtained EC for expansion dtd 26/11/2024 for construction project on total plot area of 14,184.10 SqMtrs &amp; total BUA of 89793.85 SqMtr as per specific condition.</p> <p>Capital Investment: Rs 35.37 Cr (Total CI Rs 856.25 Cr). Consent fees paid: Rs 1,50,000 for two terms. Additional consent fees of Rs 50000 is required as C to E for expansion is obtained with CI of Rs 11.8 Cr and now applied for C to O with CI of Rs 35.37 Cr</p> <p>Sewage generation 31 CMD. PP has provided STP of 45 CMD. Provided OWC</p> <p>After due deliberation, it was decided to grant Consent to Operate (Part-III) for SRA building Construction project having total plot area 14184.10 sq.mt. &amp; Part-III total construction BUA of 11693.04 Sq.mtr out of total construction BUA of 89793.85 SqMtr as per specific condition of EC dtd 26/11/2024 subject to obtain fees on</p>
--	--	-------------------------	--	---

					increased CI and by imposing standard conditions and bank guarantee.
56	MPCB- CONSENT- 0000239510	Talera Hospital (New Thergaon Hospital Extension), Tanaji Nagar Chinchwad Gaon Chinchwad, Pune	NOT APPROVED  Combined consent to Establish & BMW Authorization	-----	<p>Committee noted that HCE has applied for combined consent to Establish &amp; BMW Authorization for 250 beds hospital for Medicine, Dental, Physiotherapy and Pathology activity on Total Plot Area - 8000 Sq. Mtrs., and Total Built Up Area (BUA) is 15000 Sq. Mtrs.</p> <p>Committee also noted that Hospital is built and owned by Pimpri Chinchwad Municipal Corporation and Construction of building is completed. HCE has submitted OC dated 6.2.2025 for BUA completion of 1164.78 Sq. M. Applied for IE- 10 CMD, DE – 40 CMD and 50 CMD STP is provided.</p> <p>Committee further noted noncompliance that HCE has not obtained consent to establish and BMW Authorization and completed Building without the Board's permission. HCE has not submitted the water budget in accordance with 250 beds, STP design details, an approved sanction plan and details of the work started to calculate the penal charges, land ownership documents, applicability of EC as variations in BUA in OC and applied BUA. and non-provision of ETP for trade effluent treatment. Also HCE has not paid any CCA fees and penal charges,</p> <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of CCA for above non-compliances.</p> <p>If PP/HCE fails to submit a satisfactory reply to Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity and final refusal order will be issued.</p>

57	MPCB- CONSENT- 0000237277	JNTL CONSUMER HEALTH (INDIA) PRIVATE LIMITED476-480 LBS MARG, MULUND WEST, MUMBAI - 400080, MUMBAI, Mulund,Mumbai Suburban. Kurla	APPROVED  Consent to Establish (Expansion)	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for grant consent to establish for expansion of Sanitary Napkin by 2500 Tons/year.</p> <p>Committee also noted that PP has obtained renewal of consent to operate from board 09/02/2025 for manufacturing ORSL Basekit:1320 T/Y, Johnsons Baby Powder:18000 T/Y, Sanitary Napkin:20500 T/Y and Miscellaneous Baby Products:1920 T/Y. which is valid upto 30/06/2026.</p> <p>Committee further noted that PP has provided Effluent treatment plant with capacity of 50.00 CMD. Provided a Sewage Treatment Plant of designed capacity of 300 CMD. Existing industry has used PNG as fuel and provided a common stack of height 30 meters. PP has submitted bank guarantee.</p> <p>After due deliberation, it was decided to grant consent to establish for expansion of Sanitary Napkin by 2500 Tons/year, with standard conditions and bank guarantee.</p>
58	MPCB- CONSENT- 0000239485	Raheja Universal (Pvt.) Ltd. Gen 2/1/B (Part 1), D- Block Lunaris, Plot No. Gen 2/1/B (Part 1), D- Block,Â Â T.T.C. Industrial Area ,MIDC Juinagar Navi Mumbai, Raigad. Panvel	APPROVED  Consent to Establish	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for Consent to Establish (Part) for the plot Gen 2/1/B(part-1) D-Block with plot area 32020.34 sq. mtr and total construction builtup area 292474 sq.mtrs. (PP divided the plot and separately hence applied for CTE)</p> <p>Committee also noted that PP obtained consent to establish by Board on 17.09.2023 for proposed building and construction of township and area development project for total plot area of 275309.85 Square meter and BUA of 1642351.45 Square meter.</p> <p>Committee further noted that PP has obtained Environmental Clearance by Environment Dept, GoM vide No SEAC -2014/CR-</p>

					<p>91/TC-1 dtd. 26/12/2014. Proposed to provide STP Capacity – 1425 CMD. Not Submitted bank guarantee.</p> <p>After due deliberation, it was decided to grant of Consent to Establish (Part) for the plot Gen 2/1/B(part-1) DBlock with plot area 32020.34 sq. mtr and total construction built up area 292474 sq.mtrs. by imposing standard conditions and subject to submission of bank guarantee and penal charges against it.</p>
59	MPCB- CONSENT- 0000238546	Superior Drinks Pvt. Ltd.B-220, B- 221, B-15 & B-14 Industrial Area MIDC Butibori Hingna	NOT APPROVED  Consent to establish for expansion	-----	<p>Committee noted that, the industry has applied for Consent to establish for expansion mfg. of Fruit Nectar &amp; Pulp Based Juices And Non Alcoholic Carbonated Beverages to MPC Board.</p> <p>Committee noted that, Industry has obtained Renewal of Consent to Operate for vide dt: 14/07/2021 valid up to: 30/04/2026 for mfg of Carbonated Sweetened Water in PET Bottles and Glass Bottles and Packaged drinking water and synthetic syrup for use in dispenser for carbonated water.</p> <p>Committee noted that PP will increase capacity of existing STP &amp; ETP to accommodate entire domestic &amp; trade effluent and industry will provide briquette fired 10 TPH boiler with dust cyclone &amp; wet scrubber as APC followed by stack of height 32 mtrs and Industry has submitted Bank Guarantee of Rs. 10 Lakhs vide which is valid up to: 06/10/2026</p> <p>After due deliberations. It was decided to issue SCN for Refusal to Consent to establish for expansion due to following non compliances: -</p> <p>1. Industry has not submitted MIDC plot allotment NOC letter for plot no: B-14 for carrying proposed expansion activity to MPC Board.</p>

60	MPCB- CONSENT- 0000236695	Aquaris Properties Private LimitedS. No. 57/2 (P) Mundhwa Haveli	APPROVED  Consent to Establish	Commissioning of the Project or Five Years whichever is earlier	<p>Committee noted that Project Proponent has applied for Consent to establish for building Construction project on Total Plot Area of 24000 SqMtrs &amp; total construction BUA of 141563.98 SqMtr</p> <p>PP has applied for EC. PP has submitted IOD for total construction BUA of 145695.57 SqMtrs</p> <p>Sewage generation 320 CMD. PP has proposed STP of 336 CMD based on MBBR. Proposed OWC.</p> <p>After due deliberation, it was decided to grant of Consent to establish for building Construction project on Total Plot Area of 24000 SqMtrs &amp; total construction BUA of 145695.57 SqMtr with the condition to obtain EC and not to take any effective steps towards construction without obtaining EC and by imposing standard conditions and Bank Guarantee.</p>
61	MPCB- CONSENT- 0000239685	VRS FOODS LTD., Plot no. B- 11 Newasa Industrial Area Taluka. Newasa, District. Ahmednagar	APPROVED  Consent to 1 <sup>st</sup> Operate for expansion with Renewal of Consent to Operate	31.08.2026	<p>Committee noted that, the industry has applied for 1<sup>st</sup> Consent to Operate for expansion for additional products – Casein and whey powder amalgamation with existing Renewal of Consent to Operate for milk processing &amp; milk products to MPC Board.</p> <p>Committee also noted that, Industry has obtained Renewal of Consent to Operate dt: 07/03/2024 valid up to: 31/08/2026 and Industry has obtained C to E expansion for (additional products ) – Casein and whey powder vide dt: 13/01/2025</p> <p>Committee also noted that, Industry has provided full-fledged ETP comprising DAF, equalization tank, UASB, primary settling tank, aeration tank, secondary setting tank, sand filter, carbon filter &amp; sludge dryer for the treatment of 624 CMD trade effluent. &amp; treated effluent is recycled in some extend &amp; remaining is used for gardening. Industry has provided CEQMS to ETP outlet Industry has provided STP for the treatment of 16 CMD domestic effluent.</p>

					<p>Committee noted that, Industry has provided coal fired boilers of capacity 15 TPH, 12 TPH &amp; 8 TPF with separate dust collectors &amp; wet scrubbers followed by 30 mtr height common stack and Industry has submitted BG of Rs. 5 Lakh &amp; 25 Lakh as per C to O. Industry has submitted BG of Rs. 10 Lakh for compliance of ID Valid up to 06/10/2025. Industry has submitted BG of Rs. 25 Lakh valid up to 06/10/2025 &amp; BG of Rs. 5 Lakh valid up to 06/10/2025 &amp; Rs. 5 Lakh valid up to 18/01/2026 as per C to O.</p> <p>After due deliberations, it was decided to grant 1<sup>st</sup> Consent to Operate for expansion for additional products – Casein and whey powder amalgamation with existing Renewal of Consent to Operate for milk processing &amp; milk products, by imposing following terms and conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit Bank Guarantee of Rs. 25 Lakhs towards compliance of consent conditions to MPC Board.</li> </ol>
62	MPCB- CONSENT- 0000237865	Seva Super Specialty and Critical Care Center, Sr. No. 3455, Mission Compound, Sakri Road, Dhule- 424001	NOT APPROVED  Renewal of combined consent to Operate & BMW Authorization with expansion	-----	<p>Committee noted that PP has applied for Renewal of combined consent to Operate &amp; BMW Authorization with increase in 85 beds from 145 to 230 beds hospital on Total Plot Area – 1336 Sq. Mtrs., and Total Built Up Area (BUA) is 2631 Sq. Mtrs.</p> <p>Committee also noted that Board has refused previous two applications vide UAN No.171445 &amp; 171793. Previous CCA was granted for 145 beds &amp; valid up to 31.05.2023 on Total Plot Area – 887.80 Sq. Mtrs., and Total Built Up Area (BUA) is 883.95 Sq. Mtrs. Applied for Trade effluent- Nil, and domestic effluent – 10 CMD, Previous CCA DE was 50 CMD. HCE has provided STP of capacity 10 CMD, which is under capacity &amp; Not provided ETP. CBMWTDF was valid upto 31.03.2025 for 230 beds. HCE has increased the beds by 85 Nos without obtaining consent from the Board, which attracts the penal fees.</p>



					<p>Committee further noted that HCE has not upgraded the STP to the tune of expansion to the tune of 230 beds and not submitted water budget. Not provided ETP, Not submitted original BG details, latest C.I. for to calculate penal charges for the period upto 21.08.2024 and not paid requisite fees,</p> <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of CCA for above non-compliances.</p> <p>If PP/HCE fails to submit a satisfactory reply to Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity and final refusal order will be issued.</p>
63	MPCB- CONSENT- 0000239331	IPCA Laboratories Limited Village - Hingni Village - Hingni Seloo	APPROVED  Consent to 1 <sup>st</sup> Operate (Part)	28.02.2026	<p>Committee noted that Industry has applied for grant of consent to 1<sup>st</sup> operate for 17 nos. of products of API drugs and intermediates</p> <p>Committee also noted that Industry has obtained consent to establish from Board on 20/05/2024 for consent to establish for 43 products. Obtained Environmental Clearance from competent authority on 27/08/2021 for 17 nos. of products mentioned therein. The EC was amended on 24/03/2023 with omission of conditions regarding the clearance from National Board of Wildlife will not be applicable to the proposed project". as per the revised guideline of Central Govt. dated 21/07/2022.</p> <p>Committee further noted that Industry has Completed installation work of ETP of capacity 650 KLD followed by 2 stage RO of capacity 587 KLD with MEE of capacity 160 CMD for treatment of RO reject &amp; concentrate stream. They have bifurcated effluent stream i.e. acidic &amp; basic.</p>

					<p>Committee also noted that Industry has completed installation work of 32 nos. of reactor, 03 nos. of fractioning column followed by wet scrubber (double chambered), 04 nos. of scrubber provided to acidic &amp; basic reactors and 01 nos. of scrubber provided to the ammonia reaction with water storage arrangement at ammonia storage tank. Submitted Bank guarantee of Rs. 25 Lakh towards compliance of previous bank guarantee which is valid up to 31/10/2029.</p> <p>After due deliberation, it was decided to grant of consent to 1<sup>st</sup> operate for 17 nos. of products of API drugs and intermediates, with standard conditions and bank guarantee.</p>
64	MPCB- CONSENT- 0000234460	Lupin Ltd., Plot No.6A & 6B, Sector -17, SEZ MIHAN notified area, Nagpur 441108 Nagpur	APPROVED  Consent to Establish (Expansion)	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that Industry has applied for grant of Consent to Establish (Expansion) for increase in capital investment by maintaining existing consented production quantity and pollution load.</p> <p>Committee also noted that existing consent to operate from Board on 05/02/2024 which is valid upto 31/05/2025. (Only Formulation Activity)</p> <p>Committee further noted that Industry has uploaded undertaking by stating that investment will be increased due to facility modification work of injectable &amp; OSD – II building modification, control equipment upgradation, duct cleaning system, BMS upgrade, transfer of equipment from one plant to another plant in existing premise, injectable facility alteration work, equipment addition, furniture &amp; office equipment. Submitted Bank Guarantee of Rs. 10.00 Lakhs &amp; 2.00 Lakhs which are valid up to 30/11/2025.</p>

					After due deliberation, it was decided to grant of Consent to Establish (Expansion) for increase in capital investment by maintaining existing consented production quantity and pollution load by imposing standard conditions and Bank Guarantee.
65	MPCB- CONSENT- 0000240394	VIKASRATNA VILASRAO DESHMUKH MANJARA SSSK LTD VILASNAGAR LATUR.106,108,1 09,110,111,115,1 16,117 CHINCHOLIROW ADI VILASNAGAR LATUR MAHARASTRA- 413512 LATUR	APPROVED  Consent to 1 <sup>st</sup> Operate (Biogas plant & 90 KLPD molasses- based distillery)	31.08.2025	<p>Committee noted that Industry has applied consent to 1st operate for manufacture for compressed biogas plant = 8 MT/D. also applied for consent to 1st for expansion for 90 KLPD molasses-based distillery and amalgamation with existing consent vide UAN MPCB-CONSENT-0000237480.</p> <p>Committee also noted that Board has granted consent to operate on 15.11.2022 for 60 KLPD molasses-based distillery which is valid upto 31.07.2025. Board has granted consent to establish for expansion on 23.03.2024 for compressed biogas plant = 8 MT/D.</p> <p>Committee further noted that Existing I.E = 696 CMD. As per C to E = 0 CMD. Industry has provided biomethanisation followed by MEE and ATFD. MEE condensate shall be treated in CPU of 1200 CMD and recycled into process/cooling tower. Industry has provided bagasse fired boiler of 30 TPH with ESP and stack of 65 mtr. Plant and machinery installed. they have installed H2s &amp; Co2 Scrubber, Storage tank for storage of CBG, and Provided Cascade for transportation of CBG.</p> <p>After due deliberation, it was decided to grant of consent to 1st operate for expansion for compressed biogas plant = 8 MT/D and 1<sup>st</sup> Consent to operate for 90 KLPD molasses-based distillery amalgamation with existing consent with overriding effect, by imposing bank guarantee and standard conditions.</p>
66	MPCB- CONSENT- 0000239607	Padmbhushan Krantiveer Dr. Naganathanna Nayakawadi Hutatma Kisan	APPROVED  Revalidation Consent to	Commissioning of the unit or five years which is earlier	Committee noted that, The industry has applied for revalidation for consent to establish for expansion 70 KLPD molasses-based distillery project - for products of fuel ethanol /rectified spirit /extra neutral alcohol – 2100 KL/M (by using raw material - b-molasses, sugar juice, c- molasses) and fusel oil : 3 Lit/day

		Ahir Sahakari sakhar Karkhana456 Nagnathanna Nagar Walwe Walwa	Establish (Expansion)		<p>Committee noted that, industry has obtained Consent to Establish for expansion project for 70 KLPD molasses-based distillery project vide dt: 146.15 Crs</p> <p>Committee noted that Industry has obtained Environmental clearance EC vide dt: 27 th November 2019 for 70 KLPD distillery project</p> <p>Committee further noted that Proposed generating Trade Effluent will be 200 M3/D for that industry has proposed to provide Evaporation Followed By Powder dryer By Spent wash Spray. Industry has proposed to install Bagasse fired Boiler having capacity of 40 TPH with proposed wet scrubber as an APCs with stack height of 72 Mtr.</p> <p>Committee noted that, industry has not submitted Bank Guarantee of Rs. 5 Lakhs as per previous C to E conditions granted by MPC Board.</p> <p>After due deliberations, it was decided to grant Revalidation of Consent to Establish for Expansion 70 KLPD molasses-based distillery project - for products of fuel ethanol /rectified spirit /extra neutral alcohol – 2100 KL/M and fusel oil : 3 Lit/day ., to MPC Board, by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit Bank Guarantee of Rs. 5 Lakhs as per earlier C to E expansion with 12% interest penal fees / charges</li> <li>2. Industry shall submit Bank Guarantee of Rs. 25 Lakhs towards compliance of consent conditions to MPC Board.</li> </ol> <p>Consent shall be issued after submission of BG as per C to E conditions and with 12% interest penal fees / charges.</p>
--	--	---	--------------------------	--	--

67	MPCB- CONSENT- 0000239261	Whirlpool Of India LimitedA-4 MIDC Ranjangaon Shirur	APPROVED  Consent to Establish (Expansion)	Commissioning of unit or 5 year whichever is earlier	<p>Committee noted that PP has applied for consent to establish for expansion for mfg. of Refrigerator - 120000 Nos/M.</p> <p>Committee noted that PP has obtained consent to operate vide dtd. 23/11/2023 which was valid upto 23/11/2023 for manufacturing of Refrigerators - 250000 No/M with C.I. of Rs. 891.61 Crs.</p> <p>Committee further noted that PP has provided ETP and STP for treatment of trade effluent and domestic effluent.</p> <p>After due deliberation, it was decided to grant consent to establish expansion by imposing the following conditions:</p> <ol style="list-style-type: none"> <li>1. Industry shall submit Bank Guarantee of Rs. 25 Lakhs towards compliance of consent conditions.</li> <li>2. PP shall obtain Environmental Clearance as total BUA exceeding 20,000 Sq. Meter.</li> </ol>
68	MPCB- CONSENT- 0000239551	Securities & Exchange Board of India (SEBI)Plot No. C- 7 'G' Block Bandra Kurla Complex, Bandra (East), Mumbai MUMBAI	Approved  Renewal of Consent to Operate	31.03.2035	<p>Committee noted that Project Proponent has applied for Renewal of Consent to operate for commercial building of SEBI on Total Plot Area of 9,295 SqMtrs for Construction BUA of 19,217 SqMtrs</p> <p>PP has obtained Consent to Operate dtd 23.03.2024 valid till 31.03.2025 for commercial building construction project on total plot area of 9,295 SqMtrs for Construction BUA of 19,217 SqMtrs with CI of Rs 1241.7933 Cr</p> <p>The Capital Investment is Rs 1241.79 Cr. Consent fees paid: Rs 1,39,42,093/- is balanced with the Board. Paid Rs 24,83,587 for five terms</p> <p>The Sewage generation 55 CMD. Provided STP of 100 CMD capacity. provided OWC</p>

					<p>After due deliberation, it was decided to grant renewal of consent for commercial building of SEBI on Total Plot Area of 9,295 SqMtrs for Construction BUA of 19,217 SqMtrs by imposing standard conditions and bank guarantee.</p> <p>The consent shall be issued under orange category as the effluent generation is below 100 CMD</p>
69	MPCB- CONSENT- 0000239530	Vihang Enterprises, At Village - Bhainderpada ,Tal.-Dist.- Thane	APPROVED  Consent to 1 <sup>st</sup> Operate (Part-II)	28.02.2026	<p>PP has Applied for Consent to 1st Operate (Part-II) for total plot area-66010.0m2 for total BUA of-55331.3m2 out of total BUA 241402.42 sq. m.</p> <p>Obtained Revalidation of Consent to Establish with expansion for Total Plot Area of 66,010.00 SqMtrs for Total construction BUA of 241402.42 SqMtrs. on 06/04/2024 (529 Crs).</p> <p>Renewal of Consent to Operate (part-I). For Total Plot Area of 61020 SqMtrs for Completed construction BUA 1,07,439.60 SqMtrs out of Total Construction BUA of 237267.15 SqMtrs on 05/03/2024 valid up to 30/11/2025 (296 Crs)</p> <p>Obtained Environment Clearance granted vide No. SIA/MH/INFRA2/417907/2023 dt: 26/05/2023 for Total Plot Area of 66,010.00 SqMtrs for Total construction BUA of 241402.42 SqMtrs.</p> <p>Present construction status: construction &amp; finishing work of 2 Nos. of residential buildings was found completed having total Construction area 55,331.3 m2(Tower 1 &amp;2) &amp; it is ready for possession.</p> <p>STP with capacity 400 CMD. Bank Guarantee submitted.</p> <p>After due deliberation, it was decided to grant of Consent to 1st Operate (Part-II) for total plot area-66010.0m2 for total BUA of-</p>

					55331.3m2 out of total BUA 241402.42 sq.mtrs, by imposing bank guarantee and standard conditions.
70	MPCB- CONSENT- 0000240478	Gabriel India Limited29th Mile Stone, Kuruli 29th Milestone, Pune Nashik Road, village- Kuruli, Tal- Khed , Dist - Pune Khed	APPROVED  1 <sup>st</sup> Consent to Operate with Renewal of Consent to Operate and amalgamation	30.04.2028	<p>Committee noted that PP applied for 1<sup>st</sup> Consent to Operate with Renewal of Consent to Operate and amalgamation of both consents for manufacturing of Gas Hydraulic Shock Absorber Assembly and Front Fork inner Tubes &amp; Piston Rod (With chrome plating), Telescopic Front Fork Casting, Job work of Heat Treatment.</p> <p>Committee also noted that PP has obtained consent to operate vide 15/12/2022 which was valid upto 30/04/2025 and obtained consent to establish for expansion vide dtd. 24/01/2025.</p> <p>Committee further noted that PP has provided ETP and STP for treatment of trade effluent and domestic effluent. PP has LPG fired melting furnace, provided APCS at surface treatment and painting section.</p> <p>Committee also noted that PP submitted total build-up area shall be 6312.75 Sq. Mtrs and total quantity of Telescopic Front Fork Casting shall be -1680 MT/A (840000 Nos/A) which does not attract EC.</p> <p>After due deliberation, it was decided to grant Part 1<sup>st</sup> consent to operate with Renewal of Consent to Operate and amalgamation of both consents by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit/extend existing BG's of Rs. 25.0 lakhs towards operation and maintenance of pollution control system and compliance of consent conditions.</li> <li>2. PP shall ensure compliance as per Ministry of Environment, Forest and Climate Change Notification dtd. 7th June, 2024 for Metallurgical industries (ferrous &amp; nonferrous).</li> </ol>

71	MPCB- CONSENT- 0000237432	PARAG MILK FOODS LTD43 AWASARI PHATA POST MANCHAR TAL AMBEGAON DIST PUNE- 410503 AMBEGAON	NOT APPROVED  Renewal of Consent to operate	-----	<p>Committee noted that industry has applied for Renewal of Consent to Operate for Milk Processing and dairy Products with an increase in CI.</p> <p>Committee also noted that, Industry has obtained Renewal of Consent to Operate vide dt: 28/08/2022 C.I. valid up to: 30/04/2025 and C.I. of Unit as per application – Rs. 631.53 Crs. And pervious CI is Rs. – 304.02 Crs. (increase if CI of 327.51 Crs )</p> <p>Committee further noted that, industry provided ETP consisting of Bar Screen, Oil Skimmer Equalization, DAF, UASB (IC Reactor), Aeration, MBR. Treated effluent is being used for gardening, floor cleaning and agricultural purposes.</p> <p>Committee noted that, JVS results: a) Dt: 10/02/2025 : BOD :- 43.4 mg/l COD :- 148 mg/l , TDS : 3412.0 mg/l and chloride : 723.78 mg/l ( TDS &amp; Chlorides parameters are exceeding the consented limit. Legal action already initiated by RO office.</p> <p>Committee further noted industry has For coal fired Boiler (22 TPH) PP has provided Bag Filter as an APC at present also PP has completed installation of ESP and commissioning was proposed. For other coal fired 12 TPH (standby) boiler PP has provided cyclone type dust collector followed by stack as an APC. For LDO fired boiler stack as an APC.</p> <p>Committee noted that, Submitted Bank Guarantee of Rs. 25 Lakhs towards O &amp; M of PCS vide dt: 17/10/2023 valid upto 30/08/2025</p> <p>After due deliberation, it was decided to issue SCN for Refusal of Renewal of Consent to Operate due to following non-compliance:</p> <ol style="list-style-type: none"> <li>1. Industry has not submitted additional consent fees /penal charges towards an increase in CI from Rs. 304.02 Crs to 631.53 Cr (increase in of CI of Rs. 327.51) to MPC Board.</li> </ol>
----	---------------------------------	---	--	-------	---



					<p>2. Industry has not submitted justification /clarification regarding increase in capital investment by. (increase if CI of 327.51 Crs)</p> <p>3. JVS results of treated effluent samples exceeding consented parameters.</p>
72	MPCB- CONSENT- 0000240649	Shivneri Sugars Ltd.0 At- Ganesh Tekadi Post- Jaipur, Tal- Koregaon, Dist- Satara Koregaon	APPROVED  Consent to Establish for Expansion	Commissioning of the unit or five years which is earlier	<p>Committee noted that the industry has applied for Consent to establish for expansion for Sugar Unit from 4200 TCD to 6250 TCD) (additional 2050 TCD) to MPC Board.</p> <p>Committee noted that, Industry has obtained existing Renewal of Consent to operate vide dt: 02/03/2025 valid for period up to 31.07.2025 for 4200 TCD Sugar unit and 8 MW cogeneration unit and Industry has obtained Environmental clearance for vide dtd. 19/04/2023 for 10,000 TCD Sugar Unit and 60 MW co gen unit and 200 KLPD distillery unit.</p> <p>Committee further noted that, Trade effluent generation will be- 210 CMD. Existing, ETP is of 600 CMD capacity. PP has mentioned proposed capacity of ETP - 1000 CMD. Industry has provided Stack of 82 mtr. height provided to Boiler along with dust collector as an Air pollution Control Systems</p> <p>Committee further noted that industry has submitted BG of Rs. 25 Lakhs towards compliance of O &amp; M of PCS vide dt: 23/01/2024 valid up to 30/06/2025 to MPC Board.</p> <p>Committee also noted that, Joint visit along with SRO Satara carried out to the industry on 07/04/2025 for verification of compliance of Proposed Direction issued Dtd.03/04/2025 as well as in compliance of Direction of Hon'ble NGT in Matter OA 21/2025.</p> <p>After due deliberations, It was decided to grant Consent to Establish for expansion for Sugar Unit from 4200 TCD to 6250 TCD) ( additional 2050 TCD) by imposing following conditions:</p>

					<ol style="list-style-type: none"> <li>1. Industry shall Submit Bank Guarantee of Rs. 25 Lakhs towards Consent conditions and Environmental Clearance conditions.</li> <li>2. This consent is issued without prejudice to Hon'ble NGT court case vide No. O.A.21/2025. Industry shall comply with all the directions/ orders issued or may be issued by Hon'ble NGT.</li> <li>3. Industry shall comply with conditions stipulated in proposed directions issued by MPC Board vide dt: 03/04/2025.</li> </ol>
73	MPCB- CONSENT- 0000225486	Thermax Babcock & Wilcox Energy Solutions Limited, Plot A2 & A3 MIDC Khandala Industrial Area Phase1 Kesurdi Khandala	APPROVED  Consent to Establish for Expansion	Commissioning of Unit or 5 years, whichever is earlier	<p>Committee noted that PP has applied for consent to Establish for installation of additional Paint booth-(Section Shop), Paint booth-(Panel Shop) &amp; DG Set –III 500 KVA capacity.</p> <p>Committee noted that PP has obtained consent to operate vide dtd. 06/11/2023 which was valid upto 30/04/2025 with CI of Rs.555.44 Crs for mfg of Tubular Products of Boilers,Heaters &amp; Refinery Equipment's &amp; Structural Material. Applied for renewal of consent vide UAN no. MPCB-CONSENT-0000242232.</p> <p>Committee further noted that PP has provided ETP and STP in existing unit for treatment of trade effluent and domestic effluent.</p> <p>After due deliberation, it was decided to grant consent to establish, by imposing following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall obtain Environmental Clearance as total BUA (Existing + Expansion) exceeding 20,000 Sq. Meter.</li> </ol>
74	MPCB- CONSENT- 0000239984	Trualt Gas Private Ltd. Unit no. 04203,258,259,260,261,262 & 263 Madhukar Nagar Patas Daund	APPROVED  Consent to Establish	Commissioning of the unit or five years which is earlier	<p>Committee noted that, Industry applied for consent to establish to set-up proposed CBG Plant - Compressed Biogas – 20 MT/day by using Press Mud and The proposed plant will be in the premises of M/s. MRN Bhima Sugar &amp; Power Pvt Ltd, (Distillery Unit).</p> <p>Committee noted that, Industry has submitted the lease deed executed on 30.10.2024 between M/s. MRN Bhima Sugar &amp; Power</p>

					<p>Pvt Ltd, and M/s. Trualt Gas Private Ltd to a lot the land of 20 acres and 29 Guntas.</p> <p>Committee noted that PP proposed to generate 250 CMD trade effluent. In the process, by mixing Paddy Straw, Napier Grass, Cow Dung, Press mud in proportion, Feed stock was prepared which converted into slurry before feed to the anaerobic digester. In anaerobic digester, Biogas generated as a product and Digestate Slurry as a byproduct and Industry proposed to install H<sub>2</sub>S and Co<sub>2</sub> scrubbers for purification of biogas.</p> <p>After due deliberations, It was decided to grant Consent to Establish to set-up Compressed Biogas – 20 MT/day by using press mud and spent wash generated from the sugar and distillery unit operations of M/s. MRN Bhima Sugar &amp; Power Pvt. Ltd. as feedstock for biogas production, by imposing condition that:</p> <ol style="list-style-type: none"> <li>1. Industry shall comply the Environmental Guidelines for Compressed Biogas Plant (CBG) issued by CPCB in March,2022.</li> <li>2. Industry shall submit Bank Guarantee of Rs. 25 Lakhs towards Compliance of Consent conductions.</li> </ol>
75	MPCB- CONSENT- 0000237757	MHADA- Proposed Construction of affordable Housing Project under Pradhan Awaz Yojana (PMYA) on Plot bearing S.No.162 at Khoni, Taluka - Kalyan, District - Thane.S.No.162 at Khoni	APPROVED  Consent to 1 <sup>st</sup> Operate	28.02.2028	<p>Committee noted that PP has applied for grant of Consent to Operate (part) with amalgamation of existing Consent to Operate for BUA 1,71,000 Sq Mtr and total BUA 2,45,528.98 Sq Mtr.</p> <p>Committee also noted that PP has obtained Consent to Establish from board on 25/01/2019 for construction of housing scheme residential project for total plot area of 1,71,000 Sq.Mtrs. and total construction built up area of 1,42,594.08 Sq.Mtrs. PP has obtained 1st Consent to Operate (Part) for Housing construction project for total plot area 1,71,000 sq mtr for completed construction BUA 82,000 sq mtr out of total construction BUA of 1,42,594.08 Sq Mtr. Obtained Consent to establish expansion for project development</p>

		S.No.162 at Khoni Kalyan			<p>of Housing scheme for total plot area 1,71,000 sq mtr for construction BUA of 1,73,179.88 sq mtr.</p> <p>Committee further noted that PP has obtained EC from Environment Dept. GoM dated 12.03.2018 further revised on dtd 13.06.2022 for Total built-up area 315773.96 sq.mtr. Obtained Environmental Clearance by Environment Dept, GoI vide letter No. EC22B039MH121186 dated 13/06/2022.</p> <p>Committee also noted that PP has provided STP has a capacity of 1200 KLD based on MBBR technology. submitted Bank Guarantee of Rs. 10 Lakh towards compliance of previous consent conditions.</p> <p>After due deliberation, it was decided to grant Consent to Operate (part) with amalgamation of existing Consent to Operate for BUA 1,71,000 Sq Mtr and total BUA 2,45,528.98 Sq Mtr., by imposing standard conditions and bank guarantee.</p>
76	MPCB- CONSENT- 0000240841	UNITED BREWERIES LTD PLOT NO. L-10 & L-11/1/1, MIDC WALUJ, A'BAD PLOT NO. L-10 & L-11/1/1, MIDC WALUJ, A'BAD GANGAPUR	NOT APPROVED  Consent to Establish (Expansion)	-----	<p>Committee noted that Industry has applied for consent to establish for expansion for installation of a new Beer Filling Tin Can Line.</p> <p>Committee also noted that existing consent to operate on 26.07.2024 for manufacture of beer = 130000 KL/A and Dry Yeast = 900 Kg/D which is valid upto 30.11.2026.</p> <p>Committee further noted that Industry has provided ETP comprises primary, secondary, tertiary treatment, followed by Reverse Osmosis (RO) and Multiple Effect Evaporator (MEE). The treated effluent 50% shall be recycled in the process and remaining 50% shall be disposed in to CETP for further treatment.</p> <p>Committee also noted that during visit, following non-compliances were observed:</p>

					<ol style="list-style-type: none"> <li>1. No records of reuse/recycling of 425 CMD treated effluent (as stipulated in consent). 11. Flow meters with data loggers for recycling tank not available.</li> <li>2. Sludge drying bed idle with algae growth – indicates poor O&amp;M.</li> <li>3. Leakage observed in aeration tank; wastewater accumulating near ETP.</li> <li>4. Launderers of primary clarifier found with damaged walls – causing non-uniform flow.</li> <li>5. Foaming in aeration tank suggests improper dosing of defoaming agents. 16. Conveyor belt not adequately enclosed – leading to dust emissions.</li> <li>6. Screw conveyor system venting directly to open atmosphere.</li> <li>7. Bypassing of APC system (bag house) observed – gases from MDC vented directly to stack.</li> <li>8. Untreated wastewater with brewery filter powder found discharged on agricultural land (Gut No. 10/1, Shahajanpur Village).</li> <li>9. Approx. 3 acres of land severely contaminated – soil turned brown.</li> <li>10. Untreated wastewater stored in HDPE-lined lagoon.</li> </ol> <p>Based on non-compliances, legal action initiated and forwarded under reference No. MPCBLEGAL_ACTIONS-090425048.</p> <p>After due deliberation, it was decided to issue show cause notice for refusal of consent, on above mentioned non-compliances.</p>
--	--	--	--	--	---

77	MPCB- CONSENT- 0000239879	Derive Trading & Resorts Pvt. Ltd., S.No 27/2, 28,B/37,40, GON Gondhalpada Tal- Alibaug Dist_Raigad Alibuag	APPROVED  Renewal of Consent	30.04.2027	<p>Committee noted that PP has applied for Renewal of Consent to Operate for Hotel and Restaurant activity with swimming pool and Kitchen for 160 nos. of rooms and built-up area 16,109.83 sq. mtrs.</p> <p>Committee also noted that PP has obtained Consent to Operate by Board on 10.11.2022 which is valid for the period up to 30.04.2025 with Swimming pool, kitchen, and laundry activity on total plot area of 63,130.96 sq mtr. and total construction BUA 16,109.83 sq mtr.</p> <p>Committee further noted that PP has provided STP capacity 130 CMD is provided &amp; 23.5 CMD. ETP capacity 25 CMD is provided. Industry has submitted Rs. 25 Lakh towards previous Bank Guarantee which is valid upto 31/10/2025.</p> <p>After due deliberation, it was decided to grant Renewal of Consent to Operate for Hotel and Restaurant activity with swimming pool and Kitchen for 160 nos. of rooms and built-up area 16,109.83 sq. mtrs., by imposing bank guarantee and standard conditions.</p>
78	MPCB- CONSENT- 0000241471	Wockhardt Ltd, Boitech Park (Installation of New Briquette Fire Boiler), H- 14/2,MIDC,Waluj	APPROVED  Consent to Establish (Expansion)	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that Industry has applied for grant of Consent to Establish for Expansion for installation of New Briquette Fire Boiler. Industry has proposed to provide Briquette fire Boiler of capacity 8 ton with stack height 30 mtrs and Cyclone dust collector and Bag Filter as an APCS.</p> <p>Committee also noted that Industry has obtained renewal of Consent to Operate granted by the Board on 8.10.2023 which is valid for the period up to 30.04.2025 for the for the mfg. of 11 products of Biotech API and 2 are pharmaceutical formulations.</p>

					<p>Applied for renewal of consent which was issued on 11.05.2025 valid up to 30.04.2027.</p> <p>Committee further noted that Industry has provided ETP, STP and APC systems. Existing unit is complied. Submitted bank guarantee.</p> <p>After due deliberation, it was decided to grant Consent to Establish for Expansion for installation of New Briquette Fire Boiler, by imposing bank guarantee and standard conditions.</p>
79	MPCB- CONSENT- 0000239630	Godrej Industries Ltd., Plot No. 73 Additional Ambernath, MIDC, Anand Nagar Ambernath	APPROVED  Renewal of Consent	28.05.2030	<p>Committee noted that Industry has applied for plain Renewal of Consent to Operate Monocarboxillic Fatty Acid, Fractionated Fatty Acid, Distilled Fatty Acid &amp; Specialty Fatty Acid, Oleic Acid, Stearic Acid, Organic Surface-active agent (Surfactants), detergents - 17000 MT/A, Glycerin, Fatty Easters and Condensates.</p> <p>Committee also noted that Industry has obtained Amendment in Consent to Operate with change in product under Product-Mix, from the board on 12/04/2022 valid upto 28/05/2025. Obtained Environmental Clearance granted vide no J-11011/612/2010-IA II(I) dtd 13/09/2012 which is amended on 11/12/2012.</p> <p>Committee further noted that Industry has provided ETP followed by RO, MEE and ATFD. Provided a scrubber followed by stack of ht. 38.0 mtrs. approx. for briquette fired boiler, scrubber followed by stack for AOS plant, dust collector (bag filter cyclone) followed by stack for spray dryer, scrubber for LP boiler. Submitted Bank Guarantee Rs.25.0 Lakhs towards compliance of previous consent which is valid upto 31.08.2025.</p> <p>After due deliberation, it was decided to grant plain Renewal of Consent by imposing standard conditions and Bank Guarantee.</p>

80	MPCB- CONSENT- 0000241751	Saarloha Advanced Material Pvt. Ltd.Sr No 72-76 Mundhwa Industrial Zone. Mundhwa Haveli	APPROVED  Consent to Establish for Expansion	Commissioning of Unit or 5 years, whichever is earlier	<p>Committee noted that PP has applied for consent to establish (expansion) for mfg. of Finished Product in the form of Ingots and Blooms of Various Sizes and Grades – 204000 MT/A.</p> <p>Committee also noted that PP has obtained consent to operate vide dtd. 29/05/2022 which was valid upto 31/07/2026 for manufacturing of Finished Product in the form of Ingots and Blooms of Various Sizes and Grades - 204000 MT/A.</p> <p>Committee further noted pp shall upgradation/ modernization of existing equipment's and additional spare equipment's without change in production capacity and increase in pollution load.</p> <p>After due deliberation, it was decided to grant consent to establish for expansion by imposing following conditions:</p> <ol style="list-style-type: none"> <li>1. PP shall submit/extend existing BG's of Rs. 25.0 lakhs towards compliance of consent conditions.</li> <li>2. PP shall ensure compliance as per Ministry of Environment, Forest and Climate Change Notification dtd. 7th June, 2024 for Metallurgical industries (ferrous &amp; nonferrous).</li> <li>3. PP shall obtained environmental clearance as per Ministry of Environment, Forest and Climate Change Notification dtd. 7th June, 2024 for Metallurgical industries (ferrous &amp; nonferrous), if applicable.</li> <li>4. PP shall obtain Environmental Clearance as total BUA (Existing + Expansion) exceeding 20,000 Sq. Meter.</li> </ol>
81	MPCB- CONSENT- 0000241981	Matrix Enclave Projects Development Pvt. Ltd. "Marathon Nextworld" (Residential Project) Nova village Betawade,	APPROVED  Consent to 1 <sup>st</sup> Operate (Part-II)	28.02.2026	<p>Committee noted that PP has applied for grant of Consent to 1st operate (Part-II) for the total plot area-4,14,330.00 Sq. mtrs., for total construction BUA-15818.98 Sq. mtrs.</p> <p>Committee also noted that PP has obtained Revalidation of existing consent to establish + Expansion, from the Board on 14/1/2024 for construction activity on total Plot Area of 414330 Sq.Mtrs for construction BUA of 20399.07 Sq.Mtrs. Obtained</p>



		Taluka-Kalyan & District- Thane, State: Maharashtra. Kalyan			<p>Consent to 1st Operate for 2-Buildings (Aura &amp; Elara Buildings), from the Board on 29/5/2024 of the Total Plot Area of 4,14,330 Sq.Mtrs for construction BUA of 49,852.49 is completed out of total Construction BUA of 9,97,054.42 Sq.Mtrs.</p> <p>Committee further noted that PP has obtained Environmental Clearance on 28/04/2014 vide No. SEAC-2013/CR-76/TC-1 for total plot area 4,14,330 sq. mtr. and total BUA 9,97,054 Sq. mtr.</p> <p>Committee also noted that PP has provided STP with MBBR technique. STP has a capacity of 250 CMD. Submitted BG of Rs. 25 Lakh of previous Bank Guarantee valid upto 20/03/2026.</p> <p>After due deliberation, it was decided to grant Consent to 1<sup>st</sup> Operate (Part-II) for the total plot area-4,14,330.00 Sq. mtrs., for total construction BUA-15818.98 Sq. mtrs., by imposing standard conditions and Bank Guarantee.</p>
82	MPCB- CONSENT- 0000237329	Madhusudan Texpro Private LimitedGat No. 61/1, 61/2, 60/2B Anthipada Navapur	NOT APPROVED  Consent to 1 <sup>st</sup> Operate	-----	<p>Committee noted that, The industry has applied for 1<sup>st</sup> Consent to Operate for products - Polyester Partially Oriented Yarn (POY), Texturized &amp; Twisted Yarn, and Yarn Waste.</p> <p>Committee also noted that, Industry has obtained consent to Establish vide dt: 02/01/2023 for mfg. Polyester Partially Oriented Yarn (POY), Texturized &amp; Twisted Yarn, and Yarn Waste etc.</p> <p>Committee noted that, Construction work of ETP plant is not completed till date and installation of plant and machinery is expected to be completed by the first week of June 2025.- Installation of plant and machinery is not completed till date and Industry has not obtained membership of CHWTSDF for disposal of Hazardous waste.</p> <p>After due deliberations, it was decided to issue SCN for Refusal of 1<sup>st</sup> Consent to Operate due to following non -compliances:</p>

					<ol style="list-style-type: none"> <li>1. Industry has not completed installation of plant and machinery required for proposed mfg activity at site.</li> <li>2. Industry has not completed construction work of Effluent Treatment plant at site.</li> <li>3. Industry has not obtained Member ship of CHWSTDF for disposal of Hazardous Waste.</li> <li>4. Industry has not obtained NOC from CGWA for ground Water extraction for proposed mfg activity.</li> </ol>
83	MPCB- CONSENT- 0000242125	NTT Global Data Centers NAV2 Private Limited Plot No. B1 & B2 Trans Thane Creek Industrial Area, Village- Dighe, Airoli, Navi Mumbai Thane	APPROVED  Renewal of Consent (Part)	30.04.2027	<p>Committee noted that PP has applied for Renewal of Part consent to operate with addition of D.G. set 2250 KVA (10 nos) IT &amp; ITES activity at Total plot area 2,19,938 Sq. Mtrs. and Total BUA 99,264.41 Sq. Mtrs</p> <p>Committee also noted that the existing Consent to 1st Operate (Part) for IT &amp; ITES (Data center activity) valid upto 31/05/2025 of IT &amp; ITES activity for Data center activity on Total Plot Area of 219938 Sq Mtrs for construction BUA of 80265.6 Sq Mtrs. for DG Set 2250 KVA x 33 Nos and 17 Nos.</p> <p>Committee further noted that that PP has obtained Environmental Clearance for expansion vide No. EC22B039MH132377 dtd. 20.04.2022 for Total Plot Area – 219938 Sq Mtrs and Total Built Area – 282498.79 Sq Mtrs. Obtained Amended Environmental Clearance from on 18/07/2016 vide No. SEAC-2015/CR-84/TC-1.</p> <p>Committee noted that PP has provided STP with MBBR technique. STP has a capacity of 80 CMD. PP have existing 33 nos. of D.G. sets having a capacity of 2250 KVA each and 17 Nos of DG Set having capacity of 2250 KVA each with acoustic enclosure and stack height of 30 meters. Submitted Rs. 25 Lakh towards previous Bank Guarantee which is valid upto 31/05/2026.</p> <p>After due deliberation, it was decided to grant Renewal of consent to operate (part) with addition of D.G. set 2250 KVA (10 nos) IT &amp;</p>

					ITES activity at Total plot area 2,19,938 Sq. Mtrs. and Total BUA 99,264.41 Sq. Mtrs by imposing standard conditions and Bank Guarantee.
84	MPCB- CONSENT- 0000240387	Loknete Rajarambapu patil, Ayurvedic Medical College, Hospital post Graduate Institute And ResearchTakari road shahunagar Sangli Islampur Road Islampur,- ,Peth,Sangli	APPROVED  Renewal of Combined Consent & BMW Authorization with expansion	31.03.2030	<p>Committee noted that HCE has applied for Renewal of Combined Consent &amp; BMW Authorization with increase in 16 beds for Hospital – from 244 beds to 260 Beds on total plot area of 38,325.54 Sq.Mtr &amp; total BUA of 14,399.4 Sq.mtr.</p> <p>Committee also noted that previous CCA was valid upto 31.03.2025 for 244 beds on - Plot Area 38325.54 M2 with Built-up area 14399.40 M2.PP has not submitted rational water budget and provided STP of capacity 40 CMD</p> <p>Committee further noted that HCE has provided separate isolated storage areas for generated BMW and obtained valid membership of CBMWTSDf. BG is not submitted.</p> <p>After due deliberation, it was decided to consider the Renewal of Combined Consent &amp; BMW Authorization with an increase in 16 beds for Hospital i.e from 244 beds to 260 Beds on total plot area of 38,325.54 Sq.Mtr &amp; total BUA of 14,399.4 Sq.mtr by imposing standard conditions of HCE and following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE shall upgrade STP of sufficient capacity to the tune of effluent generation from 250 beds and shall provide separate ETP for trade effluent within 3 months period. For the compliance of the same, BG of Rs. 1.0 Lakh shall be submitted.</li> <li>2. HCE shall submit the BG as per BG regime of HCE.</li> </ol> <p>CCA shall be issued after submission of the revised water budget, penal charges for increase in beds without C to E &amp; Requisite consent fees, Original BG submission and its interest.</p>

85	MPCB- CONSENT- 0000242908	MAI MANGESHKAR HOSPITAL, 117/1, Near Baif, Mumbai Bangalore Highway, Warje, Pune 411058	NOT APPROVED  Renewal of combined Consent to operate with expansion of beds	-----	<p>Committee noted that HCE has applied for renewal of combined Consent to operate with expansion of beds from 45 beds to 205 beds Hospital on total plot area of 850 Sq.Mtr &amp; total BUA of 12976.28 Sq.Mtr.</p> <p>Committee also noted that previous Authorization granted vide dtd. 14.08.2020 for 45 beds with validity upto 31.03.2025. Applied for IE- Nil CMD, DE – 50 CMD. 1. HCE has provided STP capacity of 60 CMD &amp; ETP with Capacity of 5.0 CMD.</p> <p>Committee further noted noncompliance such as HCE has not submitted details of the sanction plan with Plot and BUA along with Architect certificate for existing and additional buildings. HCE has not submitted commissioning /expansion of the beds to calculate the penal charges and applicable CCA fees. Not submitted capital investment certificate to calculate the penal and CCA charges and not submitted membership of CBMWTF, BNHR certificate and BG of Rs. 1.40 Lakh.</p> <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of CCA for above non-compliances.</p> <p>If PP/HCE fails to submit a satisfactory reply to Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity and final refusal order will be issued.</p>
86	MPCB- CONSENT- 0000243219	Tata Motors Passenger Vehicles Limited, Sector No.15 & 15A PCNTDA, Chikhali, Pune- 411062 Haveli	APPROVED  1 <sup>st</sup> Consent to Operate with amalgamatio n of existing	30.09.2026	<p>Committee noted that PP has applied for 1<sup>st</sup> consent to operate with amalgamation of existing consent to operate for Passenger Car Vehicles (Inclusive of Jaguar, Landover Production)– 50000 Nos/Y.</p> <p>Committee noted that PP has obtained consent to operate vide dtd. 07/03/2025 which was valid upto 30/09/2026 with combined</p>

			consent to operate		<p>CI of Rs.11602.14 Crs and consent to establish for expansion vide dtd. 26/02/2025.</p> <p>Committee noted PP has provided ETP, STP for trade and domestic effluent. Provided APCS at painting &amp; paint stripping section.</p> <p>Committee further noted that PP submitted letter vide dtd. 05.05.2025 requested to consider existing BG against C to E as it is expansion by plant utilization. Also requested to consider consent fees paid (wrongly paid in CTR vide UAN No.0000216127) with renewal application.</p> <p>After due deliberation, it was decided to grant 1<sup>st</sup> Consent to Operate with amalgamation of existing consent to operate.</p>
87	MPCB- CONSENT- 0000242737	USV Private Limited, B-1/8 & Part B-1/8, B-8/1, B-9, B-10 B-1/8 & Part B-1/8, B-8/1, B-9, B-10, MIDC Lote Parshuram, Tal. Khed, Dist. Ratangiri. Khed	APPROVED  Renewal of Consent	30.04.2030	<p>Committee noted that Industry has applied for grant of the plain renewal of the consent for the manufacturing of API (Bulk Drugs) with increase in Capital Investment.</p> <p>Committee also noted that Industry has obtained Renewal of Consent to operate from the Board on 26/06/2020 valid till 30/04/2025. obtained amendment in Consent to operate from Board on 15/04/2020 which is valid till 30/04/2025. Industry has obtained revalidation in Environmental Clearance from GoM on 20/12/2018 vide file no SEIAA-2018/CR-141/Est.</p> <p>Committee further noted that Industry has provided ETP with primary, secondary, and tertiary treatment systems. 9 CMD capacity two-stage MEE provided. Industry has provided briquette fired 6 TPH boiler with 31 m stack. A dust collector is provided as APCS. An alkali media process scrubber is provided to the</p>

					<p>reactors. JVS results of ETP outlet are within consented limits. Submitted all the bank guarantees as per earlier consent conditions. The CI has increased by Rs. 58.63 Cr.</p> <p>After due deliberation, it was decided to grant of plain renewal of the consent for the manufacturing of API (Bulk Drugs) with increase in Capital Investment by imposing standard conditions and Bank Guarantee.</p>
88	MPCB- CONSENT- 0000232643	CIDCO of Maharashtra Ltd., Coastal Road development (Govt. owned land) Nerul, Belapur, Kharghar - Construction of Coastal Road from Jalmarg, Sector 16, Kharghar to Sector 11 in CBD & Balance link between Sector 15 CBD to Water transport Terminal Nerul, Navi Mumbai (Total length 9.68 Km) Navi Mumbai	APPROVED  Consent to Establish	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that PP has applied for grant of Consent to Establish for Proposed construction of costal road from Jalmarg, sector 16, Kharghar to sector- 11 in CBD Belapur and balance link between sector 15 CBD to Water transport Terminal, Nerul, Navi Mumbai (Total length 9.68 Km). Total area and BUA as per application is 384549.0 sq. mtrs.</p> <p>Committee also noted that PP has obtained CRZ Clearance from Environment Dept. GoI dated 09/08/2024 for Proposed construction of costal road from Jalmarg, sector 16, Kharghar to sector- 11 in CBD Belapur and balance link between sector 15 CBD to Water transport Terminal, Nerul, Navi Mumbai (Total length 9.68 Km). Total area and BUA as per application is 384549.0 sq. mtrs.</p> <p>Committee further noted that PP also obtained permission for diversion of 8.2222 ha. forest land for the said road from MoEF, Nagpur on 24.09.2024. Submitted a consent fee of Rs. 24,69,000/- against CI of Rs. 1234.50 Cr.</p> <p>After due deliberation, it was decided to Consent to Establish for Proposed construction of costal road from Jalmarg, sector 16, Kharghar to sector- 11 in CBD Belapur and balance link between sector 15 CBD to Water transport Terminal, Nerul, Navi Mumbai (Total length 9.68 Km). Total area and BUA as per application is</p>

					384549.0 sq. mtrs., by imposing bank guarantee and standard conditions.
89	MPCB- CONSENT- 0000243563	V N Desai Municipal General Hospital TPS 11, 11th Road, Near Santacruz Gymkhana, Santa cruz (East), Mumbai, Sahar, M umbai Suburban	NOT APPROVED  Renewal of Combined Consent to operate & BMW Authorization	-----	<p>Committee noted that HCE has applied for Renewal of Combined Consent to operate &amp; BMW Authorization for Hospital - 276 Beds on total plot area of 1865 Sq.Mtr &amp; total BUA of 1030 Sq.mtr.</p> <p>Committee also noted that the previous CCA was valid upto 31.01.2025 for 276 beds with same plot and BUA.</p> <p>Committee also noted that HCE has applied for IE- 1.0 CMD, DE – 1.0 CMD, Water budget is not correct. Previously granted CCA was for IE Nil and DE-99.5 CMD</p> <p>Committee further noted noncompliance such as non-provision of provided ETP &amp; STP as per CCA condition and discharging effluent into local body drainage. The Rational water budget is not submitted, membership of CBMWTF is obtained for 254 beds and beds are having 276. HCE has not paid CCA fees and has not paid the penal charges of Rs. 45890/- for 67 days delay in application for renewal. Also not submitted BG of Rs. 2.0 Lakh as per CCA</p> <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of CCA for above non-compliances.</p> <p>If PP fails to submit a satisfactory reply to Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity and final refusal order will be issued.</p>
90	MPCB- CONSENT- 0000242922	FINE ORGANIC INDUSTRIES (SEZ) PRIVATE LIMITED Plot no. 317, 318 & 319	APPROVED  Consent to Establish	Commissioning of unit or 5 years,	Committee noted that PP has applied for consent to establish for the manufacturing of Synthetic Organic Chemicals for the products: - (Oleochemical derivatives) Fatty Amides – 35000 MTPA, Specialty Fatty Acids Esters – 30000 MTPA, Liq. Ammonia (conc. 20-23%) – 8000 MTPA in JNPA SEZ.

		Plot no. 317, 318 & 319, sector 3, Jawaharlal Nehru Port Authority (JNPA)-SEZ, Navi Mumbai “ 400707, Raigad, Maharashtra Uran		whichever is earlier.	<p>Committee also noted that Industry has obtained Environmental Clearance (EC) to the proposed project under the provision of the EIA Notification 2006 on 03/04/202 vide No.EC25A2412MH5224152N.</p> <p>Committee further noted that existing unit provided ETP of capacity 70 CMD. Provided Boiler 3.0 Ton each fired on PNG/LDO with stack ht.45 Mtrs each.</p> <p>After due deliberation, it was decided to grant consent to establish for the manufacturing of Synthetic Organic Chemicals for the products: - (Oleochemical derivatives) Fatty Amides – 35000 MTPA, Specialty Fatty Acids Esters – 30000 MTPA, Liq. Ammonia (conc. 20-23%) – 8000 MTPA in JNPA SEZ by imposing standard conditions and Bank Guarantee.</p>
91	MPCB- CONSENT- 0000242966	Integrated Special Township by M/s. Riverview City Construction Limited, Gut No. 1to21,23 to41,43to57 and others as per EC A/p Kadamwakwasti Haveli	Approved  Consent to Operate (Part-I)	30/04/2026	<p>Committee noted that Project Proponent has applied for Consent to Operate (Part-I) for integrated special township Construction project on Total Plot Area of 1832321 SqMtrs &amp; completed Part-I total construction BUA of 196571.43 SqMtr out of total construction BUA of 14,40,924.25 (Part-I) SqMtr (total construction BUA of 57,93,958 SqMtr )as per specific condition of EC dtd 26.03.2019.</p> <p>PP has obtained Revalidation of Consent to Establish dtd 01/04/2025 valid till COU or 18/04/2029 for phase-I of integrated special township construction project on Total Plot Area of 21,03,951 SqMtrs &amp; Part-I total construction BUA of 14,40,924.25 SqMtr with CI of Rs 1485.42 Cr.</p> <p>PP has obtained Environmental clearance dtd 26.03.2019 for Construction project on Total Plot Area of 21,03,951 SqMtrs &amp; total construction BUA of 57,93,958 SqMtr.</p> <p>The Capital Investment is Rs 738.21 Cr. Consent fees paid: Rs 1476435 for one term. Sewage generation 650 CMD. PP has</p>



					<p>provided STP based on MBBR. PP has provided Biogas &amp; Vermicomposting.</p> <p>After due deliberation, it was decided to grant of Consent to Operate (Part-I) for integrated special township Construction project on Total Plot Area of 1832321 SqMtrs &amp; completed Part-I total construction BUA of 196571.43 SqMtr out of total construction BUA of 14,40,924.25 (Part-I) SqMtr (total construction BUA of 57,93,958 SqMtr) as per specific condition of EC dtd 26.03.2019 by imposing standard conditions and Bank Guarantee.</p>
92	MPCB- CONSENT- 0000242673	Rashtriya Chemicals and Fertilizers Limited,Thal UnitThal unit, Survey No. 2 Thal Alibag Alibag	APPROVED  Consent to Establish (Expansion)	Commissioning of unit or 5 years, whichever is earlier.	<p>Committee noted that Industry has applied for grant of Consent to Establish (Expansion) for 1200 MTPD of Di Ammonium Phosphate (DAP), NPK and Other NPK Grades.</p> <p>Committee also noted that Industry has obtained renewal of consent to operate from Board on 28/03/2023 which is valid till 31/12/2027. Obtained Environmental Clearance from Govt of India on 19/04/2024 vide File No. IAJ-11011/533/2021-IA-II(I).</p> <p>Committee further noted that Industry has provided STP based on MBBR technology, treated water from STP will be used for flushing &amp; scraping purposes within the project area. Provided Bag filter followed by Wet scrubber will be provided to DAP/NPK product bagging section area. Pre-scrubber and scrubber will be provided to granulators. Cyclone separator followed by scrubber will be provided to dryer and screen.</p> <p>After due deliberation, it was decided to grant Consent to Establish (Expansion) applied for Consent to Establish application of 1200 MTPD of Di Ammonium Phosphate (DAP), NPK and Other NPK Grades by imposing standard conditions and Bank Guarantee.</p>

93	MPCB- CONSENT- 0000241859	Daund Sugar Pvt Ltd97,98,99 At post - Alegaon Daund	APPROVED  Consent to 1 <sup>st</sup> Operate	31.05.2028	<p>Committee noted that the industry has applied for 1<sup>st</sup> Consent to Operate for to manufacture Polypropylene (PP)/ Polyethylene Fabrics (PE) Woven Sack- 15,00,000 Nos/M.</p> <p>Committee also noted that, Industry has obtained Consent to Establish vide dt: 08/03/2025 for to manufacture Polypropylene (PP)/ Polyethylene Fabrics (PE) Woven Sack- 15,00,000 Nos/M to MPC Board and Industry has obtained Renewal of Consent to operate for Sugar unit with 20000 TCD cane Crushing capacity and 82 MW Co-generation vide dt: 29/10/2024 valid up to: 31/07/2027.</p> <p>Committee noted that, industry constructed the shed and installed plant and machinery to manufacture Polypropylene (PP)/ Polyethylene Fabrics (PE) Woven Sack. Industry has installed three blowing machines, waving machines and printing unit.</p> <p>The committee also noted that, industry has submitted the BG of Rs. 5 lakh towards compliance of consent conditions which is valid upto 31.03.2026 and Industry has submitted Consent fees of Rs. 1,50,000/- for obtaining of 1<sup>st</sup> Consent to Operate</p> <p>Industry has started commercial production prior to obtain 1<sup>st</sup> Consent to Operate from 29.10.2024 to 15.04.2025 (168 days) = <math>5 \times 50000 \times 168 / 365 = 1,15,068/-</math> PP shall pay the penal charges of Rs. 1,15,068/-. Payment link provided.</p> <p>After due deliberations, it was decided to grant 1<sup>st</sup> Consent to Operate for activity Polypropylene (PP)/ Polyethylene Fabrics (PE) Woven Sack- 15,00,000 Nos/M, by imposing the following conditions:</p>
----	---------------------------------	--	---	------------	--

					<ol style="list-style-type: none"> <li>1. Industry shall not print the plastic rolls or items which are not permitted as per the Maharashtra Plastic and Thermocol Products (Manufacture, Usage, Sale, Transport, and Handling &amp; Storage) Notification 2018 &amp; amendments thereto.</li> <li>2. Industry shall obtain separate Plastic registration as per Plastic Waste Management Rules, 2016 from the Board.</li> <li>3. Industry shall obtain Extended Producer Responsibility (EPR) plan/certificate from the competent authority.</li> </ol> <p>Consent shall be issued after submission of Penal charges to MPC Board.</p>
94	MPCB- CONSENT- 0000242934	Baramati Agro Ltd Biomethanated Powder Plant 100 MT/Day99 Shetphalgadhe Indapur	APPROVED  Consent to 1 <sup>st</sup> Operate	31.08.2026	<p>Committee noted that the industry has applied for 1<sup>st</sup> Consent to Operate to set up biomethylated Powder Plant- 100 MT/day to MPC Board.</p> <p>Committee also noted that, industry has obtained consent to establish vide dt:- 17/01/2025 to set up biomethylated Powder Plant- 100 MT/day and industry existing Consent to operate molasses-based distillery 600 KLPD and Co-Generation – 8 MW The consent was valid up to 31.08.2025. and Industry has obtained environmental clearance from MoEF, GoI vide F no. J-11011/106/2016-IA II (I) dated 28.11.2022 for proposed expansion of distillery capacity from 300 KLPD to 600 KLPD distillery. Further also received amendment in the EC vide letter dated 29.08.2023 for Rectified Spirit or Extra Neutral Alcohol- 160 KLPD, Ethanol- 440 KLPD by using Molasses/Cane Juice/Syrup as raw material.</p> <p>Committee also noted that. the industry has installed spray dryer to convert concentrated spent wash from MEE into power form and sale as fertilizer. Presently industry burn the concentrated spent wash from MEE into boiler to achieve ZLD. And Industry provided /installed cyclone dust collector as APC system to spray dryer.</p>

					<p>Committee further industry has submitted BG of Rs. 5 Lakhs towards compliance of consent conditions. BG valid up to 30/01/2030 and Submitted consent fees Rs. 25000 and submitted additional consent fees of Rs. 15,000/- towards increase in CI</p> <p>After due deliberation, it was decided to grant 1st Consent to Operate for biomethylated Powder Plant- 100 MT/day, by imposing following conditions</p> <p>1. Industry shall submit Bank Guarantee of Rs. 5 Lakhs towards compliance of Consent conditions.</p>
95	MPCB- CONSENT- 0000243345	M. M. Patel Public Charitable Trust s Ashwini Rural Medical College Hospital and Research CentreGat no. 261, 261, A/p- Kumbhari, Tal. - South Solapur, Dist - Solapur	<p>NOT APPROVED</p> <p>Renewal of Combined Consent &amp; BMW Authorization with Expansion in beds</p>	-----	<p>Committee noted that HCE has applied for the Renewal of Combined Consent &amp; BMW Authorization with an increase in 240 beds i.e. from 560 to 800 beds for Hospital on total plot area of 1,10,100 Sq.Mtr &amp; total BUA of 30,382 Sq.mtr.</p> <p>Committee also noted that previous CCA is valid upto 31.05.2025 for 560 beds Hospital on total plot area of 1,10,100 Sq.Mtr &amp; total BUA of 30,382 Sq.mtr. HCE has applied for IE- 5.0 CMD, DE – 90.0 CMD. Water budget is not realistic which is reduced in comparison with previous CCA. ETP is not provided &amp; disinfected trade effluent with 2% Hypo solution &amp; STP provided with 400 CMD capacity.</p> <p>Committee further noted noncompliance such as HCE has not obtained EC as per previous CCA condition and not submitted details of Court case CJM Solapur regarding EC violation with case no 873/2022. Water budget, BHNR certificate, valid membership of CBMWTF to the tune of 800 bed, also not submitted execution of 240 beds without consent to Establish -CCA. HCE has not provided separate ETP and not paid the penal charges for expansion in beds without C to E and not paid BG interest. HCE has not submitted an approved sanction plan, An Architect</p>

					<p>certificate for actual completed BUA and proposed BUA and occupancy certificate.</p> <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of CCA for above non-compliances.</p> <p>If PP fails to submit a satisfactory reply to Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity and final refusal order will be issued.</p>
96	MPCB- CONSENT- 0000243655	PHRC Lifespace Organisation Survey No. : 30/2/2, Undri, Vadachiwadi Road, Undri, Pune	<p>NOT APPROVED</p> <p>Combined Consent to establish &amp; BMW Authorization</p>	-----	<p>Committee noted that HCE has applied for Combined Consent to establish &amp; BMW Authorization for Hospital – 905 Beds on total plot area of 54600 Sq.Mtr &amp; total BUA of 240000 Sq.mtr.</p> <p>Committee also noted that HCE has applied for EC, However, details of the area and proposed BUA for EC are not submitted. Applied for proposed Trade effluent IE- 74.1 CMD, DE –971 CMD and proposed to provide MBBR based STP of capacity 1050 CMD &amp; Proposed ETP of capacity 80 CMD. Proposed DG sets with acoustics for 910 KVAX4 Nos, 750 KVA X4 nos and 400 KVA X1 Nos. Proposed OWC for wet waste composting. PP has submitted Building permission from PMC dtd. 25.09.2024 mentioning that Plot Area is 54600 Sq. M. and total BUA- 221557.16 Sq. M. As per site visit it is an open plot and work has not started.</p> <p>Committee further noted following noncompliance:</p> <ol style="list-style-type: none"> <li>1. HCE has applied for Survey No. 29/13b/2, 29/14a, 29/14b, 30/2/2, 31/1 however, land ownership documents are not submitted except S. No 30/2/2.</li> <li>2. HCE has applied for Plot Area -54600 Sq. M. and BUA- 240,000 Sq. M. However, the sanction layout is for Total BUA- 2,21,557.16 Sq. M.</li> <li>3. HCE has applied for Total water consumption 1113.6 CMD and permission obtained from PMC for 879 CMD. Other water source details not submitted.</li> </ol>

					<p>4. HCE has not submitted capacity details of the proposed OWC.</p> <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of CCA for above non-compliances.</p> <p>If PP/HCE fails to submit a satisfactory reply to Show Cause Notice for refusal of CCA within 7 days from issuance of SCN, the case will be refused without giving any further opportunity and final refusal order will be issued.</p>
97	MPCB- CONSENT- 0000244551	Sunflag Iron & Steel Company Limited Land owned by SICOM & Lease to Sunflagsteel Village -Eklari , Tal -Mohadi, Dist Bhandara Mohadi	<p>NOT APPROVED</p> <p>1<sup>st</sup> Consent to Operate for Expansion</p>	-----	<p>Committee noted that PP has applied for 1<sup>st</sup> consent to operate for expansion of manufacturing of pig Iron/Hot metal from blast furnace (MBF) – 1,50,000 MT/A, in the existing unit.</p> <p>Committee also noted that Consent to establish for expansion was granted vide dtd.4.07.2018 which was valid upto 3.07.2023 for the expansion quantity of production of pig Iron/Hot metal from blast furnace – 3,50,000 MT/A, Ingots, Ingots/Billets-5,00,000 MT/A, Rolled Steel Products-4,99,996 MT/A, &amp; Sinters-6,00,000 MT/A. Existing consent to operate is valid up to 31.05.2028. PP has also obtained C to E for Expansion for Dismantling of vehicles, two-wheeler and passenger vehicles. EC granted vide dtd.21.02.2006, 2.05.2017 &amp; 9.11.2020 PP has applied for DE-171.50 CMD &amp; IE - 2616.5 CMD. ETP and STP provided for the treatment of trade effluent and sewage respectively. PP has provided ESP to boiler, sinter plant, kiln of DRI plant, scrubber to discharge cooler, pickling line and bag filters to EAF &amp; LHF, SS refining converter, raw material handling, charging, product handling, fuel crusher dedusting, flux crusher, screening, coal, iron ore circuit as an APCs. PP has not revalidated consent to establish and submitted</p>

					<p>that the expansion work is completed within valid period and applied for 1<sup>st</sup> operate for expansion after 658 days.</p> <p>Committee further noted non-compliance such as PP has not revalidated the C to E for expansion and reported that the entire work for expansion on Blast furnace during the financial year 2022-23 without any supportive technical details. Submitted C.A. certificate is not in Board's format year wise (2018 to 2025) and not submitted balance sheet for the period 2018 to 2025 with respective notes, Details of ETP and STP with their adequacy and design are not submitted, failed to achieve ZLD conditions &amp; Operation of CAAQMS. Non submission of compliance of Show Cause Notice and Interim Directions issued by the Board, BG submission details of Rs. 40 Lakh &amp; Rs.25 Lakh, year-wise production details from 2018-2025 are not submitted with year wise plant modification details.</p> <p>After due deliberation, it was decided to not consider the case and issue Show Cause Notice for refusal of consent for above non-compliances.</p> <p>If PP fails to submit a satisfactory reply to Show Cause Notice for refusal of consent within 7 days from issuance of SCN, the case will be refused without giving any further opportunity and final refusal order will be issued.</p>
98	MPCB- CONSENT- 0000241989	Vinati Organic LimitedK-4/2 Additional MIDC Mahad Mahad	NOT APPROVED  Consent to Establish (Expansion)	----	<p>Committee noted that Industry has applied for grant of consent to establish for expansion for raw material recovery &amp; waste minimization.</p> <p>Committee also noted that Industry has obtained 1st Consent to operate for expansion from the board on 03/03/2024 for operation of modernized and upgraded existing plant with amalgamation of existing consent to operate on 03/03/2024 which is valid up to 28/02/2028.</p>

					<p>Committee further noted that ETP consists of primary, secondary and tertiary treatment followed by RO, Ultra filter, MEE&amp; ATFD. Existing boiler capacity 12.5 T/Hr provided dust collector as APC&amp; THF followed by stack height 63 meters.</p> <p>After due deliberation, it was decided to refer case to Technical Committee of HoD's regarding manufacturing process and applicability of Environment Clearance.</p>
99	MPCB- CONSENT- 0000241408  &  MPCB- CONSENT- 0000241408	Rajashri Chhatrapati Shahu Maharaj Government Medical CollegePart of 604/1 Rajashri Chhatrapati Shahu Maharaj Government medical college, Kolhapur, Maharashtra Kolhapur	APPROVED  Combined consent to Establish & BMW Authorization	Commissioning of the Unit OR 5 years, whichever is earlier	<p>Committee noted that PP has applied for combined consent to Establish &amp; BMW Authorization for 1100 beds hospital (General beds-600, Super Specialty beds -250 &amp; Cancer Hospital Beds - 250) for on Total Plot Area - 34000 Sq. Mtrs., and Total Built Up Area (BUA) is 1,11,651.88 Sq. Mtrs.</p> <p>Committee also noted that EC is granted by MOEFCC, GoI vide dtd. 29.04.2025 for proposed construction of 600 bedded General Hospital 250 bedded cancer hospital and 250 bedded super specialty hospital on Total Plot Area -34000 Sq. M. and Total Built Up Area (BUA) is 1,11,651.88 Sq. Mtrs. The Sanction Plan is granted for FSI -86573.52 Sq. M. &amp; Non FSI 24939.37 Sq. M. Total BUA 1,11,512.89 Sq. M. HCE has proposed adequate 630.0 CMD Capacity of STP with MBR Technology &amp; ETP proposed of 55 CMD. Proposed 1500 KVA X 4 DG sets with acoustics and stack.. Proposed OWC for wet waste composting. Provisional membership of BMW Facility is obtained for 1100 beds. HCE has paid Rs. 13,80,000/- based on C.I. of Rs. Rs. 690.0 Cr. However, fees are not applicable as per GR dtd.21.08.2024 being Government Hospital. Submitted request letter to return the fees. PP has submitted another application MPCB-CONSENT-0000241408 for the same hospital for building purposes.</p>



					<p>After due deliberation, it was decided to consider the application for combined consent to Establish &amp; BMW Authorization for 1100 beds hospital (General beds-600, Super Specialty beds -250 &amp; Cancer Hospital Beds -250) for on Total Plot Area - 34000 Sq. Mtrs., and Total Built Up Area (BUA) is 1,11,512.89 Sq. Mtrs.as per sanction plan by imposing standard conditions of HCE and following conditions.</p> <ol style="list-style-type: none"> <li>1. HCE shall provide adequate capacities of ETP and STP for the treatment of trade and sewage respectively.</li> <li>2. HCE shall obtain necessary permissions from competent authorities before starting work.</li> <li>3. HCE to ensure to achieve the standard parameters of the treated sewage as per order issued by the Hon'ble National Green Tribunal on 30.04.2019.</li> <li>4. HCE shall comply with the Construction and Demolition Waste Management Rules, 2016.</li> <li>5. HCE shall submit the BG as per BG regime.</li> </ol>
100	MPCB- CONSENT- 0000244592	Nxtra Data Limited IT/ITeS (Datacenter storage) Navi MumbaipLOT IT 07 plot IT 07.TTC Industrial Area, Mahape, Navi Mumbai Navi Mumbai	APPROVED  Consent to 1 <sup>st</sup> Operate (Part)	31.03.2027	<p>Committee noted that PP has applied for consent to 1st operate (Part) for plot area 30,000 sq. mtrs. and construction BUA 21,688.79 sq. mtrs. Out of construction BUA 77,872.92 sq. mtrs.</p> <p>Committee also noted that PP has obtained Environmental clearance for plot area 30,000 sq. mtrs. and construction BUA 74,601.50 sq. mtrs. dated 28.09.2021. Obtained consent to establish (Expansion) for plot area 30,000 sq. mtrs. and construction BUA 77,872.92 sq. mtrs. dated 19.02.2025.</p> <p>Committee further noted that PP has completed construction work of phase-1, DC 1 building having construction BUA area 21688.79 sq. mtrs. which comprising ground + 7th floor and completed</p>

					<p>installation work of 23 nos. of DG set of capacity 2500 KVA with 23 nos. of stack of height 34 mtrs.</p> <p>Committee also noted that PP has provided STP with capacity of 20 KL on MBBR technology. Submitted bank guarantee of Rs. 25 lakh as per earlier consent conditions.</p> <p>After due deliberation, it was decided to grant of consent to 1st operate (Part) for plot area 30,000 sq. mtrs. and construction BUA 21,688.79 sq. mtrs. Out of construction BUA 77,872.92 sq. mtrs. with standard conditions and bank guarantee.</p>
101	MPCB- CONSENT- 0000245513	Rajashri Chhatrapati Shahu Maharaj Government medical collegeSurvey No 604/1, Dasara Chowk, Kolhapur, Maharashtra	Combined Consent & BMW Authorization , Consent to Establish		As above Sr No. 99
102	MPCB- CONSENT_ AMMENDM ENT- 0000015609	Adani Power Limited Adani Dahanu Thermal Power Station	APPROVED  Amendment in Consent to Establish	-----	<p>Committee noted that case was discussed in Consent Appraisal Committee meeting held on 03.09.2024, Accordingly Consent to Establish was granted vide dtd. 28/09/2024 to M/s. Adani Dahanu Thermal Power Station (ADTPS) for only mixing and grinding of clinker, gypsum and power plant ash to produce cement - 5 MTPA.</p> <p>Committee also noted that PP has applied for amendment in consent to establish as requested as below</p> <ul style="list-style-type: none"> <li>Change of name from Adani Dahanu Thermal Power Station (ADTPS) to Adani Power Limited (APL).</li> </ul>

					<ul style="list-style-type: none"> <li>• Change of production capacity 5 MTPA to 5 MMTPA (5 Million Metric Tonnes Per Annum) or 50,00,000 MTPA.</li> <li>• Removal Condition No. 11 i.e. Environmental Clearance Condition – PP stated they have change manufacturing process now it involves only fly ash grinding, mixing and blending with already grinded clinker, gypsum to produce Cement.</li> </ul> <p><u>Condition No. 11:</u> The applicant shall not take any effective steps towards expansion of the cement grinding activity, till to obtain Environmental Clearance as per EIA Notification 2006 and amendments thereto.</p> <ul style="list-style-type: none"> <li>• Change in name at Condition No. 18 : M/s. Adani Electricity Mumbai Limited to Adani Power Limited (APL)</li> </ul> <p><u>Condition No. 18 :</u> This unit is proposed to be located on the premises of M/s. Adani Electricity Mumbai Limited, Adani Dahanu Thermal Power Station (ADTPS), Limited, Dahanu Gat No. 339, Village- Agwan Dahanu Road Tal. Dahanu Dist. Palghar.</p> <p>Committee further noted that proposed unit is located in Dahanu Eco Sensitive Zone.</p> <p>Committee decided not to considered industry request for removal condition no. 11 i.e. The applicant shall not take any effective steps towards expansion till to obtain Environmental Clearance as per EIA Notification 2006 and amendments thereto.</p> <p>After due deliberation, it was decided to grant other amendments as per industry request except request of removal consent condition no. 11 mentioned as below:</p>
--	--	--	--	--	--

					The applicant shall not take any effective steps towards expansion of the cement grinding activity, till to obtain Environmental Clearance as per EIA Notification 2006 and amendments thereto.
103	MPCB- CONSENT_ AMMENDM ENT- 0000015667	Ferrero India Pvt Ltd., Plot: F13, MIDC, Baramati, Pune	APPROVED  Amendment in Renewal of Consent to Operate	30/06/2026	<p>Committee noted that, Industry has obtained existing Renewal of Consent to Operate granted vide no: - Format 1.0/CAC/UAN No.MPCB CONSENT- 0000113682/2107001586 dated 30/07/2021 valid up to: 30/06/2026 - engaged in mfg of chocolates, Coco Chocolate spread and Chocolate products . confectionery and Bakery products etc.</p> <p>Committee further noted that, industry has applied for amendment in existing Renewal of Consent to Operate for change in air pollution aspects as per mentioned in the amendment in application i.e. type of fuel and change in capacity of DG Sets as well as want to change in HW Aspects additional of new two nos. category waste and addition of biomedical waste category.</p> <ol style="list-style-type: none"> <li>1. Industry requested the following changes in Consent application as under: <ol style="list-style-type: none"> <li>I. Hazardous waste- <ol style="list-style-type: none"> <li>a) 35.2 Spent ion exchange resin containing toxic metals – 5000 Kg/Annum</li> <li>b) 38.1 – Process Residue – 200 Kg/Annum</li> </ol> </li> <li>II. Bio medical waste :- <ol style="list-style-type: none"> <li>a) Schedule-I- White(Translucent) - 5 Kg/M</li> <li>b) Schedule-I- Blue - 2 Kg/M</li> </ol> </li> <li>III) Air Pollution Control details : In Schedule II : Stack details : In S-1 to S-10 additional fuel pattern PNG /LNG to be included in existing fuel details and these changes be incorporated in existing in Consent to Operate granted vide dt: 30/07/2021 valid up to: 30/062026.</li> </ol> </li> </ol>

					After due deliberations, it was decided to grant Amendment in Renewal of Consent to Operate for change in air pollution aspects as per mentioned in the amendment in application i.e. type of fuel and change in capacity of DG Sets as well as want to change in HW Aspects additional of new two nos. category waste and addition of biomedical waste category , in their existing valid consent with overriding effect over Format 1.0/CAC/UAN No.MPCB CONSENT- 0000113682/2107001586 dated 30/07/2021 valid up to: 30/06/2026 .
104	MPCB- CONSENT_ AMMENDM ENT- 0000015793	3M India Ltd, Plot No. B-20, MIDC- Ranjangaon, Tal: Shirur, Dist: Pune.	APPROVED Amendment in Consent to Operate	-----	<p>Committee noted that Board has granted consent to said unit on dtd, 08/11/2022 which is valid upto 31.01.2026.</p> <p>Committee also noted that PP has applied for amendment in existing consent for typo error correction for validity of consent, change in STP capacity, change in product UOM from per month to year, change in disposal of trade effluent etc.</p> <p>Committee further noted that case was discussed in 1<sup>st</sup> CAC Meeting (Part-II) of 2025-26 (Booklet No. 1) dtd. 17.04.2025 &amp; it was decided defer case and place case in upcoming CAC along with product wise manufacturing process details. Accordingly manufacturing process placed before CAC.</p> <p>After due deliberation, it was decided to grant amendment as per industry request except request of disposal of part of treated effluent on land for gardening instead of ZLD.</p>
105	MPCB- CONSENT_ AMMENDM ENT- 0000016010	Patanjali Foods Ltd., At. Village- Esambe, Savroli - Kharpada Road, Patalganga Tal. Khalapur, Dist. Raigad	APPROVED Amendment in Renewal of Consent to Operate	31.12.2025	<p>Committee noted that industry has obtained existing Renewal of Consent to Operate granted vide dt: 11/04/2022 for manufacturing of 1) Soya Refined Oils – 5000 MT/M., 2) Sunflower Refined Oils – 2500 MT/M., 3) Palm Refined Oils – 27500 MT/M., 5) Vanspati – 3750 MT/M., and 6) Nugget – 1500 MT/M., and by products i.e., 1) Fatty Acid – 1404 MT/M., and 2) Acid Oil – 103 MT/M. etc.</p> <p>Committee also noted that, industry has applied amendment in existing Renewal of Consent to Operate for change in by product-</p>

				<p>to-product category and Also the combinedly utilized capacity of product i.e. as per demand of market, produce either or of Soya Refined oil or Sunflower refined oil =7500 MT/M. (combinedly-without change in production capacity) for change in product details and direction issued by Board to upgrade Air Pollution Control system to the boiler from venturi scrubber to Electrostatic precipitator provided to control dust emission as under:</p> <p><b>I. for Change in product details:-</b></p> <p>a) Fatty Acid -1404 MT/M as a Byproduct:- is convert into product list</p> <p>b) Acid Oil -103 Mt/M as Byproduct is:- convert into product list</p> <p>c) Soya Refined Oils/ Sunflower Refined Oils 7500 Mt/M :- As per demand of market we can produce either soya refined oil or sunflower refined oil =7500 MT/M .(combinedly) instead of separate as product no 1) Soya Refined Oils – 5000 MT/M.,2) Sunflower Refined Oils – 2500 MT/M.</p> <p><b>II. for Change in Air Pollution Control details:</b></p> <p>In Schedule II Boiler - 1 &amp; Boiler -2 of each of capacity 25 &amp; 16 (TPH) and use Coal -2500kg/Hr –with chimney as of height 41 Meter with control arrangement as -Electrostatic Precipitator (ESP) to control of dust emission.</p> <p>After due deliberations, it was decided to grant Amendment in Renewal of Consent to Operate for change in Product list for conversion of By product in to Product list for Fatty Acid and Acid Oil Products and combinedly utilized capacity of product i.e. as per demand of market, produce either or of Soya Refined oil or Sunflower refined oil =7500 MT/M. (combinedly- without change in production capacity) for change in product details.</p> <p>Also changes in air pollution aspects as per mentioned in the amendment in application for installation of ESP as Air Pollution</p>
--	--	--	--	---

					Control System for upgradation of Air Pollution Control Systems, with overriding effect over existing Consent to Operate granted vide dt: 11/04/2022 Valid up to: 31/12/2025
	<b>Table Item</b>				
1	MPCB- CONSENT- 0000205733	SQUARE PORT SHIPYARD PRIVATE LIMITED (PREVIOUSLY KNOWN AS BHARATI SHIPYARD LTD) VILLAGE- USGAON, TAL- DAPOLI, DIST- RATHAGIRI	APPROVED  Renewal of consent to operate	31.12.2027	<p>Committee noted that PP has applied for Renewal of consent to operate for manufacturing of drill Rings, Ship &amp; other Offshore vessels-8 Nos/Y.</p> <p>Committee also noted that this case was discussed in CAC meeting held on 30.07.2024 and it was decided to issue SCN for refusal of consent for non-compliance. Accordingly, SCN for refusal of consent was issued on 19.08.2024 and PP has submitted reply regarding change in name in EC and submitted Navigation agreement to lease deed execution with the Maharashtra Maritime Board. Also submitted details of the air and water pollution control systems and submitted oil spill mitigation measures including identification of source, response procedure, placing of spill kits, spill prevention etc.</p> <p>PP has further submitted that penalty and delay charges are not applicable in accordance with section 53 of IBC Court under Insolvency and Bankruptcy code 2016.</p> <p>Committee further noted that this case was again discussed in the CAC meeting dtd. 29.09.2024 and it was decided to keep the case in abeyance and the decision will be taken after verification of the Sub Regional Officer regarding present status, work commissioned date and actual work done and air and water pollution control system verification. SRO communicated status as industry is not in operation during visit, One non-functional floating dry dock (FDD) was found in a broken and semi-submerged, sunken condition near the jetty. There is no work done as the unit is non-operational. This unit has installed two sewage treatment plants having a combined capacity of 100 CMD with primary,</p>

				<p>secondary, and tertiary treatment systems. Four DG sets having capacities of 250 kVA, 30 kVA, 15 kVA and 15 kVA were found installed with an acoustic enclosure and soot muffler. Industry has submitted a request letter for the removal of the same with the permission of the Maharashtra Maritime Board (MMB) vide reference no 3428 dt. 30.07.2024. to the Board. This unit was commissioned by M/s. Bharati Shipyard, for which the industry has obtained consent from the Board vide dt. 18.07.2016, which was valid up to 31.12.2019. Further, this unit has taken over from the NCLT court order dt. 07.03.2023 vide no. IA 25/2023. PP has also submitted a letter vide dtd 13.12.2024 requesting that give permission to remove the Floating Dry Dock in the consent as Meritime Board has given consent to take permission of MPCB. PP has also submitted that penalty and delay charges are not applicable in accordance with section 53 of IBC Court under Insolvency and Bankruptcy code 2016.</p> <p>After due deliberation, it was decided to consider the case for Renewal of consent to operate for manufacturing of drill Rings, Ship &amp; other Off shore vessels-8 Nos/Y with permission regarding removal of non-operational Floating Dry Dock by imposing standard and following conditions.</p> <ol style="list-style-type: none"> <li>1. PP shall submit the compliance report regarding preparedness of air and water pollution control system to the concern Sub Regional Office.</li> <li>2. PP shall submit amended EC with change in name within 6 months period.</li> <li>3. PP shall operate water and air pollution control systems to achieve consented standards.</li> <li>4. PP shall take precautionary measures and permissions as necessary while removing of non-operational Floating Dry Dock.</li> <li>5. PP shall submit BG of Rs. 25.0 Lakh towards compliance of EC and consent conditions.</li> </ol>
--	--	--	--	--



--	--	--	--	--	--