

Monitoring, Sampling and Analysis for Ambient Air Quality, Surface Water Quality and Ground Water Quality in Critically/Severely/Other Polluted Areas

MAHAD

Pre-Monsoon (April 2024 to June 2024)



Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Index

ABBREVIATIONS	3
1. Executive Summary	4
2. Introduction	5
3. Scope of Work	8
Table 3.1 Sampling Details of MAHAD	8
Table 3.2 Frequency of Sampling.....	9
4. Methodology	11
5. Air Environment	13
Table 5.1 Details of Sampling Location of Ambient Air Quality Monitoring	13
Table 5.2 Details of Sampling Location of Volatile Organic Compounds (VOCs) Monitoring	13
Table 5.3 Ambient Air Quality Monitoring Results.....	15
Table 5.4 Volatile Organic Compounds (VOCs) in Ambient Air Results	16
6. Water Environment	23
Table 6.1 Details of Sampling Location of Surface Water	23
Table 6.2 Results of Surface Water	24
7. Land Environment	33
Table 7.1 Details of Sampling Location of Ground Water.....	33
Table 7.2 Results of Ground Water	34
8. Health Related Data	41
9. CEPI Score	42
Table 8.1 CEPI score of the Pre-monsoon Season 2024	42
Table 8.2 Comparison of CEPI Scores.....	42
10. Conclusion	45
11. Efforts Taken by MPCB to Control and Reduce Environmental Pollution Index	47
12. Photographs	48

ABBREVIATIONS

APHA	American Public Health Association
ASTM	American Society for Testing and Materials
BIS	Bureau of Indian Standards
BLQ	Below the Limit of Quantification
CAAQMS	Continuous Ambient Air Quality Monitoring Station
CEMS	Continuous Emission Monitoring System
CEPI	Comprehensive Environmental Pollution Index
CETP	Common Effluent Treatment Plant
CPA	Critically Polluted Area
CPCB	Central Pollution Control Board
EPA	Environmental Protection Act, 1986
GDP	Gross Domestic Product
MIDC	Maharashtra Industrial Development Corporation
MPCB	Maharashtra Pollution Control Board
NAAQS	National Ambient Air Quality Standard
NWMP	National Water Quality Monitoring Program
OPA	Other Polluted Area
SPA	Severely Polluted Area
VOCs	Volatile Organic Compounds
WHO	World Health Organisation
ZLD	Zero Liquid Discharge

1. Executive Summary

Mahad was monitored for Ambient Air Quality, Ground and Surface Water quality. Based on the data collected by monitoring, a Comprehensive Environmental Pollution Index (CEPI) Score [as per latest directions 120 of Letter No. B-29012/ESS (CPA)/2015-16 dated 26th April 2016 of Central Pollution Control Board (CPCB)] was calculated. Maharashtra Pollution Control Board (MPCB) has carried out monitoring at CPCB location with the additional locations of sampling for ambient air, surface and ground water in consideration with the previous CEPI monitoring and covering the entire CEPI Impact Zone. The pre-monsoon monitoring was carried out during the period of April 2024 – June 2024 to assess the ambient air quality, surface water quality and ground water quality.

The Ambient Air Quality stations were identified considering the upwind and cross wind direction in the CEPI impact area. Ambient Air Quality was monitored at eight locations. The concentration of all the ambient air parameters was found well within the limits prescribed by NAAQS. Six locations each for surface water and groundwater were monitored for the study. Land index is represented by groundwater in the CEPI. Ground water parameters were found to be within the permissible limits when compared with IS 10500:2012 drinking water standards.

Based on the study conducted by CPCB during the period March 2018, the CEPI score of Mahad region as per the revised guidelines of CEPI (2016) was 47.12 (Air Index–41, Water Index-35.75 and Land Index–47.12). However, the present study reports the aggregate CEPI score of Mahad region of pre-monsoon season (June, 2024), the present CEPI score is 42.20 (Air Index–17.00, Water Index-12.0 and Land Index–41.0). The CEPI score is the combination of A, B, C and D factors. Here, C factor represents the health data and D factor represents the initiatives taken by MPCB in the past few years to mitigate the pollution. The regional office of MPCB has taken various initiatives like installation of CAAQMS, CETPs, etc. in the past few years to control and mitigate the air and water pollutants. This has contributed to the factor D, hence reducing the CEPI score of the region over the years.

The analysis of the aggregated CEPI score shows that the CEPI score of Mahad industrial cluster decreased approximately 10% from 47.12 of 2018 to 42.20 in June 2024.

2. Introduction

The industrial sector remains a pivotal force in driving a nation's economic growth, significantly contributing to increased production, fixed investment, exports, employment, and capacity utilization. Industries serve as engines of economic development, bolstering government revenue, international trade, social services, and job creation. The growth rate of the industrial sector directly impacts the overall economic growth of a country. Consequently, industries are essential for achieving economic goals and prosperity. According to the World GDP Ranking 2024, India stands as the fifth-largest economy globally. Several Sustainable Development Goals (SDGs) focus on growth, including Decent Work and Economic Growth (Goal 8) and Industry, Innovation, and Infrastructure (Goal 9).

Despite these economic benefits, industrial activities have a profound negative impact on the environment, affecting water, air, and soil quality. Industries discharging untreated wastewater have contaminated drinking water with hazardous substances, posing severe risks to human, animal, and aquatic life. Air pollution from industrial emissions is linked to a range of respiratory and cardiovascular diseases, particularly affecting children and leading to increased rates of infant mortality and chronic health issues in adulthood. According to the World Health Organization (WHO), environmental pollution is responsible for approximately 9 million premature deaths annually. Over 90% of the global population is exposed to air pollution levels exceeding WHO guidelines, posing serious health risks. Furthermore, around 2 billion people use drinking water contaminated with faeces, leading to infectious diseases such as cholera and dysentery.

The impact on flora and fauna is equally alarming. Industrial pollution has led to habitat destruction, loss of biodiversity, and the disruption of ecosystems. Toxic pollutants can cause genetic mutations, reproductive failures, and behavioural changes in wildlife, endangering entire species. Plants exposed to polluted air and water can experience stunted growth, reduced photosynthesis, and increased susceptibility to diseases, which ultimately affects food security and ecosystem stability.

To mitigate these adverse effects, robust environmental policies are essential. These policies set forth rules for industries and individuals, enforced by government agencies. Key aspects include monitoring pollution levels, imposing fines or penalties on violators, and conducting environmental impact assessments for proposed projects. Conservation measures are crucial for protecting biodiversity, and policies must be regularly updated to address emerging challenges. A comprehensive approach, including robust regulatory frameworks, international collaboration, advanced monitoring technologies, and a commitment to sustainable practices from industries and governments, is vital for safeguarding our natural resources and promoting sustainability.

Simultaneously, the Comprehensive Environmental Pollution Index (CEPI) has emerged as a beacon of assessment and action in India's environmental landscape. Introduced as a standardized methodology for evaluating and addressing pollution in industrial clusters across the nation, the CEPI represents a significant step towards achieving the delicate balance between economic growth and environmental sustainability. Developed through collaborative efforts between environmental

scientists, regulatory authorities, and community stakeholders, the CEPI serves as a vital instrument for identifying, prioritizing, and mitigating pollution in industrial areas. By systematically monitoring, sampling, and analyzing pollution parameters such as ambient air quality, surface water quality, and groundwater quality, the CEPI empowers policymakers and regulators to make informed decisions and allocate resources effectively.

In Maharashtra, where industrial activities drive economic growth and employment opportunities, the importance of the CEPI cannot be overstated. Through strategic monitoring, sampling, and analysis efforts, the CEPI aims to provide a comprehensive assessment of pollution levels and their impacts on environmental health in critically, severely, and other polluted industrial areas across the state.

Moreover, the application of the CEPI extends beyond mere assessment, serving as a catalyst for targeted interventions and regulatory enforcement in polluted industrial areas. By identifying pollution hotspots and vulnerable communities, the CEPI enables authorities to implement remedial measures, enforce pollution control norms, and monitor progress towards environmental sustainability.

In the following sections, we delve into the methodology, findings, and implications of both the CEPI assessment and the Monitoring, Sampling, and Analysis for Ambient Air Quality, Surface Water Quality, and Groundwater Quality in Polluted Industrial Areas of Chembur in Mumbai, Maharashtra. The present CEPI study includes Mahad city in Raigad district situated in the North Konkan region of Maharashtra state, India. It is located 108.5 km from District's Headquarter Alibag. Savitri river is the main river which originates from Savitri Point in Mahabaleshwar and flows through Mahad. Mahad receives the highest rainfall in Raigad district because of the rain catcher forest of Raigad Fort Natural Reserve. Mahad accounts for lots of industrial units of various category engaged in the manufacturing of chemicals, dyes, dye-intermediates, Bulk drugs, pharmaceuticals, Textile auxiliaries, Pesticides, Petrochemicals, Textile processors, Engineering units etc. Besides the industries, there are other sources which are major contributors of pollution like emissions by transport and construction activities etc.

The present report is also based on the revised CEPI version 2016. The index captures the various dimensions of environment including air, water and land. Comprehensive Environmental Pollution Index (CEPI), which is a rational number to characterize the environmental quality at a given location following the algorithm of source, pathway and receptor have been developed. The CEPI reports serve as a roadmap for targeted interventions, regulatory enforcement, and community engagement aimed at mitigating pollution and safeguarding public health in the area. Despite the persistent challenges, ongoing initiatives guided by the CEPI action plan reports offer hope for addressing environmental concerns and fostering sustainable development in Mahad.

The present report is based on the revised CEPI version 2016. The results of the application of the Comprehensive Environmental Pollution Index (CEPI) to selected industrial cluster or areas are presented in this report. The main objective of the study is to identify polluted industrial clusters or areas in order to take concerted action and to centrally monitor them at the national level to improve the current status of their environmental components such as air and water quality data,

ecological damage, and visual environmental conditions. The index captures the various dimensions of environment including air, water and land. Comprehensive Environmental Pollution Index (CEPI), which is a rational number to characterize the environmental quality at a given location following the algorithm of source, pathway and receptor have been developed.

3. Scope of Work

The major scope of work includes:

- I. The scope of the present study is to perform three (3) rounds of "Monitoring, Sampling and Analysis for Ambient Air Quality, VOCs in Ambient Air, Surface Water Quality & Ground Water Quality in selected Pollution Industrial Areas (PIAs) of Mahad, Maharashtra" with a gap of one or two days. The analysis of the collected samples was carried out by the standard methods (CPCB, BIS, APHA, USEPA).
- II. To Collect health-related data in the CEPI region.
- III. To calculate the Comprehensive Environmental Pollution Index (CEPI) Score as per Revised CEPI-2016 issued by Central Pollution Control Board (CPCB).

The sampling details and frequency of sampling in Ambient Air, VOCs, Surface Water and Ground Water are given in Table 3.1 and Table 3.2 respectively.

Table 3.1 Sampling Details of MAHAD

Sampling Criteria	Total Sites	Monitoring Parameters
Ambient Air Quality	08	PM ₁₀ , PM _{2.5} , SO ₂ , NO ₂ , NH ₃ , O ₃ , C ₆ H ₆ , CO, BAP, Pb, Ni, As
Volatile Organic Compounds (VOCs)	02	Dichloromethane, Chloroform, Carbon Tetrachloride, Trichloroethylene, Bromodichloromethane, 1,3-Dichloropropane, 1,4-Dichlorobenzene, 1,3-Dichlorobenzene, 1,2-Dichlorobenzene, 1,2-Dibromo-3-Chloropropane, Naphthalene, Bromobenzene, 1,2,4-Trimethylbenzene, 2-Chlorotoluene, Tert-Butylbenzene, SEC-Butylbenzene, P-Isopropyl toluene, M-Xylene, P-Xylene, Styrene, Cumene 1,2,3-Trichloropropane, N-Propyl benzene, Dibromochloromethane, 1,2-Dibromoethane, Chlorobenzene, 1,1,1,2-Tetrachloroethane, Ethylbenzene, 1,1-Dichloropropylene, 1,2-Dichloroethane, 1,2-Dichloropropane, Trans-1,3-Dichloropropene, CIS 1,3-Dichloropropene, 1,1,2-Trichloroethane, Tetrachloroethylene, 1,3,5-Trimethylbenzene, N-Butylbenzene, 1,2,3-Trichlorobenzene, Hexachlorobutadiene, 1,2,4-Trichlorobenzene, 2,2-Dichloropropane, Dibromo methane, Toluene, O-Xylene, Bromoform, 1,1,2,2-Tetrachloroethane, 4-Chlorotoluene, 1,1-Dichloroethylene, Trans-1,2-Dichloroethylene, 1,1-Dichloroethane, CIS-1,2-Dichloroethylene, Bromochloromethane, 1,1,1-Trichloroethane

Sampling Criteria	Total Sites	Monitoring Parameters
Water Quality Monitoring	Surface water - 06	<p>(i) Simple Parameters</p> <p>Sanitary Survey, General Appearance, Colour, Smell, Transparency and Ecological</p> <p>(ii) Regular Monitoring Parameters</p> <p>pH, O & G, Suspended Solids, DO, COD, BOD, TDS, Electrical Conductivity, Total Dissolved Solids, Nitrite–Nitrogen, Nitrate-Nitrogen, (NO₂+NO₃) total nitrogen, Free Ammonia, Total Residual Chlorine, Cyanide, Fluoride, Chloride, Sulphate, Sulphides, Total Hardness, Dissolved Phosphates, SAR, Total Coliforms, Faecal Coliform</p> <p>(iii) Special Parameters</p> <p>Total Phosphorous, TKN, Total Ammonia (NH₄+NH₃)-Nitrogen, Phenols, Surface Active Agents, Anionic detergents, Organo-Chlorine Pesticides, PAH, PCB and PCT, Zinc, Nickel, Copper, Hexa-valent Chromium, Chromium (Total), Arsenic (Total), Lead, Cadmium, Mercury, Manganese, Iron, Vanadium, Selenium, Boron</p> <p>(iv) Bio-assay (zebra Fish) Test – For specified samples only.</p>
	Ground water - 06	


Table 3.2 Frequency of Sampling

	Parameter	Round of Sampling	Frequency in Each Round
A	Ambient Air Quality Monitoring		
1.	Particulate Matter (size less than 10 µm) or PM ₁₀	03	3 Shifts of 8 hrs each
2.	Particulate Matter (size less than 2.5 µm) or PM _{2.5}	03	1 Shift of 24 hr
3.	Sulphur Dioxide (SO ₂)	03	6 Shifts of 4 hrs each
4.	Nitrogen Dioxide (NO ₂)	03	6 Shifts of 4 hrs each
5.	Ammonia (NH ₃)	03	6 Shifts of 4 hrs each

	Parameter	Round of Sampling	Frequency in Each Round
6.	Ozone (O ₃)	03	24 Shifts of 1 hr each
7.	Benzene (C ₆ H ₆)	03	1 Shifts of 24 hrs
8.	Carbon Monoxide (CO)	03	24 Shifts of 1 hr each
9.	Benzo (a) Pyrene (BaP) – particulate phase only	03	3 Shifts of 8 hrs each
10.	Lead (Pb)	03	3 Shifts of 8 hrs each
11.	Arsenic (As)	03	3 Shifts of 8 hrs each
12.	Nickel (Ni)	03	3 Shifts of 8 hrs each
B	Volatile Organic Compounds (VOCs)		
	As mentioned in Table 3.1	03	3 Shifts of 24 hrs each
C	Ground Water		
	As mentioned in Table 3.1	03	01 sample at each round
D	Surface Water		
	As mentioned in Table 3.1	03	01 sample at each round

4. Methodology

The present report is based on the revised Comprehensive Environmental Pollution Index (CEPI) version 2016. The index captures the various dimensions of the environment including air, water and land. Comprehensive Environmental Pollution Index (CEPI) is a rational number, which is used to characterize the environmental quality at a given location. It is three-step process based on the algorithm of Source, Pathway and Receptor.



Ambient air stations, Surface water locations and Ground water locations were decided by the respective regional officers. The sampling was done in 3 rounds with an interval of one or two days at each location. Sampling has been done at the potentially polluted areas so as to arrive at the CEPI. This will further help the authorities to monitor the areas in order to improve the current status of their environmental components such as air and water quality data, ecological damage and visual environmental conditions.

AIR ENVIRONMENT

5. Air Environment

For studying the Air Environment of Mahad area, monitoring stations were identified considering the upwind and cross wind direction and all 12 parameters as per the notification of National Ambient Air Quality Standards (NAAQS) were carried out.

**Kindly note: Volatile Organic Compounds (VOCs) concentration is not detected in most of the Air samples collected; hence it is not shown in the graphs.*

In Mahad eight locations have been monitored of checking the Ambient Air Quality (AAQ) in triplicate from 26th June 2024 to 30th June 2024. Concentration of all the parameters at all studied locations was observed well within the limits. VOCs were monitored at 2 locations namely Sequent Scientific Ltd. and Sandoz India Pvt. Ltd.

Table 5.1 Details of Sampling Location of Ambient Air Quality Monitoring

Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
1.	Nearby Piramal Healthcare Ltd.	N18°06'43.50"	E73°31'10.72"	26.06.2024	28.06.2024	30.06.2024
2.	Akzo noble India Ltd. (Nouryon Chemical) Mahad	N18°05'56.99"	E73°29'3.62"	26.06.2024	28.06.2024	30.06.2024
3.	Vinati Organics Ltd Mahad	N18°06'2.01"	E73°29'21.38"	26.06.2024	28.06.2024	30.06.2024
4.	Sandoz India Pvt. Ltd, Mahad	N18°05'55.13"	E73°27'49.53"	26.06.2024	28.06.2024	30.06.2024
5.	MIDC Office Mahad	N18°05'54.00"	E73°28'0.86"	26.06.2024	28.06.2024	30.06.2024
6.	Pidilite Industries Ltd	N18°06'26.38"	E73°28'21.46"	26.06.2024	28.06.2024	30.06.2024
7.	CETP, Mahad	N18°05'50.58"	E73°27'59.89"	26.06.2024	28.06.2024	30.06.2024
8.	Hikal Ltd	N18°05'43.45"	E73°27'53.50"	26.06.2024	28.06.2024	30.06.2024

Table 5.2 Details of Sampling Location of Volatile Organic Compounds (VOCs) Monitoring

Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
1.	Sequent Scientific Ltd	N18°40'00.9"	E73°17'34.3"	26.06.2024	28.06.2024	30.06.2024

Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
2.	Sandoz India Pvt. Ltd, Mahad	N18°05'55.13"	E73°27'49.53"	26.06.2024	28.06.2024	30.06.2024




Fig: Geographical Locations of Ambient Air Sampling



Fig: Geographical Locations of VOCs Monitoring

Table 5.3 Ambient Air Quality Monitoring Results

Parameters	Unit	Results			
		Piramal health care Ltd.	Akzo noble India Ltd. (Nouryon Chemical)	Vinati Organics Ltd.	Sandoz India Pvt. Ltd.
Sulphur Dioxide (SO ₂)	µg/m ³	22.55	13.8	29.65	13.4
Nitrogen Dioxide (NO ₂)	µg/m ³	BLQ	7.24	7.44	7.03
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	39	49	43	44
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	12	15	14	15
Ozone (O ₃)	µg/m ³	57.45	59.60	42.5	53.00
Lead (Pb)	µg/m ³	0.06	0.04	0.04	0.04
Carbon Monoxide (CO) (1h)	mg/m ³	1.05	1.29	1.19	0.96
Carbon Monoxide (CO) (8h)	mg/m ³	1.37	1.58	1.49	1.32
Ammonia (NH ₃)	µg/m ³	125.5	90.37	85.30	107.13
Benzene (C ₆ H ₆)	µg/m ³	1.62	2.25	2.23	2.17
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	BLQ	BLQ	BLQ	BLQ
Arsenic (As)	ng/m ³	0.81	0.48	0.49	0.76
Nickel (Ni)	ng/m ³	4.19	BLQ	BLQ	BLQ

Parameters	Unit	Results			
		MIDC Office	Pidilite Industries Ltd.	CETP, Mahad	HIKAL Ltd.
Sulphur Dioxide (SO ₂)	µg/m ³	16.79	22.5	8.44	11.7
Nitrogen Dioxide (NO ₂)	µg/m ³	11.40	BLQ	10.2	10.91
Particulate Matter (size less than 10 µm) or PM ₁₀	µg/m ³	56	47	48	45
Particulate Matter (size less than 2.5 µm) or PM _{2.5}	µg/m ³	17	13	14	14
Ozone (O ₃)	µg/m ³	48.23	61.10	27.17	47.33

Parameters	Unit	Results			
		MIDC Office	Pidilite Industries Ltd.	CETP, Mahad	HIKAL Ltd.
Lead (Pb)	µg/m ³	0.06	0.07	0.06	0.08
Carbon Monoxide (CO)-1h	mg/m ³	1.34	1.19	1.20	1.33
Carbon Monoxide (CO)-8 h	mg/m ³	1.58	1.40	1.48	1.64
Ammonia (NH ₃)	µg/m ³	184.00	98.93	82.45	184.00
Benzene (C ₆ H ₆)	µg/m ³	2.35	1.79	2.19	2.45
Benzo (a) Pyrene (BaP) – particulate phase only	ng/m ³	BLQ	BLQ	BLQ	BLQ
Arsenic (As)	ng/m ³	0.48	0.66	0.49	0.76
Nickel (Ni)	ng/m ³	4.91	BLQ	4.00	4.60



Table 5.4 Volatile Organic Compounds (VOCs) in Ambient Air Results



Parameters	Unit	Results	
		Sequent Scientific Ltd.	Sandoz India Pvt. Ltd.
Dichloromethane	µg/m ³	3.14	1.48
Chloroform	µg/m ³	0.60	0.50
Carbon Tetrachloride	µg/m ³	0.54	0.51
Trichloroethylene	µg/m ³	BLQ	BLQ
Bromodichloromethane	µg/m ³	BLQ	BLQ
1,3-Dichloropropane	µg/m ³	BLQ	BLQ
1,4-Dichlorobenzene	µg/m ³	BLQ	BLQ
1,3-Dichlorobenzene	µg/m ³	BLQ	BLQ
1,2-Dichlorobenzene	µg/m ³	BLQ	BLQ
1,2-Dibromo-3-Chloropropane	µg/m ³	BLQ	BLQ
Napthalene	µg/m ³	BLQ	BLQ
Bromobenzene	µg/m ³	BLQ	BLQ
1,2,4-Trimethylbenzene	µg/m ³	BLQ	BLQ
2-Chlorotoluene	µg/m ³	BLQ	BLQ
Tert-Butylbenzene	µg/m ³	BLQ	BLQ
SEC-Butylbenzene	µg/m ³	BLQ	BLQ

Parameters	Unit	Results	
		Sequent Scientific Ltd.	Sandoz India Pvt. Ltd.
P-Isopropyltoluene	µg/m ³	BLQ	BLQ
M-Xylene	µg/m ³	BLQ	BLQ
P-Xylene	µg/m ³	BLQ	BLQ
Styrene	µg/m ³	BLQ	BLQ
Cumene	µg/m ³	BLQ	BLQ
1,2,3-Trichloropropane	µg/m ³	BLQ	BLQ
N-Propylbenzene	µg/m ³	BLQ	BLQ
Dibromochloromethane	µg/m ³	BLQ	BLQ
1,2-Dibromoethane	µg/m ³	BLQ	BLQ
Chlorobenzene	µg/m ³	BLQ	0.96
1,1,1,2-Tetrachloroethane	µg/m ³	BLQ	BLQ
Ethylbenzene	µg/m ³	BLQ	BLQ
1,1-Dichloropropylene	µg/m ³	BLQ	0.54
1,2-Dichloroethane	µg/m ³	BLQ	BLQ
1,2-Dichloropropane	µg/m ³	BLQ	BLQ
Trans-1,3-Dichloropropene	µg/m ³	BLQ	BLQ
CIS 1,3-Dichloropropene	µg/m ³	BLQ	BLQ
1,1,2-Trichloroethane	µg/m ³	BLQ	BLQ
Tetrachloroethylene	µg/m ³	BLQ	BLQ
1,3,5-Trimethylbenzene	µg/m ³	BLQ	BLQ
N-Butylbenzene	µg/m ³	BLQ	BLQ
1,2,3-Trichlorobenzene	µg/m ³	BLQ	BLQ
Hexachlorobutadiene	µg/m ³	BLQ	BLQ
1,2,4-Trichlorobenzene	µg/m ³	BLQ	BLQ
2,2-Dichloropropane	µg/m ³	BLQ	BLQ
Dibromomethane	µg/m ³	BLQ	BLQ
Toluene	µg/m ³	0.73	0.84
O-Xylene	µg/m ³	0.77	BLQ
Bromoform	µg/m ³	BLQ	BLQ
1,1,2,2-Tetrachloroethane	µg/m ³	BLQ	BLQ
4-Chlorotoluene	µg/m ³	BLQ	BLQ
1,1-Dichloroethylene	µg/m ³	BLQ	BLQ


Parameters	Unit	Results	
		Sequent Scientific Ltd.	Sandoz India Pvt. Ltd.
Trans-1,2-Dichloroethylene	µg/m ³	BLO	BLO
1,1-Dichloroethane	µg/m ³	BLO	BLO
CIS-1,2-Dichloroethylene	µg/m ³	BLO	BLO
Bromochloromethane	µg/m ³	BLO	BLO
1,1,1-Trichloroethane	µg/m ³	BLO	BLO

Graphs - Ambient Air Quality Monitoring of Mahad





Ambient Air - Mahad



WATER ENVIRONMENT

6. Water Environment

For studying the water environment of Mahad area, six samples of Effluent Treatment Plant (ETP) outlet were collected from different industries. The quality of waste water was determined by determining various parameters as per standards and corresponding results are discussed below:

Six surface water samples are collected from Mahad region.

- All six water samples collected are found acceptable in general appearance, colour, smell and transparency.
- General parameters like pH, electrical conductivity, suspended solids, BOD, and COD are also observed well within the limits in all the samples.
- Total dissolved solids were found to exceed the permissible limit in three water samples.
- In fish bioassay, 100% survival of fishes was achieved in the water samples of Savitri River near Visva hotel, Savitri River, Dadli bridge, Savitri River, Nadgaon Tarf Birwad, Savitri River, Kamble tarf Mahad, Kall river, Akale village, Near Borhao.
- All metals like Arsenic, Nickel, Copper, Hexavalent Chromium (Cr⁶⁺) etc. are also observed either below detection limit or below their standard limits.
- Parameters like Total Residual Chlorine, Total Kjeldahl Nitrogen, Cyanide, Sulphide, Total Ammonical Nitrogen and Phenolic compounds, also meet the criteria as prescribed by CPCB.
- Organo Chlorine Pesticides, Polynuclear aromatic hydrocarbons (PAH) and Polychlorinated Biphenyls (PCB) are also observed below the detectable limit in all the studied samples.

Table 6.1 Details of Sampling Location of Surface Water

Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
1.	Savitri river, Dadli bridge, Arvind nagar	N18°04'30.54"	E73°25'15.35"	27.06.2024	29.06.2024	30.06.2024
2.	Savitri river, savitri river near visva hotel	N18°05'12.17"	E73°26'40.04"	27.06.2024	29.06.2024	30.06.2024
3.	Savitri river, Nadgaon tarf Birwad	N18°06'50.10"	E73°28'39.17"	27.06.2024	29.06.2024	30.06.2024
4.	Savitri river, Kamble tarf	N18°04'32.86"	E73°28'26.38"	27.06.2024	29.06.2024	30.06.2024
5.	Kall river, Akale village, Near Borhao	N18°10'30.05"	E73°29'54.37"	27.06.2024	29.06.2024	30.06.2024

Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
6.	Siddharth Colorchem Pvt. Ltd	N18°05'47.14"	E73°28'14.45"	27.06.2024	29.06.2024	30.06.2024




Fig: Geographical Locations of Surface Water Sampling

Table 6.2 Results of Surface Water



Parameters	Unit	Results					
		Savitri river, Dadli bridge	Savitri river near visva hotel	Savitri river, Nadgaon tarf Birwad	Savitri river, Kamble tarf Mahad	Kall river, Akale village, Near Bhorao	Siddhart Colorchem Pvt. Ltd.
Sanitary Survey	-	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood
General Appearance	-	No floating Matter	No floating matter	No floating matter	No floating matter	No floating matter	No floating matter
Transparency	m	0.50	0.40	0.43	1	0.5	0.3
Temperature	°C	28	28	29	29	29	29

Parameters	Unit	Results					
		Savitri river, Dadli bridge	Savitri river near visva hotel	Savitri river, Nadgaon tarf Birwad	Savitri river, Kamble tarf Mahad	Kall river, Akale village, Near Bhorao	Siddhart Colorchem Pvt. Ltd.
Colour	Hazen	1	1	1	1	1	16
Smell	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Not Agreeable
pH (at 25°C)	-	7.630	7.72	7.76	7.74	7.58	7.51
Oil & Grease	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Total Suspended Solids	mg/L	10	10	8	11	11	17
Total Dissolved Solids	mg/L	105	83	76	63	75	455
Dissolved Oxygen (% Saturation)	%	74	75	78	74	77	66
Chemical Oxygen Demand	mg/L	11	14	10	14	10	21
Biochemical Oxygen Demand (3 days, 27°C)	mg/L	3	4	3	4	3	6
Electrical Conductivity (at 25 °C)	µmho/cm	188	148	136	112	134	646
Nitrite Nitrogen (as NO ₂)	mg/L	0.45	BLQ	BLQ	BLQ	0.1	0.2
Nitrate Nitrogen (as NO ₃)	mg/L	5.19	0.61	0.6	1.63	1.71	2.75
(NO ₂ + NO ₃)-Nitrogen	mg/L	5.48	0.61	0.6	1.63	1.75	2.81
Free Ammonia (as NH ₃ -N)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Total Residual Chlorine	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Cyanide (as CN)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Fluoride (as F)	mg/L	0.93	0.77	1.10	0.90	1.50	0.90
Sulphide (as S ₂ -)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Dissolved Phosphate (as P)	mg/L	0.2	BLQ	BLQ	0.8	0.26	BLQ
Sodium Adsorption Ratio	-	3.87	3.15	2.50	2.63	5.1	1.73


Parameters	Unit	Results					
		Savitri river, Dadli bridge	Savitri river near visva hotel	Savitri river, Nadgaon tarf Birwad	Savitri river, Kamble tarf Mahad	Kall river, Akale village, Near Bhorao	Siddhart Colorchem Pvt. Ltd.
Total Coliforms	MPN Index/100 ml	16	920	<1.8	<1.8	805	1070
Faecal Coliforms	MPN Index/100 ml	8	21	<1.8	<1.8	46	272
Total Phosphate (as P)	mg/L	1	0.16	0.2	0.74	0.47	0.36
Total Kjeldahl Nitrogen (as TKN)	mg/L	1.12	1.57	1.16	1.23	1.83	2.31
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	0.16	0.14	0.12	0.15	0.25	0.32
Total Nitrogen	mg/L	6.59	2.17	2.14	2.86	3.58	5.12
Phenols (as C ₆ H ₅ OH)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Anionic Detergents (as MBAS)	µg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Organo Chlorine Pesticides	µg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Polynuclear aromatic hydrocarbons (as PAH)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Polychlorinated Biphenyls (PCB)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Zinc (as Zn)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Nickel (as Ni)	mg/L	BLQ	BLQ	BLQ	BLQ	0.02	0.02
Copper (as Cu)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Hexavalent Chromium (as Cr ⁶⁺)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Total Chromium (as Cr)	mg/L	0.02	0.10	0.03	0.02	0.03	0.02
Total Arsenic (as As)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	0.01
Lead (as Pb)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Cadmium (as Cd)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ

Parameters	Unit	Results					
		Savitri river, Dadli bridge	Savitri river near visva hotel	Savitri river, Nadgaon tarf Birwad	Savitri river, Kamble tarf Mahad	Kall river, Akale village, Near Bhorao	Siddhart Colorchem Pvt. Ltd.
Mercury (as Hg)	mg/L	BLO	BLO	BLO	BLO	BLO	BLO
Manganese (as Mn)	mg/L	0.04	0.42	0.19	BLO	0.43	0.05
Iron (as Fe)	mg/L	0.15	0.85	0.30	0.30	0.46	0.14
Vanadium (as V)	mg/L	BLO	0.02	0.01	0.01	0.03	BLO
Selenium (as Se)	mg/L	BLO	BLO	BLO	BLO	BLO	0.01
Boron (as B)	mg/L	0.21	0.51	0.47	0.35	0.38	0.61
Bioassay Test on fish	mg/L	100	100	100	100	100	93


Graphs - Surface Water Quality of Mahad




Surface water - Mahad




Surface water - Mahad




Surface water - Mahad



Surface water - Mahad



Surface water - Mahad



LAND ENVIRONMENT

7. Land Environment

For studying the land Environment of Mahad area, ground water was collected from Bore well, Dug well, and Hand Pump. A total of 6 samples were collected from (i) Borewell at Mr. Anand Nayak farm house (ii) Well at Mr. Jadhav House Aasanpoi (iii) Hand Pump near Baudhabari Village (iv) Handpump near Navi Nagar Village Near Mahad Police Station (v) Hand Pump near Akole Village (vi) Well at Deshmukh Kamble Village.

Six groundwater samples were collected from the MIDC Mahad region.

- All the water samples collected are found acceptable in general appearance, colour, smell and transparency.
- Parameters like pH, suspended solids, TDS, BOD, and COD are also observed well within the limits in all the collected samples.
- All the six water samples achieved 100% survival in Fish Bioassay.
- All metals like Arsenic, Nickel, Copper, Iron, Hexavalent Chromium (Cr⁶⁺) etc. are also observed either below detection limit or below their standard limits.
- Parameters like Total Residual Chlorine, Cyanide, Fluoride, Sulphide, Dissolved Phosphate, Total Ammonical Nitrogen and Phenolic compounds, also meet the criteria as prescribed by CPCB.
- Organo Chlorine Pesticides, Polynuclear aromatic hydrocarbons (PAH) and Polychlorinated Biphenyls (PCB) are below the detectable limit in all studied samples.

Table 7.1 Details of Sampling Location of Ground Water

Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
1.	Borewell at Mr. Anand Nayak farm house Aasanpoi	18°05'52.89"N	73°29'7.24"E	27.06.2024	29.06.2024	30.06.2024
2.	Well at Mr. Jadhav House Aasanpoi	18°05'55.43"N	73°29'11.39"E	27.06.2024	29.06.2024	30.06.2024
3.	Hand Pump near Baudhabari Village Aasanpoi	18° 5'47.40"N	73°29'13.90"E	27.06.2024	29.06.2024	30.06.2024
4.	Handpump near Navi Nagar Village Near Mahad Police Station	18° 5'56.85"N	73°27'47.04"E	27.06.2024	29.06.2024	30.06.2024
5.	Hand Pump near Akole Village	18° 6'1.91"N	73°27'45.27"E	27.06.2024	29.06.2024	30.06.2024

Sr. No.	Name of Monitoring Location	Latitude	Longitude	Date of Sampling		
				Round-1	Round-2	Round-3
6.	Well at Deshmukh Kamble Village	18° 4'52.09"N	73° 28'14.24"E	27.06.2024	29.06.2024	30.06.2024




Fig: Geographical Locations of Ground Water Sampling

Table 7.2 Results of Ground Water



Parameters	Unit	Results					
		Bore well at Mr. Anand Nayak Farm House, Aasanpoi, Mahad	Well at Mr. Jadav House, Aasanpoi, THL, Mahad	Handpump near Boudhabari village Aasanpoi, THL Mahad	Handpump near Navi Nagar village, Near Mahad Police Station Mahad	Handpump near, Akale village THL, Mahad	Well at Deshmukh Kamble village well, THL Mahad
Sanitary Survey	-	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood

Parameters	Unit	Results					
		Bore well at Mr. Anand Nayak Farm House, Aasanpoi, Mahad	Well at Mr. Jadav House, Aasanpoi, THL, Mahad	Handpump near Boudhabari village Aasanpoi, THL Mahad	Handpump near Navi Nagar village, Near Mahad Police Station Mahad	Handpump near, Akale village THL, Mahad	Well at Deshmukh Kamble village well, THL Mahad
Sanitary Survey	-	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood	Reasonably clean neighbourhood
General Appearance	-	No Floating matter	No Floating matter	No floating matter	No floating matter	No floating matter	No floating matter
Transparency	m	NA	0.50	NA	NA	NA	0.4
Temperature	°C	28	28	28	28	28	28
Colour	Hazen	1	1	1	1	1	1
Smell	-	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
pH (at 25°C)	-	7.90	7.77	8.22	7.84	7.81	7.96
Oil & Grease	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Total Suspended Solids	mg/L	7	8	11	9	10	9
Total Dissolved Solids	mg/L	85	181	137	100	130	137
Dissolved Oxygen (%Saturation)	%	NA	NA	NA	NA	NA	NA
Chemical Oxygen Demand	mg/L	8	11	19	16	13	9
Biochemical Oxygen Demand (3 days, 27°C)	mg/L	2	3	5	4	4	2
Electrical Conductivity (at 25°C)	µmho/cm	153	321	244	178	233	246
Nitrite Nitrogen (as NO ₂)	mg/L	0.57	0.12	0.03	0.03	BLQ	0.05
Nitrate Nitrogen (as NO ₃)	mg/L	2.41	2.74	0.49	3.23	2.58	5.84


Parameters	Unit	Results					
		Bore well at Mr. Anand Nayak Farm House, Aasanpoi, Mahad	Well at Mr. Jadav House, Aasanpoi, THL, Mahad	Handpump near Boudhabari village Aasanpoi, THL Mahad	Handpump near Navi Nagar village, Near Mahad Police Station Mahad	Handpump near, Akale village THL, Mahad	Well at Deshmukh Kamble village well, THL Mahad
(NO ₂ + NO ₃)-Nitrogen	mg/L	2.60	2.78	0.50	3.24	2.58	5.86
Free Ammonia (as NH ₃ -N)	mg/L	BLQ	BLQ	BLQ	BLQ	BLO	BLQ
Free Residual Chlorine	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Cyanide (as CN)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Fluoride (as F)	mg/L	1.3	0.27	1.23	1.73	1.60	0.87
Sulphide (as S ²⁻)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Dissolved Phosphate (as P)	mg/L	0.24	BLQ	0.14	0.18	BLQ	0.3
Sodium Adsorption Ratio	-	5.30	1.53	3.57	3.98	3.57	0.90
Total Coliforms	MPN Index/100 ml	1600	155	160000	170	<1.8	<1.8
Faecal Coliforms	MPN Index/100 ml	350	14	9200	<1.8	<1.8	<1.8
Total Phosphate (as P)	mg/L	0.32	0.28	0.25	0.47	0.54	0.37
Total Kjeldahl Nitrogen	mg/L	1.16	1.34	1.27	1.53	1.34	1.08
Total Ammonia (NH ₄ +NH ₃)-Nitrogen	mg/L	BLQ	0.13	0.15	0.20	BLQ	BLQ
Total Nitrogen	mg/L	3.75	4.13	1.77	4.78	3.92	6.95
Phenols (as C ₆ H ₅ OH)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Anionic Detergents (as MBAS, Calculated as LAS, mol.wt. 288.38)	µg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ

Parameters	Unit	Results					
		Bore well at Mr. Anand Nayak Farm House, Aasanpoi, Mahad	Well at Mr. Jadav House, Aasanpoi, THL, Mahad	Handpump near Boudhabari village Aasanpoi, THL Mahad	Handpump near Navi Nagar village, Near Mahad Police Station Mahad	Handpump near, Akale village THL, Mahad	Well at Deshmukh Kamble village well, THL Mahad
Organo Chlorine Pesticides	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Polynuclear aromatic hydrocarbons (as PAH)	mg/L	BLQ	BLQ	0.000084	BLQ	BLQ	BLQ
Polychlorinated Biphenyls (PCB)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Zinc (as Zn)	mg/L	0.20	BLQ	0.18	0.37	0.28	0.35
Nickel (as Ni)	mg/L	0.02	0.02	0.02	BLQ	BLQ	BLQ
Copper (as Cu)	mg/L	0.02	BLQ	0.02	BLQ	BLQ	BLQ
Hexavalent Chromium (as Cr ⁶⁺)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Total Chromium (as Cr)	mg/L	BLQ	1.69	0.13	0.02	BLQ	BLQ
Total Arsenic (as As)	mg/L	BLQ	0.01	BLQ	0.02	BLQ	0.02
Lead (as Pb)	mg/L	BLQ	BLQ	BLQ	BLQ	0.01	BLQ
Cadmium (as Cd)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Mercury (as Hg)	mg/L	BLQ	BLQ	BLQ	BLQ	BLQ	BLQ
Manganese (as Mn)	mg/L	0.10	BLQ	0.09	0.02	BLQ	BLQ
Iron (as Fe)	mg/L	0.10	0.23	0.32	0.37	0.45	0.16
Vanadium (as V)	mg/L	0.04	0.03	0.04	BLQ	0.04	BLQ
Selenium (as Se)	mg/L	BLQ	BLQ	BLQ	0.12	BLQ	0.02
Boron (as B)	mg/L	0.86	0.60	0.39	0.34	0.21	0.28
Bioassay Test on fish	% survival	100	100	100	100	100	100


Graphs - Ground Water Quality of Mahad





Groundwater - Mahad



Groundwater - Mahad





8. Health Related Data

C: Receptor

Component C (Impact on Human Health) 10	
Main - 10	
% increase in cases	Marks
<5%	0
5-10%	5
>10%	10

- % increase is evaluated based on the total no. of cases recorded during two consecutive years.
- For Air Environment, the total no. of cases related to Asthma, Bronchitis, Cancer, Acute respiratory infections etc. are to be considered.
- For surface water/groundwater Environment, cases related to Gastroenteritis, Diarrhoea, renal (kidney) malfunction, cancer etc are to be considered.
- For the above evaluation, the previous 5 years records of 3-5 major hospitals of the area shall be considered.

Annexure – I Health Related Data enclosed.

9. CEPI Score

Comprehensive Environmental Pollution Index (CEPI) is intended to act as an early warning tool that helps in the categorization of industrial clusters/ areas in terms of priority of needing attention. The CEPI score has been calculated based on CPCB Letter No. B-29012/ESS (CPA)/2015-16 dated 26th April 2016. The scoring system involves an algorithm that considers the basic selection criteria. It is proposed to develop the CEPI based on Sources of pollution, real-time observed values of the pollutants in the ambient air, surface water and groundwater in & around the industrial cluster, and health-related statistics.

Table 8.1 CEPI score of the Pre-monsoon Season 2024

	A1	A2	A	B	C	D	CEPI
Air Index	3	4	12	0	0	5	17
Water Index	1.75	4	7	0	0	5	12
Land Index	1.75	4	7	29	0	5	41.0
Aggregated CEPI							42.2

Table 8.2 Comparison of CEPI Scores

	Air Index	Water Index	Land Index	CEPI
CEPI Score June 2024	17.00	12.00	41.00	42.20
CEPI Score March 2024	19.00	31.00	37.80	41.50
CEPI Score June 2023	26.00	33.00	30.80	38.40
CEPI Score March 2023	29.00	35.25	33.00	41.45
CEPI Score June 2021	21.50	20.00	41.00	43.54
CEPI Score March 2021	21.50	39.00	37.25	43.89
CEPI score March 2020	41.80	20.30	23.30	44.60
CEPI score June 2019	30.50	51.50	50.00	58.90
CEPI score March 2019	34.75	45.00	45.00	53.60

CEPI score June 2018	26.00	39.25	45.00	50.61
CEPI score March 2018	32.50	38.50	45.00	51.88
CPCB CEPI score March 2018	41.00	35.75	29.00	47.12

CEPI Score Calculation:

Ambient Air Analysis Report

Pollutant	Group	A1	A2	A (A1 X A2)
PM ₁₀	B	2	Large	
PM _{2.5}	B	0.5		
CO	B	0.5		
		3	4	12

Pollutant	Avg (1)	Std (2)	EF (3) [(3)=(1)/(2)]	No. of samples Exceeding (4)	Total no. of samples (5)	SNLF Value (6) [(6)=(4)/(5)x(3)]	SNLF score (B)		
PM ₁₀	46.46	100	0.46	0	8	0.00	L	0	
PM _{2.5}	14.21	60	0.24	0	8	0.00	L	0	
CO	1.483	2	0.74	0	8	0.00	L	0	
B score = (B1+B2+B3)								B	0

C	0	<5%
D	5	A-IA-A

Air CEPI	(A+B+C+D)	17.0
-----------------	------------------	-------------

Water Quality Analysis Report

Pollutant	Group	A1	A2	A (A1 X A2)
TKN	A	1	Large	
Zn	A	0.5		
BOD	B	0.25		
		1.75	4	7

Pollutant	Avg (1)	Std (2)	EF (3) [(3)=(1) /(2)]	No. of samples Exceeding (4)	Total no. of sampl es (5)	SNLF Value (6) [(6)=(4)/(5) x(3)]	SNLF score (B)	
TKN	1.54	3	0.51	1	6	0.00	L	0
Zn	0.19	0.3	0.62	0	6	0.00	L	0
BOD	3.64	8	0.45	0	6	0.00	L	0
B score = (B1+B2+B3)							B	0

C	0	<5%
D	5	A-IA-A

Water CEPI	(A+B+C+D)	12.0
-------------------	------------------	-------------

Ground Water Quality Analysis Report

Pollutant	Group	A1	A2	A (A1 X A2)
Fe	A	1	Large	
Se	B	0.5		
Fluoride	A	0.25		
		1.75	4	7

Pollutant	Avg (1)	Std (2)	EF (3) [(3)=(1) /(2)]	No. of samples Exceeding (4)	Total no. of sampl es (5)	SNLF Value (6) [(6)=(4)/(5) x(3)]	SNLF score (B)	
Fe	0.27	0.3	0.91	1	6	0.45	M	15
Se	0.07	0.01	6.90	0	6	1.15	H	10
Fluoride	1.17	1.5	0.78	0	6	0.26	M	4
B score = (B1+B2+B3)							B	29

C	0	<5%
D	5	A-IA-A

Land CEPI	(A+B+C+D)	41
------------------	------------------	-----------

Land CEPI Score (im) 41.0

Air CEPI Score (i2) 17.0

Water CEPI Score (i3) 12.0

CEPI Score = 42.2

10. Conclusion

Ambient Air Quality

- In the present study, 08 AAQ stations were identified in the CEPI impact area to cover both upwind and cross-wind directions, and an AAQ survey was conducted.
- All air quality parameters are observed well within the limits as per NAAQS.
- Concentration of PM₁₀ is observed in the range of 39µg/m³ to 56µg/m³ and PM_{2.5} in the range of 12 to 17µg/m³ at the studied locations, which are less than the limits laid down in NAAQS 2009. However, in the CPCB CEPI report (2018), out of 24 samples, 10 of PM₁₀ and 7 of PM_{2.5} are found to exceed the standard limits of NAAQS.
- In the CEPI score calculated for Air Environment by CPCB in March 2018, the concentration of PM₁₀ exceeded at all the studied locations and which contributed to a higher air index (41.00). However, in the present report, the concentration of both PM₁₀ and PM_{2.5} are found below permissible levels resulting in less exceedance factor, this time air index is calculated as 17, which is quite lower than the CPCB report.

Surface Water Quality

- To understand the quality of treated effluent, samples were collected from six industries.
- Concentration of BOD and Total Kjeldahl Nitrogen was observed below the acceptable limit in the collected surface water.
- In the Mahad region, industries are reusing either the treated trade effluent as sewage in their process or gardening.
- In the CEPI score calculated for Water Environment by CPCB in March 2018, concentration values of total hardness were higher and exceeded at 3 of the studied locations.

Ground Water Quality

- Six groundwater samples were collected from different Dug well, and Bore well in the region.
- Higher concentration of Iron was observed in three of the groundwater samples collected, this may be due to agricultural processes.
- In the CEPI score calculated for Land Environment by CPCB in March 2018 also there is no critical pollutant exceeding in any water sample collected.

CEPI Score

- The CEPI Score pre-monsoon season is 42.20.

- During the calculation of the CEPI score, the Land Index is calculated as highest at 41.0, followed by the Air Index at 17 and Water index as 12. The parameters of surface water and groundwater in the Mahad region is well within the limits. Hence, aggregated CEPI score is calculated as 42.20.
- In CEPI score of CPCB 2018, the Air index was higher as compared to the present (June, 2024) indices.
- As per the CPCB CEPI calculation revised in 2016, Health statistics represented by Receptor C in CEPI Calculation, also play an important role.
- Collective efforts of the regional office of MPCB, NMMC, administration, and environmental organizations are resulting in control of pollution level in this region.
- Efforts taken to reduce the pollution level is represents factor D in CEPI Calculation, which also affects the overall CEPI score.
- The present study is the compilation of pre-monsoon season, which results in the dilution of environmental samples resulting in lower pollution load, hence also affecting the total score.
- In conclusion, this year in 2024, the CEPI score calculated in the Mahad region is 42.20, which is approximately 10% lower than the CEPI score (47.12) observed in 2018.

11. Efforts Taken by MPCB to Control and Reduce Environmental Pollution Index

- Waste collection and segregation centres:
 - a) **Domestic Solid Waste:** MMC has provided on site waste collection and segregation facility for residential area.
 - b) **Industrial Non-Hazardous waste:** Recyclable waste is sent to authorized segregation facility for residential area.
 - c) **Hazardous waste:** industrial hazardous waste sent to common hazardous treatment and disposal facility by industries.
- One Common Effluent Treatment plant (CETP) of 7.5 MLD capacity is installed for the treatment of wastewater.
- Continuous Emission Monitoring System (CEMS) are installed for Air and Water in 30 Large and Medium scale RED category industries.
- Arrangement of scientific collection and treatment of sewage generated by each industry: -65 no of Industries.
- Installation of CAAQMS station: 01 no.
- Establishment of Monitoring stations under National Water Quality Monitoring Programme (NWMP): 05 no.
- Steps are taken for industrial area/other units to recycle 100%% treated effluent to achieve zero liquid discharge (ZLD): 18 nos.
- Steps taken to reduce dust emission: - Industry have changed their F.O. to low Sulphur fuel and Green Fuel like LPG, PNG, and Electricity.
- Tree plantation in last one year: 14056
- Various awareness programs are conducted regularly in coordination with TBIA, TTCWMA, CETP & other industries.
- The average monthly Air Quality Index (AQI) of last six months from January 2024 to June 2024 is reported in the range of 49-118 in the Mahad region, which indicates good to moderate level of air quality in that area.



Continuous Ambient Air Quality Monitoring Station (CAAQMS)



Ambient Air Quality Monitoring (AAQM) Van

12. Photographs



Ambient Air Sampling at Hikal Ltd.



Ambient Air Sampling at Piramal Healthcare Ltd.




Ambient Air Sampling at CETP, Mahad



Ambient Air Sampling at Pidilite Industries Ltd.



Surface water sampling at Kall river Akale village



Surface water sampling at Savitri river, Nadgaon tarf Birwad



Surface water sampling at Savitri River, Dadli Bridge



Surface water sampling at Siddharth Colorchem Pvt. Ltd



Groundwater sampling at Handpump near Boudhabari village



Groundwater sampling at Well at Mr. Jadav House



Groundwater sampling at Handpump near Boudhabari



Groundwater sampling at Handpump near, Akale village

Annexure – I Health Related Data

HEALTHSTATISTICS

Required for Comprehensive Environmental Pollution Index (CEPI)
Pre-monsoon Season (April 2024- June 2024) Study by
Maharashtra Pollution Control Board (MPCB), MAHARASHTRA

Name of the Polluted Industrial Area(PIA)	MAHAD
Name of the major health center/organization	M.M.A. Hospital
Name and designation of the Contact person	Dr. Ramesh Naik Medical Superintendent
Address	MMA HOSPITAL P/42, Near telephone Exchange MIDC, Nangalwadi, MIDC At. Po. Nangalwadi, MIDC Tal. Mahad, Dist. Raigad. Pin. - 402309 MIDC, Nangalwadi, Mahad Dist. Raigad 402309

SNo.	Diseases	No.ofPatients Reported	
		Year 2022-2023	Year 2023-2024
AIRBORNE DISEASES			
1.	Asthma	5	7
2.	AcuteRespiratoryInfection	300	310
3.	Bronchitis		
4.	Cancer		
WATERBORNE DISEASES			
1.	Gastroenteritis		
2.	Diarrhea	15	20
3.	Renaldiseases		
4.	Cancer		

Date: 04/07/2024


 Signature


HEALTH STATISTICS				
Required for Comprehensive environmental Pollution Index (CEPI)				
Pre-monsoon Season (April 2024 - June 2024) Study by				
Maharashtra Pollution Control Board (MPCB), MAHARASHTRA				
Name of the Polluted Industrial Area (PIA)			MAHAD	
Name of the major health center/ organization			THO Mahad	
Name and designation of the Contact person			Dr.Nitin Bavdekar	
Address			Mahad	
SR.NO.	Diseases			
		2022-23	2023-24	
AIRBORNE DISEASES				
1	Asthma	132	348	
2	Acute Respiratory Infection	734	346	
3	Bronchitis	601	366	
4	Cancer	8	46	
WATERBORNE DISEASES				
1	Gastroenteritis	965	426	
2	Diarrhea	889	544	
3	Renal Diseases	224	74	
4	Cancer	0	1	


 for
Taluka Health Officer
Mahad Dist Raigad



जा.क्र/59/24 प्रा.प्र.केन्द्र/
-बिरवडी
दि. 11/7/2024


HEALTH STATISTICS

Required for Comprehensive Environmental Pollution Index (CEPI)
Pre-monsoon Season (April 2024- June 2024) Study by
Maharashtra Pollution Control Board (MPCB), MAHARASHTRA

Name of the Polluted Industrial Area (PIA)	MAHAD
Name of the major health center/ organization	P.H.C. Birwadi.
Name and designation of the Contact person	Dr. Bhagyashree Pavashe
Address	Medical officer

S No.	Diseases	No. of Patients Reported	
		Year 2022-2023	Year 2023-2024
AIRBORNE DISEASES			
1.	Asthma	34	36
2.	Acute Respiratory Infection	284	245
3.	Bronchitis	274	262
4.	Cancer	02	02
WATERBORNE DISEASES			
1.	Gastroenteritis	418	392
2.	Diarrhea	371	297
3.	Renal diseases	108	65
4.	Cancer	0	0

Date:


Medical Signature
P.H.C. Birwadi
Tal. Maval Dist. Solapur