

Minutes of meeting of Committee for monitoring of CEPI Action Plan held on 22<sup>nd</sup> February 2013 at Collector Office, Chandrapur under the Chairmanship of Hon'ble District Collector, Chandrapur.

Sr. No.	Action Points	Responsible Stake Holders	Time estimate	Present Status	Directions
1.	Provision of STP for Chandrapur Town. The domestic effluent generation from Chandrapur Town is about 30.0 MLD. Municipal Council has proposed to install two Nos. of STP having capacity 45.0 MLD & 25.0 MLD under UIDSSMT scheme, along with laying of sewerage line.	Municipal Council Chandrapur	31/03/2012	Commissioner, Municipal Corporation reported that, construction work of Sewage Treatment Plant (STP) at both the sites i.e Pathanpura & Rahamat Nagar, Chandrapur is completed. The work of laying pipeline is held up for want of funds and NOC from Railway authority for laying of pipeline at some places of the city. Funds for this work have to be raised through loan. Further it is reported that, PWD had asked to deposit Rs. 3.0 Crores for the repairing of the roads after laying of pipeline and this issue is also to be resolved.	The Chairman has directed to take effective steps on priority and submit the progress report from time to time.
2.	Use of treated industrial effluent for spraying for dust emission control in nearby mines and plantation in forest area, to reduce river discharge.	WCL, Forest department & PWD & Industry	31/03/2012	WCL representative during meeting reported that, treated mine water is utilized for dust suppression; firefighting & drinking purposes and balanced mine water is discharges into nearby nala / Rivers.	The Chairman has directed to submit water budgeting within 7 days and also to explore project for effective use of mine water being disposed into river such as water supply scheme, irrigation project, water harvesting.
3	Provision of STP for Ballarpur town:	Ballarpur Municipal Council	31/03/2012	Representative of Municipal Council has reported that agency has completed the survey work except the area of M/s. BILT Graphics Paper Products Ltd., Ballarpur and preparation of STP proposal is in progress for its submission to the Government.	The Chairman has expressed displeasure over compliance and directed to submit the same immediately with or without inclusion of the domestic effluent arising from the industry and colony of M/s. BILT Graphics Paper Products Ltd., Ballarpur.



a) Provision of storm water drain in MIDC Tadali and MIDC Chandrapur	MIDC	31/03/2012	<p>MIDC representative reported that, in some part of the MIDC, Chandrapur, storm water drain work has been completed and administrative approval is received for revised proposal for other parts of MIDC, Chandrapur.</p> <p>For MIDC Tadali, administrative approval is received for gutter and strengthening &amp; asphaltting the roads and tree plantation.</p>	<p>The Chairman has directed to speed up the work and submit report from time to time.</p>
b) Land fill site at MIDC, Tadali for non-hazardous solid waste generated by industries.	MIDC	31/03/2012	<p>MIDC representative reported that, plot no. C-17/1 and C-18 admeasuring 20 acres are allotted for providing solid waste disposal facility at MIDC Tadali and the industries generating solid waste from MIDC Tadali and Ghuggus are asked to nominate their representative to form the committee to look after the facility.</p>	<p>Chairman has directed to call the required information from the concerned industries, and the modalities to maintain and operate the facility be decided on priority.</p>
Development of alternative bypass road for transportation of the Coal & other raw material transportation	WCL, Industries, PWD, RTO	31/03/2012	<p>PWD representative, during meeting reported that, approach roadwork of Hadasti bridge will be completed within next three months and then bypass road MIDC, Chandrapur - Shivani - Rajura will become operative, which can reduce 50 % of traffic load through Chandrapur city. Further reported that, one approach by-pass road can be make available for Ballarpur city passing through Visapur after necessary strengthening of existing road so as to take care of remaining 50% traffic of heavy vehicles passing Chandrapur city. The Executive Engineer, PWD further reported that, the present status of newly constructed road is Major District Road and doesn't have capacity to bear heavy traffic load of multi-excel trucks which are being used for carrying fly ash, cement, minerals, etc. and thus required strengthening of about 35 kms road for which about Rs. 70 Crores additional fund will be required.</p>	<p>The Chairman has directed to submit proposal for obtaining funds for the said work to the higher authorities of PWD and the copy of the proposal shall be made available to him and MPCB, Chandrapur.</p> <p>After bringing these two approach roads in operation necessary orders for directing traffic of heavy vehicles through these roads could be issued so as to stop the traffic of heavy vehicles through Chandrapur city.</p>



6	<p><b>Health Impact Studies:</b></p> <p>a) Health Impact studies due to air pollution problem can be undertaken in Chandrapur city by Health Department.</p>	Health Department	31/03/2012	<p>a- i) During last meeting dated 30<sup>th</sup> October 2012, representative of Civil Surgeon reported that, health study report was conducted earlier for Chandrapur City.</p> <p>a-ii) District Health Officer, Chandrapur has reported that, he has submitted some of the formats to the Hon'ble Chairman of the committee for approval.</p>	<p>a) The Chairman has brought to the notice of District Health Officer, Chandrapur that the format designed for conducting the health study report does not appears to be proper. The format shall be designed keeping in view to carry out scientific study and statistical views which will be helpful in arriving to some conclusion and directed Civil Surgeon, Chandrapur, District Health Officer, Chandrapur and Medical Officers of WCL Ballarpur and Ghuggus shall interact with each other for designing the format and submit the same within seven days. Proposal for obtaining funds from WCL for conducting the survey shall also be prepared and submitted to WCL and the copy of the same shall be made available to the Chairman.</p>
	<p>b) Health studies in coal mine area can be undertaken by WCL authorities</p>	WCL	31/03/2012	<p>b) WCL representative submitted that, they are regularly conducting occupational health checking of workers and briefed statistics.</p>	<p>b) The Chairman has directed WCL representatives to compile their statistics and submit scientific study report within seven days. The study area shall not be restricted to their employees but to extend the same to the villages in the vicinity of coal mines and the area of study be decided by interacting with District Health-</p>





				Officer, Chandrapur & Civil Surgeon, Chandrapur.
7	<b>Vehicular Pollution:</b> a) Mass pool transportation system can be strengthened by State Government.	Municipal Council / State Transport	31/03/2012	Commissioner, Municipal Corporation, submitted that, adequate parking area about 25,000 sq ft is available within city.
	b) Adulteration of fuel can be prevented by District Administration	District Administration	31/03/2012	The chairman has stated that the regular monitoring is being carried out for checking adulteration of fuel and necessary action is being taken against defaulters
8	<b>Ballarpur:</b> At present MSW of Ballarpur city (19 Ton/Day) is disposed in an unscientific manner. Municipal Council will have to develop waste treatment facility in a time bound manner for wet waste.	Municipal Council Ballarpur	31/03/2012	Municipal Council, Ballarpur reported that, presently they have started composting of solid waste at their MSW site and proposals have been explored for outsourcing for processing and disposal of Municipal Solid Waste.
				Chairman annoyed -over non-compliance by Municipal Council, Ballarpur regarding Municipal Solid Waste (M & H) Rules 2000 even after directions of the Hon'ble Court on this issue. In the last meeting dated 30 <sup>th</sup> October 2012, Sub-Divisional Officer, Chandrapur was asked to pay visit to the MSW site, Ballarpur and to submit report for initiating action against the Municipal Council, Ballarpur. Reminder shall be issued to Sub-Divisional Officer, Chandrapur to submit his report, immediately.



9	Chandrapur: Total MSW generation is 120 Ton/Day. At present 1.5 Ton/Day capacity of wet waste treatment facility is installed but not operational. Municipal Council is required to provide adequate capacity of waste treatment facility	Municipal Council Chandrapur	31/03/2012	Commissioner, Municipal Council, Chandrapur, present during meeting reported that, tenders were called for processing and disposal of Municipal Solid Waste. Tender is opened and the party is called for negotiation. He appraised that recently Jaipur based agency has been deployed for collection of Municipal Solid Waste from the City with zero garbage target.	The chairman has directed to speed up related work immediately.
0	Shifting of Coal Depot located on Nagpur Road & Ghugus Road, Chandrapur.	District Administration	31/03/2011	Action initiated by District Administration & most of the Coal Depot have stopped their activity. However, alternate land has to be provided to these coal-depots for which a committee has been constituted.	

Meeting ended with thanks to the Chair.

  
Regional Officer,  
M.P.C. Board, Chandrapur

  
District Collector, Chandrapur  
&  
Chairman of the Committee