

# MAHARASHTRA POLLUTION CONTROL BOARD

Regional Office, Mumbai

Phone: - (022) - 25505928

Fax.: - (022) - 25505926

E-mail: - sromumbai@mpcb.gov.in

Website: - http://mpcb.gov.in



Raikar Complex, II nd Floor, Deonar Gaon  
Road, Govandi(E), Mumbai-88

MPCB/ROM/TB/ 140429 FT0487

Date:- 29/4/2014

To,  
M/s. GoldFinch Engineering System (P) Ltd.,  
Plot No. A-288, Road No. 16Z,  
Wagale Industrial Estate, Thane.

**Sub:-** Work order for analysis of water samples of Mithi river.

**Ref:-** 1. Case filed by Jalbiradari & Anrs Vs MoEF in NGT, appeal No. 8/2013

2. Meeting of technical evaluation committee held on 18.3.2014 in the chamber of JD(WPC), MPC Board, Mumbai.
3. This office letter dt. 25.3.2014 to submit the quotation.
4. Your Quotation received to this office on 9.4.2014.
5. Approval given by Member Secretary on 22.4.2014

Sir,

With reference to above captioned subject matter, MPC Board intends to carry out analysis of water samples of Mithi river for assessment of pollution load in the Mithi river by taking extensive survey of area & profiling of Mithi river including identification of water pollution sources. In this regard meeting of technical evaluation committee was held on 18.3.2014 in the chamber of JD (WPC), MPC Board, Mumbai. As per decision taken in this meeting quotation were called on 25.3.2014 from the MoEF approved laboratories for analysis of water samples of river Mithi and various nallas meeting to this river.


Reply to this office letter dt. 25.3.2014 three quotations were received to this office on 9.4.2014. All these quotations were bring to the notice to the technical evaluation committee and thereafter to Hon'ble Member Secretary of Board, as your quotation is found lowest Member Secretary of MPC Board has sanctioned your quotation/offer on 22.4.2014 and decided to award you a work of analysis of water samples of Mithi river and various nallas meeting to this river with following terms and conditions.

Jal(wpc)

## Terms & Conditions

1. The work is awarded for analysis of water samples of river Mithi and analysis of various nallas meeting to this river.
2. You shall strictly adhere with the letter issued by Board to you on 25.3.2014.
3. Analysis of water samples shall be done as per CPCB guidelines and shall be carried out with standard methods. These standard methods shall be mentioned in front of result of each parameters while report submitting to the Board.
4. In case of doubt of result of any parameter, MPC Board can direct you to reanalysis of said parameter.
5. You shall keep spare sufficient quantity of samples in case of re-analysis.
6. Result of samples shall be communicated to MPC Board within 7 days after water samples receipt to your laboratory.
7. The data and information contained in the report shall be treated as a confidential and sole property of MPCB. It shall not be disclosed/published without permission of MPCB.
8. MPC Board shall not be provided any additional funds on account of cost escalation due to any unforeseen acts.
9. As per your offer letter received to MPC Board on 9.4.2014 Board will release the analysis charges (Bill) to you within one month after submission of Bill by you to MPC Board. ( Rs. 4385/- plus 12.36 % service tax extra per sample of 21 parameters)

This is issued with approval of competent authorities of Board.



(R.R. Vasave)

I/c. Regional Officer, Mumbai.

### **Copy submitted for information to,**

- ✓ 1. Member Secretary, MPC Board, Sion Mumbai.
2. Joint Director (WPC), MPC Board, Sion, Mumbai.
3. Principal Scientific Officer, MPC Board, Sion, Mumbai.
4. Asst. Secretary(Tech), MPC Board, Sion, Mumbai.
5. Chief Account Officer, MPC Board, Sion, Mumbai.

### **Copy to,**

1. Asst. Account Officer, Regional Officer, Mumbai- for information and release of payment.
2. Sub Regional Officer, Mumbai-II- He shall make sure that water samples are sent to lab in time and compile the results after checking result of each parameter.
3. Master file