

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24024022/24020781/ 24010437
Fax: 24093814 / 24044532
website: <http://www.mpcb.gov.in>
E-mail: enquiry@mpcb.gov.in



Kalpataru Point, 3rd Floor,
Sion - Matunga Scheme Road No. 8,
Near Sion Circle, Sion (E)
Mumbai - 400 022

No. BO/JD (WPC)/PH/B- 4176


Date: 29/09/2015

OFFICE ORDER NO. E-220 OF 2015

In compliance of Notification S. O. 1533 dt. 14/09/2006 and amended Notification S.O. 3067 (E) dt. 01/12/2009 of Ministry of Environment and Forests, Government of India, the Public Hearing Panel in respect of proposed project of **Silica Sand Mine project of proposed production of 6,00,000/- MT/A** proposed by **M/s.C.V. Mahadik, A/t post- Kasarde, Opp. Petrol Pump, Tahsil-Kankavali, Dist: Sindhudurg-416801, Maharashtra** is as below;

- 1) **District Magistrate, Sindhudurg**
Or his representative not below the
Rank of an **Additional District Magistrate** **Chairman**
- 2) Representative of Maharashtra Pollution Control Board }
Sub Regional Officer, M. P. C. Board, Ratnagiri } **Member, Convener**
will work as;

The Members are requested to make it convenient to attend the Public Hearing dt.13.10.2015 at 11.00 AM. at **Karale Mangal Karyalaya, Mumbai Goa Mahamarg, At: Kasorde, Tal: Kankavali, dist: Sindhudurg,** positively


(Dr. P. Anbalagan IAS)
Member Secretary

Copy submitted for Information to:

- 1) The Additional Chief Secretary, Environment Department, Govt. of Maharashtra, Mantralaya, Mumbai- 400 032
- 2) The Chairman M. P. C. Board, Mumbai

Copy for Information to:

District Collector, Sindhudurg.

Copy to project proponent:

M/s.C.V. Mahadik, A/t post- Kasarde, Opp. Petrol Pump, Tahsil- Kankavali, Dist: Sindhudurg-416801

Copy for Information & necessary action to:

- 1) Regional Officer, M. P. C. Board, Kolhapur.
- 2) Sub Regional Officer, M. P. C. Board, Ratnagiri - He is instructed to ensure that the copies are served to all concerned.
- 3) EIC, M. P. C. Board, Mumbai - For information & display on website. - Soft copy of Executive Summary sent to EIC section.