

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24024022/24020781/ 24010437
Fax: 24093814 / 24044532
website: <http://www.mpcb.gov.in>
E-mail: enquiry@mpcb.gov.in



Kalpataru Point, 3rd Floor,
Sion - Matunga Scheme Road No. 8,
Near Sion Circle, Sion (E)
Mumbai - 400 022

No. BO/JD (WPC)/PH/B- 3165


Date: 13 / 07 / 2015

OFFICE ORDER NO. E- 202 OF 2015

In compliance of Notification S. O. 1533 dt. 14/09/2006 and amended Notification S.O. 3067 (E) dt. 01/12/2009 of Ministry of Environment and Forests, Government of India, the Public Hearing Panel in respect of proposed project of **integrated Sugar (5000 tcd) , Ethanol (60 klpd) and Cogeneration power plant (30 MW)** proposed by M/s. **Sharayu Agro Industries Ltd , Village Kapshi, Tahsil Phaltan, Dist: Satara** , Maharashtra is as below;

- 1) **District Magistrate, Satara** **Chairman**
Or his representative not below the
Rank of an **Additional District Magistrate**
- 2) Representative of Maharashtra Pollution Control Board } **Member, Convener**
Sub Regional Officer, M. P. C. Board, Satara
will work as;

The Members are requested to make it convenient to attend the Public Hearing dt.29.07.2015 at 11.30 am. at factory site of M/s. **Sharayu Agro Industries Ltd , Village Kapshi, Tahsil Phaltan, Dist: Satara** , Maharashtra positively.


(Dr. P. Anbalagan IAS)
Member Secretary

Copy submitted for Information to:

- 1) The Additional Chief Secretary, Environment Department, Govt. of Maharashtra, Mantralaya, Mumbai- 400 032
- 2) The Chairman M. P. C. Board, Mumbai

Copy for Information to:

District Collector, Satara .

Copy to project proponent:

M/s. Sharayu Agro Industries Ltd , Village Kapshi, Tahsil Phaltan, Dist: Satara Maharashtra.

Copy for Information & necessary action to:

- 1) Regional Officer, M. P. C. Board, Pune .
- 2) Sub Regional Officer, M. P. C. Board, Satara - He is instructed to ensure that the copies are served to all concerned.
- 3) EIC, M. P. C. Board, Mumbai - For information & display on website. – Soft copy of Executive Summary sent to EIC section.