# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24024022/24020781/24010437

Fax: 24093814 / 24044532

website: http://www.mpcb.gov.in E-mail: enquiry@mpcb.gov.in



Kalpataru Point, 3rd Floor, Sion - Matunga Scheme Road No. 8, Near Sion Circle, Sion (E) Mumbai - 400 022

No. BO/JD (WPC)/PH/B-50

Date: 04/0//2016

#### OF 2018 OFFICE ORDER NO. E- ○⋞

In compliance of Notification S. O. 1533 dt. 14/09/2006 and amended Notification S.O. 3067 (E) dt. 01/12/2009 of Ministry of Environment and Forests, Government of India, the Public Hearing Panel in respect of proposed project of M/s. Sadashivrao Mandlik Kagal Taluka Sahakari Sakhar Karkhana Ltd, At: Post Sadashivnagar, Tahasil Kagal, Dist: Kolhapur, Maharashtra is as below;

District Magistrate, Kolhapur 1) Or his representative not below the Rank of an Additional District Magistrate Chairman

Representative of Maharashtra Pollution Control Board 2)

Sub Regional Officer, M. P. C. Board, Kolhapur will work as;

Member, Convener

The Members are requested to make it convenient to attend the Public hearing dt.20.01.2016 at 11.30 am. at factory site of M/s. Sadashivrao Mandlik Kagal Taluka Sahakari Sakhar Karkhana Ltd, At: Post Sadashivnagar, Tahasil Kagal, Dist: Kolhapur, Maharashtra, positively.

> (Dr. P'. Antalagan IAS) **Member Secretary**

## Copy submitted for Information to:

- 1) The Additional Chief Secretary, Environment Department, Govt. of Maharashtra, Mantralaya, Mumbai- 400 032
- 2) The Chairman M. P. C. Board, Mumbai

### Copy for Information to:

District Collector, Kolhapur.

#### Copy to project proponent:

M/s. Sadashivrao Mandlik Kagal Taluka Sahakari Sakhar Karkhana Ltd, At: Post Sadashivnagar, Tahasil Kagal, Dist: Kolhapur, Maharashtra

## Copy for Information & necessary action to:

1) Regional Officer, M. P. C. Board, Kolhapur .

2) Sub Regional Office, M. P. C. Board, Kolhapur: He is instructed to ensure that the copies are served to all concerned.

3) EIC, M. P. C. Board, Mumbai - For information & display on website. - Soft copy of Executive Summary sent to EIC section.