

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/ 24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
E-mail: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd - 4th Floor
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E)
Mumbai-400 022.

No.BO/CAC-Cell/TB/B-4658

Date : 30 /11/ 2016.

Circular

Sub: Submission of the detailed compliance report by SRO in respect of Building and Construction projects while forwarding the application of Renewal of Consent to Operate to HQ.....

Ref: 4th CAC Meeting of 2016-2017 (3rd sitting) held on 15.10.2016

.....

During the 4th CAC Meeting of 2016-2017 (3rd sitting) held on 15.10.2016, it was noted that in most of cases of application of Renewal of Consent to Operate of the Building and Construction projects, SRO is not reporting any status about recycle of treated domestic effluent as per conditions of consent granted to them, analysis report of JVS of STP etc. Hence, a general decision was taken regarding the issuance of circular in respect of submission of the detailed compliance report by SRO in respect of Building and Construction projects while forwarding the application of Renewal of Consent to Operate to HQ. Copy of minutes is enclosed herewith. CAC decision is produced as below:

"It is noted that in most of cases of application of Renewal of Consent to Operate of the Building and Construction projects, SRO is not reporting any status about 60% recycle of treated domestic effluent as per conditions of consent granted to them. Also, SRO is not reporting JVS reports in such cases. Hence it was decided to issue a Circular in the said matter."

In view of above, you are hereby directed to submit the detailed compliance report of Building and Construction projects while forwarding the application of Renewal of Consent to Operate to HQ. Such report shall include status of recycle of treated domestic effluent as per consent conditions, whether provision of dual plumbing is made or not for the said purpose? Whether STP provided is adequate? What type of STP is provided? Whether JVS reports of STP are confirming to the prescribed standards? Whether minimum 3 JVS are collected in a year or not? Whether they have provided OWC and same is operational or not? Etc..


(Dr. P. Anbalagan, IAS)
Member Secretary

To:
All SROs and ROs.