

# MAHARASHTRA POLLUTION CONTROL BOARD

Phone No. 24010437 / 24020781  
Visit us at : <http://mpcb.gov.in>  
Email : [ps@mpcb.gov.in](mailto:ps@mpcb.gov.in)



Kalptaru Point 2<sup>nd</sup> floor,  
Sion Matunga Scheme Road  
No. 8, Infant of Sion Cercal,  
Sion (E),  
Mumbai – 400 022.

"Your Service is our Duty"

No./MPCB/PSO/B- 22011FTS0013

Date: 11/02/2022

OFFICE ORDER NO: /2022

**Sub:** Receipt and analysis of water and wastewater samples at Regional Laboratory, Chandrapur.


**Ref:** 1. Visit of MS, MPCB, to Regional Office and Regional Laboratory, Chandrapur dtd 17.12.2021  
2. online Office note no. MPCB-ON- 1875 dtd.29.12.2021 from I/c. R. Lab. Chandrapur.

Regional Laboratory, Chandrapur is established by MPCB in the year 2008. In view of the limited infrastructure and manpower only Air samples are received by Lab for analysis. MPCB, S RO, SRO offices and Regional Laboratory is shifted to new premises at **Udyog Bhavan, 1st Floor, Opp. Buss Stand, Railway Station Road, Chandrapur - 442401** w.e.f April 2019

Recently, R Lab, Chandrapur is furnished, and minimum required instruments & infrastructure is made available for R Lab. In view of this, vide ON No MPCB-ON- 1875 dtd.29.12.2021, it is decided that R Lab, Chandrapur, in addition to Air samples will start accepting the water samples for analysis of below mentioned parameter with effect from 15.02.2022 from the jurisdiction of Regional Officer, Chandrapur covering Chandrapur, Yavatmal, Gadchiroli districts.

Parameters to be analysed, pH, BOD, COD, SS, TDS, Chloride, Sulphate and Oil & Grease.

This is issued with the approval of MS, MPCB

  
(Dr. A. R. Supate)  
Principal Scientific Officer

**Copy submitted to:**

Hon'ble Chairman, MPCB, Mumbai – For information.  
Member Secretary, MPCB, Mumbai - For information

**Copy to:**

AS(T)/JD(APC) /JD (WPC) / PSO /RO, (HQ) / SRO, Chandrapur / I/c. R. Lab, Nagpur.